

# **CONTENTS** 目录

### Hard Baits

— CRYSTAL ARMOR SERIES	001-004
— Minnow 米诺	007-019
— Stickbait 铅笔	020-031
— Popper 波爬	032-036
— VIB	037-038
— Crank 胖子	039-041
— Metal Jig 铁板	042-048
— Blade Jig 胡须佬	049-049

# Soft Baits

— Frog 青蛙	050-050
— Soft Bait 软饵	051-060

# Fishing Rods

— Fishing Rod 鱼竿	061-087

# Fishing Reels

— Fishing Reel	渔轮	088-095

#### Accessories

— Fishing Line 鱼线	096-097
— Terminal Tackle 配件	098-102
— Fishing Bag 路亚包	103-103
— Fishing Tool 工具	104-107
— Apparel 服饰	108-110

# NOEBY CONCEPT





we will be environmentally sensitive and always keep in mind that the field for all of our activities is the earth." We encourage all anglers and individuals passionate about preserving our marine ecosystems to join us.

Production With Concerning For Nature With Social Contribution By NOEBY Products. Authentic Designed & Universal Standard Tackle For Anglers. Fun Of Fishing For More People and Make Fishing Easier.

- \* Quality is always the main priority in brand.
- \* Complete QC system make sure all of productions with good quality.
- What makes NOEBY unique from other fishing tackle manufacturers is our practical design backed by a strong R&D department, engineering design team, and ten foreign designers.

Year after year, we meet with our business partners all round the world. USA, South Africa, Chile, Mexico, France, Australia, Japan......Face to face, we discuss about product design and new technology, we share experience and innovative thoughts, we learn and pursue more from each other. We find this is extremely fruitful and helpful with our brand growth.

We don't just sell fishing tackle and make fishing easier, we also supply and spread joy and happiness. And we support Catch & Release program and also support the protecting the nature program. It has become the core values deeply rooted in NOEBY.

We also welcome OEM and ODM orders. Whether selecting a current product from our catalog or seeking engineering assistance for your application, you can talk to our customer service center about your sourcing requirements.

# **CEO Message**

Looking forward, we realize it takes not only the most essential quality products, but also innovation and a robust understanding of customer's needs to thrive in this challenging and volatile macro environment. And thus we urge our business partners to come with us, together we can make an integrated and synchronized supply network.

We always keep reinvesting back into our factories. By more than 10 years hard working and keep investing on better and better machines and product lines. And investing in staff training, we have one of the best production capability in the world and also product development ability to serve our customers.




#### Our Mission

Producing quality and professional products is what has kept our company going strong in the highly competitive industry. The original intricate designs can take several months to reach perfection. Customer loyalty is the main component of the growth of our brand, and the way we create loyal customers is by consistently providing quality products and excellent customer service.

"Firstly, I am honored to have our name associated with research that could lead to conservation of our fishing resources. Especially the value of actually seeing and trying products in real time cannot be overemphasized, in world fishing tackle has a lot of potential and in today's quickly changing industry, we build relationships with our loyal customers and friends from all around the world, share ideas and work together for the betterment of our industry, so i am very excited about what we've seen so far."

Wat 37 Steven Sun





# **MEANS A GREAT DEAL TO NOEBY**

IT HAS BEEN HARD WON AND EARNED THROUGH DECADES OF EXPERIENCE.

#### Enhanced Reflective Coating Damage Control

Crystal ARMOR Technology maximizes light reflection. creating a lifelike flash.

#### Longevity

Crystal Armor Technology enhances durability, providing a tough, wear-resistant finish that extends the lure's lifespan.

After being wrapped and protected by CRYSTALARMOR®, the lure's damage and leakage rate can be controlled within 5%

#### Paint Protection

Crystal Armor Technology shields the paintwork with a durable, glossy-finish while slowing down UV-induced fading.

#### Eliminates Eyes falling off

Vivid 30 fish eyes are firmly protected by CRYSTAL ARMOR \*, preventing them from falling off.

#### Irresistible Attraction

Crystal Armor Technology enhances the lures's finish, creating a more natural presentation in the water, making it more enticing to fish.



A Perfect Blend with Nature

The Innovatibe design of Crystal Armor interacts with natural light, creating a dynamic effect, that mimics real-life movement.





- Features a natural rolling action and wave motion
- Made with stainless steel through wire for added durability
- 2. Surface Lure Action
- Imitates the movement of escaping baitfish
- When diving, it floats in an unpredictable direction
- 3. Erratic Diving Action
- Produces an erratic rolling motion that attracts migratory fish
- Easy maneuverability, allowing the angler to precisely control
- the lure's action with the fishing rod



Item	Length	Approx Weight	Hook	Type
NBL1919CA	215mm	130g±	Without hook	浮水 Floating

Recommended hook size: Treble Hook 4/0 or 5/0, Single 5/0

Recommended ring size: #9 or #10



# The Pest





此款饵采用诺比重型强化鱼骨加厚壁结构设计,这意味着终极强度和极佳 的耐用性。

我们使用仿生学鱼骨在饵体内部构造一个屋脊型框架,当大鱼爆发性的咬 合力施加在饵体某一点时,巨大的压强通过鱼骨分散到饵体各处,从而使 饵体可以顶住巨型捕食者的凶猛攻击,从力学角度达到加固饵体的目的。

Item	Length	Approx Weight	Hook	Туре
NBL9740CA	160mm	109g±	3/0	沉水 Sinking

- 1. The lures feature a reinforced fish bone thicker wall construction, meaning ultimate strength and durability.
- 2. We reinforcing the body side with fish bone rib creates an internal framework to strengthen the body of the lure, making it far less likely to be crushed or cracked by large predators.







- Length Hook Type 沉水 Sinking NBL1920CA 2/0 165mm 105g±
- 1. 特调加重一体式钢丝连体沉水铅笔无论是在深水区或强水流中作 钓都表现非常出色。钓手可以使用PE4-6等重型装备进行长距离 大面积搜索,尤其是针对洄游鱼种低活性时,更好的将饵送到水 中深层目标鱼藏身处。
- 2. 饵体通过在中深水层缓沉姿态,适合接近白天或低活性时目标鱼 隐藏在较深的水深范围内。头部调小浮力后展现了更好的精确下 落作用,钓手可以使用缓慢柔和的控饵动作来吸引活性不高的大 型目标鱼种。
- 1. The heavy weighted stainless steel through wire sinking stickbait is excellent both in terms of fishing in deeper waters and strong currents. The weight will also allow anglers to use heavy gear such as PE4~6 and still achieve great distance to cover ground and get the lure into the strike zone of predators.
- 2. The bait uses slow actions to approach low-activity periods when the fish hidden in the deep range during the day. The buoyancy particular to the plug, which is not found in jigs, works well making it possible for anglers to make slow actions to attract inactive feeders.







- 1. 由于优化后饵体加重的设计,使钓手可以在水底到30m以上左右的水中层,再到水面以及其间的任何地方进行搜索作钓。 饵体以水平姿势颤沉下落,左右摆动,最大程度模仿垂死的饵鱼。
- 2. 在直线匀收时,饵体拥有宽泛的大幅尾部摆动,另外钓手在做抽停时, 饵体又具有犀利的逃窜加颤沉动作,甚至当海面出现鱼群炸水时,又 可以通过竿尖快速上挑动作使饵具有浮水铅笔在水面的窜动姿态。
- 3. 一体式钢丝连接加强结构、厚实的ABS框架材料保证饵体始终拥有稳定 强劲的品质。

#### \* Thru-wire construction 钢丝连体设计

Item	Length	Approx Weight	Hook	Туре
NBL1918CA	160mm	75g±	2/0	沉水 Sinking
NBL1918CA	185mm	114g±	3/0	沉水 Sinking
NBL1918CA	205mm	155g±	4/0	沉水 Sinking

- 1. This bait can be fished from the surface to the bottom, and everywhere in between, in a 30+ meter of water. It's a heavy weighted stick bait, that falls in a horizontal posture, with a side-to-side wobble that perfectly mirrors a dying baitfish.
- 2. On a straight retrieve it has wide wobble action, when jigged or twitched it has a sharp darting action and when burned across the surface, it has a skipping action that resembles a fleeing bait.
- 3. Through wire construction, a durable lead filled body and triple strength saltwater grade treble hooks, quality throughout.



# Blooper+ NBL 9741CA A SHARKER WILL ENGRICH WILL STREET (# 1671) A STREET (# 1671) A

- \* Thru-wire construction 钢丝连体设计
- Item
   Length
   Approx Weight
   Hook
   Type

   NBL9741CA
   140mm
   60g±
   1/0
   水面 Surface

   NBL9741CA
   180mm
   117g±
   3/0
   水面 Surface
- 此款饵采用诺比重型强化鱼骨加厚壁结构设计,这意味着终极强度和极佳的耐用性。
- 我们使用仿生学鱼骨在饵体内部构造一个屋脊型框架,当大鱼爆发性的咬合力施加在饵体某一点时,巨大的压强通过鱼骨分散到饵体各处,从而使饵体可以顶住巨型捕食者的凶猛攻击,从力学角度达到加固饵体的目的。
- The lures feature a reinforced fish bone thicker wall construction, meaning ultimate strength and durability.
- We reinforcing the body side with fish bone rib creates an internal framework to strengthen the body of the lure, making it far less likely to be crushed or cracked by large predators.







- 2. 采用加厚壁 ABS 主体材料, 搭配一体钢丝结构可承受猛烈的攻击。
- 3. 大而深的口杯每次抽饵时都会在水面上产生巨大的表面水花爆炸效果。

#### \* Thru-wire construction 钢丝连体设计

Item	Length	Approx Weight	Hook	Туре
NBL1911CA	140mm	74.5g±	2/0	水面 Surface
NBL1911CA	165mm	133g±	4/0	水面 Surface

- 1. Built for long distance casting and handling both inshore and offshore big game saltwater species.
- 2. This lure has been designed with a thick-walled ABS body, through wire construction and extreme duty hooks to withstand the most ferocious strikes.
- 3. The deep-cupped face creates a huge surface explosion with each



# Daio Popper

NBL 1912CA






Item	Length	Approx Weight	Hook	Type	
NBL1912CA	190mm	73g±	3/0	水面 Surface	

- 1. 非常适合船抛或岸抛金枪鱼群或其他大型掠食者。
- 2. 由于其磁吸重心转移系统和表面上的水平漂浮姿态,易于咬合, 细长型饵身设计在恶劣的条件下, 抛投距离非常出色。
- 3. 优化后的平衡重心设置使饵不会下潜太深, 所以即使在很短的行 进距离内, 钓手也可以舒服的做出连续抽停动作。
- . The lure has overwhelming castability due to its weight moving system and level floating posture on the surface for easy bites. Even in rough conditions, the castability is excellent due to the slim shape and magnet weight moving system.
- 2. Due to the level floating posture, it doesn't dive to much and we can make the popping action with continuous twitching actions even over a short distance.



# [ NOEBY TECHNOLOGY ]



#### POLYHEDRON DIAMOND CUBE

The Polyhedron DIAMOND CUBE was specifically designed to capture the feeling of being inside a crystal. It polyhedron sends out flashes of reflected light and insert the reflection core of the crash pattern which fish can see from a great distance.

This must be one incredibly surreal and glittering spectacle to witness in person.





#### REINFORCED FISH BONE FRAMEWORK


Designed for big game lures.

We reinforcing the body side with fish bone rib creates an internal framework to strengthen the body of the lure, making it far less likely to be crushed or cracked by large predators.



#### REINFORCED HEAVY-DUTY ABS CONSTRUCTION

Normal plastic was simply not strong enough for our lures, so we designed a special formula of High Density ABS plastic and is ultimately stronger than any other plastic used for lure production.



#### ONE PIECE SOLID STAINLESS STEEL PLATE-THROUGH CONSTRUCTION

Cut immediately from imported ultra rust-proof and strong stainless steel plates for a strong complete whole piece structure without joints or openings.

Dozens of times stronger than that of the conventional steel wire and the actual tested pulling tension reaches over 200kg.



#### U٧

Some of our lures are UV reactant and it reactant does not affect the normal appearance of the lures.



#### THROUGH-WIRE CONSTRUCTION

Through wire construction uses a solid piece of heavy wire that runs from the nose of the lure, through to the tail hook for extra strength and durability.





#### INTERNAL HOLOGRAPHIC FOIL

A hologram sheet is built in the body, it continues to shine no matter how much it is scratched. Most predators use sight as their primary hunting sense. Making sure you are using the most attractive lure will enhance your chances of a strike.

#### REMARKABLE REALISTIC PATTERNS FOIL

Most predators have exceptional sight and using lures that are as life-like as possible, with realistic patterns, can give you an advantage when compared to using a lure with a smooth painted finish.










# MegaTrap

NBL 9773



Item	Length	Weight	Hook	Туре
NBL9773	170mm	213g±	Single 7/0	沉水 Sinking
NBL9773	210mm	352g±	Single 9/0	沉水 Sinking

- 1. 这是针对重磅拖钓而设计的一款高速拖钓饵,适用于作钓马鲛、金枪鱼和马林鱼。
- 2. 标配强化高速旋转轴承与焊接实心单圈,采用高强度一体式钢丝结构使饵体几乎不可能被大型鱼种咬碎。
- 3. 细长的尾部设计用于最大程度地暴露钩子,增加中鱼率,同时流线型设计可减少前进阻力,从而实现更快的拖钓速度和更深的水层。
- 1. This versatile trolling lure build for big game fishing including marlin, tuna, and wahoo, that can be pulled from 6–15 knots and features a tight swimming action.
- 2. Features welded rings on super reinforced ball-bearing swivels and through wire construction on ultrasonically welded solid ABS shells.
- 3. The slender tail section, designed for maximum hook exposure on the strike and streamlined design reduces drag, allowing for faster retrieves and deeper dives.





#### \* Thru-wire construction 钢丝连体设计

Item	Length	Weight	Hook	Troll Speed	Type
NBL9046	120mm	32g	#2	12kn	浮水 Floating 0-5m
NBL9046S	140mm	52g	1/0	14kn	缓沉 Slow Sinking 0-7m
NBL9046S	160mm	73g	3/0	14kn	缓沉 Slow Sinking 0-8m

- 1. 配备加强型双圈来固定重型加强诺比三本钩,通过一体钢丝式加强结 构和加厚ABS饵壁与巨大坚固的舌板配合,使饵迅速达到预设深度对 抗各种体型的目标鱼。
- 2. 为了确保每条饵都能发挥出设定的完美泳姿, 我们在出厂前会针对每 条饵进行手工测试和调整。
- 1. Built with saltwater tough 3X split rings holding strong NOEBY hooks, through wire construction and tough ABS Resin body. Features a large diving shovel that drives it up to its preset depth.
- 2. To ensure a perfect swimming action that imitates a real fish, all our baits have been tested and tuned by hand before the launch of the tank.



# Apex Diver V2

NBL 9737



- 1. 此款饵采用诺比重型强化鱼骨加厚壁结构设计,这意味着终极强度和极 佳的耐用性。
- 2. 我们使用仿生学鱼骨在饵体内部构造一个屋脊型框架, 当大鱼爆发性的 咬合力施加在饵体某一点时,巨大的压强通过鱼骨分散到饵体各处,从 而使饵体可以顶住巨型捕食者的凶猛攻击, 从力学角度达到加固饵体的 目的。

Item	Length	Weight	Hook	Troll Speed	Туре
NBL9737	140mm	47g	1/0	10kn	浮水 Floating 0-7m
NBL9737	180mm	94g	4/0	17kn	浮水 Floating 0-8m

- 1. The lures feature a reinforced fish bone thicker wall construction, meaning ultimate strength and durability.
- 2. We reinforcing the body side with fish bone rib creates an internal framework to strengthen the body of the lure, making it far less likely to be crushed or cracked by large predators.





1. 采用强化的ABS饵体、重型加强的三本钩与一体式冲压钢板结构 设计配合,使其成为最耐用的拖钓饵之一。

2. 适用于使用包括钢丝线在内的各种绳结形态的钓组等进行拖钓, 使饵体在不同速度下都能在设定水层进行自由地正确摇摆。

#### \* Line-incision technology 线切割设计

Item	Length	Weight	Hook	Troll Speed	Type
NBI 9485	180mm	90a	4/0	15kn	浮水 Floating 5-6.5m

- 1. Features a tough ABS Resin body, 4X strong treble hooks and one piece through stainless steel plate construction making it the most durable trolling lure.
- 2. Designed to be fished with a crimp, loop knot, cable or single strand wire, to give the bait the freedom to swim correctly.






\* Thru-wire construction 钢丝连体设计

Weight

Length

Item

- 1. 这是一款新手或专业钓手征战深海甚至亚马逊河流拖钓的必备品之一。
- 2. 主体采用一体钢丝式加强结构和加厚ABS设计, 搭配强悍的诺比加强
- 3. 为了确保每条饵都能发挥出设定的完美泳姿, 我们在出厂前会针对每条 饵进行手工测试和调整。
- 1. The body has tough ABS resin construction and extra strong through wire construction.
- 2. To ensure a perfect swimming action that imitates a real fish, all our baits have been tested and tuned by hand before the launch
- 3. From Bluewater to Barramundi, this lure is a must have for novice and expert anglers alike.



Hook

Type

Item

NBL9093

NBL9093

Gladiator NBL 9093

其成为最耐用的拖钓饵之一, 足以应对许多近海物种, 包括金枪鱼、 马鲛鱼等大型掠食者。 2. 适用于使用包括钢丝线在内的各种绳结形态的钓组进行拖钓、使饵

体在不同速度下都能在设定水层进行自由地正确摇摆。

1. 采用强化的ABS饵体、重型加强的三本钩与一体式钢丝设计配合,使

- 1. This lure are deadly on a number of offshore species including Tuna, Wahoo, Dolphin and King Mackerel, just to name a few.
- 2. Features a tough ABS Resin body, 3X strong treble hooks and through wire construction making it the most durable trolling lure.
- 3. Designed to be fished with a crimp, loop knot, cable or single strand wire, to give the bait the freedom to swim correctly.



NS001 NS002 NS003 NS004 NS005 NS006 NS007 NS008 NS009 NS160 NS260 NS262 NS263 NS264



Type

沉水 Sinking 7-9m

12kn 沉水 Sinking 7-9m

#### \* Line-incision technology 线切割设计

\* Thru-wire construction 钢丝连体设计

Weight

98g

Length

140mm

180mm

Troll Speed

12kn

Hook

1/0

3/0

Item	Length	Weight	Hook	Troll Speed	Туре
NBL9774	160mm	54g	2/0	5–15kn	沉水 Sinking 0-3.5m

- 1. This is the ultimate inshore and offshore trolling lure. 2. Ideal for a wide variety of species including striped bass, big salmon, kingfish, yellowtail, tuna and wahoo. Its run perfect right out
- of the box, no wasted time tuning. 3. They can be run up to 5-15 knots for big game fish worldwide.
- 4. At 12 knots the minnow's smooth swimming action allows the lure to be fished on lighter line, even with a light drag setting.



# French Fry

NBL 9771



一款针对上层及水表层目标鱼设计的大尺寸远投浮水米诺,采用高浮力饵 体, 当慢速匀收时, 饵体在水面会产生一个V形波纹, 非常容易被伏击的 大型猎食者发现,当提高收线速度时,饵体会钻入水下30厘米左右产生大 2. Adopted a high buoyancy body that is good at capturing the 幅度的摇摆滚动泳姿,适合应对活性较高的大型猎物。



- 1. This floating version is ideal to use in a wide range of fishing spots like rocks, ports or even shallow beaches. It is easy to use, with the most amazing jerk and twitch action - with an almost horizontal balance on the stop.
- surface layer and does not dive too much.



# DancingMinnow

NBL 9242

Item	Length	Weight	Hook	Type
NBL9242	125mm	19g	#4	浮水 Floating 1.5-2.8m

- 1. 适用于拖钓与抛投, 匀收时足够紧密的摇摆频率和身体滚动幅度对 于很多鱼类是无法抵抗的。
- 2. 拖钓速度保持在1-5节时,宽大舌板与相对扁平的头部会保证饵体 在水中稳定的同时产生剧烈摇摆。



- 1. The ultimate cast and retrieve lure with unique tight action and body roll that will mesmerise many species of sports fish.
- 2. Trolling speeds ranging from 1 knot to 5 knots are ideal and twitching of the rod at low trolling speeds will achieve greater action with a more erratic movement.



#### Corsaro 🚥

NBL 1958

Item	Length	Weight	Hook	Type
NBL1958	100mm	17.5g	#3	缓沉 Slow Sinking

这款下潜米诺潜深可达到4米, 既能快速下潜, 又能在匀速收线时时 减少阻力与线张力。无论是高速收线时的稳定摆动,还是不同速度的 匀收甚至拖钓都表现出色。



#### Line-incision technology 线切割设计

The Corsaro diving jerkbait reaches depths of 4 meters with minimal effort and reduced line tension. Its versatile design ensures stability during high-speed retrieves, supports various speeds including trolling, and perfectly mimics prey with its baitfish profile.



FROG



#### \* Thru-wire construction 钢丝连体设计

ltem	Length	Weight	Hook	Туре
NBL9767	170mm	56g	Without hook	缓沉 Slow Sinking
NBL9767	195mm	84g	Without hook	缓沉 Slow Sinking

170mm Recommended Hook Size: Triple #2/0, Single 3-5g/pcs 195mm Recommended Hook Size: Triple #3/0, Single 4-7g/pcs Recommended Ring Size: #7~#8 (170mm) / #8~#9 (195mm)

- 1. 搭载磁力重心转移系统, 在岸投时遇到逆风等恶劣天气时, 也能保持优 异的抛投距离。
- 2. 在遇到海流比较大的海域、青物对水面系假饵只追不咬的时候,这种大 型米诺在上鱼率方面很有优势。
- 3. 加厚ABS饵身与钢丝连体、加强加固隔间搭配,整体强度足以对抗大型 青物。
- 1. Perfect for shore fishing and the magnetic ball moving system enables us to cast long distances even against the wind.
- 2. Especially in areas with a lot of current this lure has an advantage.
- 3. Armed heavy duty ABS body, one piece thru-wire construction and numerous reinforcement compartments, it will allow you to land the biggest fish.





- 1. 针对金枪鱼等一系列中上层猎物进行了重量优化,非常适合远投,背鳍也 在高速匀收或强水流中作钓时发挥作用,保证饵体稳定摇摆。
- 2. 搭载坚固一体式钢丝连体、加厚ABS材料主体和加强诺比三本钩将确

Item	Length	Weight	Hook	Туре
NBL9060	90mm	32g	#4	沉水 Sinking
NBL9060	120mm	70g	1/0	沉水 Sinking

- 1. This sinking minnow weighted perfectly for those long casts when targeting an array of tuna species as well as other pelagics, also hold its action really well when retrieved at a high pace or when used in strong currents.
- 2. It's solid stainless steel plate-through construction, heavy duty ABS material body and strong NOEBY trebles will ensure it stands up to the toughest of jaws.





\* Thru-wire construction 钢丝连体设计

Item	Length	Weight	Hook	Туре
NBL1907	90mm	46g	#4	沉水 Sinking
NBL1907	110mm	64g	#2	沉水 Sinking

- 2. G-控制确保身体摇摆的同时减少了不稳定动作的发生。
- 3. 腹部导流板提高了在高流速和湍急水域中拖钓的稳定性, 拖钓潜深在 1到2米之间。
- 1. It's hardware and wire construction have also been purpose designed for larger species and the G-Controlling has proven itself in testing time and time again.
- 2. G control also has body rolling action along with a slight erratic kick setting apart
- 3. The G-Controlling secondary bib adds stability at speed and also when trolled in turbulent waters with a diving depth of between 1 and 2 meters.





Item	Length	Weight	Hook	Type
NBL9448	110mm	36g	#6	沉水 Sinking

- NS171 NS172 NS173 NS174
- 1. 专为长距离抛投和高速匀收而设计的饵型,同时具有紧密的高速摇 摆滚动泳姿。
- 2. 饵体强烈的摆动动作非常适合在船上和岸上进行抛投或拖钓作钓, 搭载一体式钢丝结构和坚固的诺比加强三本钩, 可抗衡各种体型的 鱼类。
- 1. Designed for long casts and high speed retrieves, the lure has a seductive wobbling and rolling action.
- 2. Perfect for both spinning and trolling from boat and shore, strong wobble and roll action appeals to a wide range of fish which equipped with wire-through construction and strong NOEBY treble hooks.

FishFinder NBL 9450 1. 非常适合岸抛/滩投, 作为一款重型紧凑米诺, 出色的平衡性能够应对 强流,即使逆风也能投出很长的距离。 2. 特殊调教的舌板角度可适应各种收线速度, 抽停时产生不规则的逃窜 动作则模仿了乌贼、虾的自然躲避运动。

Item	Length	Weight	Hook	Туре
NBL9450	90mm	29g	#4	沉水 Sinking

- 1. Perfect for shore fishing with the lure being able to cope with the strong currents also can cast long distances even against the wind.
- 2. A heavy lure, it maintains excellent balance and can accommodate a wide range of retrieving speeds.
- 3. The irregular hopping and darting imitates the natural evasive movements of squid, shrimp.





#### \* Thru-wire construction 钢丝连体设计

Item	Length	Weight	Hook	Туре
NBL9477	120mm	42g	#4	沉水 Sinking

1. Ideal for offshore casting. It casts like a bullet and also features wire-through construction for extra strength and durability to target bigger kingfish, Spanish mackerel and any other big pelagic species.

2. A nice and relatively tight wobble that you can feel at a range of different retrieve speeds, typically anything from a medium to fast pace works best with a constant wind, even it can also be used in trolling.



### Warrior Minnow

Item

NBL9496



Weight

21g

Length

90mm

Hook

#4

Type

沉水 Sinking

1.	非常适合岸抛或近海船抛,	饵体能够应对强流,	即使逆风情况下也能
	长距离抛投。		

- 2. 两侧流线外形设计使饵在水中自然游动,控饵时水体阻力小,不规则 的逃窜动作就像真正的饵鱼一样。
- 1. Perfect for shore fishing with the lure being able to cope with the strong currents also can cast long distances even against the wind.
- 2. Streamlined body on two sides make fish swim naturally in the water just like the real flow linear fish, and the irregular hopping and darting imitates the natural evasive movements of squid, shrimp.





- 1. 搭载高强度加厚ABS材料饵体和一体式钢丝结构专门为大型物种设计 优化后的平衡重量也向前移动了一点, 饵体能够更自然下落, 这对于
- 2. 较长的舌板在前进时会产生一定升力,因此饵体可以支持从慢速、中 速到高速收线速度下保持良好地摇滚摆动泳姿。

Item	Length	Weight	Hook	Type
NBL9312	137mm	41g	#4	沉水 Sinking

- 1. It's highly resistant ABS materials and through wire construction have also been purpose designed for large species, also its balancing weight was moved a little forward to give it a natural fall which is useful for both surf and shore.
- 2. The lip creates a lift force, so it swims well with a variety of retrieve speeds, from slow, medium and fast retrieve speeds.



Shad Dancer NBL 9778 1. 搭载全新钨钢重心转移系统, 强化远投能力, 即使在大风等恶劣环境时, 在低风阻饵身设计加持下,实现出色的抛投距离和饵体姿态稳定。 2. 非常适合岛礁、堤坝和沙滩等环境,无论是慢速匀收还是快速匀收,饵

\*Tungsten weight transfer system 钨钢重心转移

Item	Length	Weight	Hook	Туре
NBL9778	125mm	26g	#6	沉水 Sinking
NBL9778	145mm	39g	#2	沉水 Sinking

体都会在水中呈现强烈且紧密的摇摆震动。 1. The tungsten weighted wire oscillating mechanism is penetrated all the way to the rear end. Combined with the synergistic effect of the

long aero lip structure and body shape, the lure achieves a stable flying posture.

2. Its long lip is to keep swimming range at productive zone even just before you pick it up. It makes high-pitch tight rolling actions which is effective for seabass and flat fish.





\* Tungsten weight transfer system 钨钢重心转移

Item	Length	Weight	Hook	Туре
NBL9779	130mm	26g	#2	沉水 Sinking

- 1. 行之有效的钨钢重心转移系统让钓手轻松实现卓越的抛投距离以及无与
- 2. 特殊角度设计的薄边缘舌板使饵体在海浪中也能保持紧密的摇摆滚动姿 态,整体平衡性非常好,为经验丰富的钓手和初学者提供优异性能。
- 1. Designed with a tungsten weight transfer system allows for superior casting distance, letting you cover a wider fishing zone and reach deeper waters with unmatched precision.
- 2. The thin lip edges make moderate-pitch tight wobble-rolling actions even in high waves and is so well balanced the lure can be burned during retrieve like a crankbait without failing during its travel.



Flick Shad NBL 9498 1. 比9497更大的版本,设计目的是直接到达水底或较深水层,更容易瞄

准中下层鱼类。

- 2. 内部重心转移系统在恶劣天气下也能保证较好的抛投距离, 匀收时饵体 在水下会展现的更大的摇摆幅度,中等速度的摆动频率搭配3枚诺比加 强三本钩,在应对伏击型猎物突然攻击时,能够有效减少脱钩几率。
- 1. It is designed to get directly to the bottom so making it easier to target bottom dwelling fish.
- 2. The lure has an internal weight transfer system which allows for long casting.
- 3. The action created is an aggressive rolling and wobbling action and with its attractive shine.





Item	Length	Weight	Hook	Type
* NBL9497	95mm	13g	#6*2	悬浮 Suspending
NBL9497	110mm	19g	#6*3	浮水 Floating 0-1.0m

\* OEM ONLY

Item

NBL9498

Length

130mm

Weight

23g

Hook

#4

Type

浮水 Floating 0-1.5m

- 1. 低阻饵身与重心转移系统为远投提供了最大助力, 在岸投和滩投大
- 2. 加强诺比三本钩设计为钓手在快速匀收、抽停动作时猎物突然发起 攻击提升了上钩率。
- 3. 平衡的高比重机身可以轻松应对强大的水流, 并快速到达所需的深 度,产生稳定但不规则地的摇摆动作以吸引捕食者的注意力。
- 1. Produces an erratic side-to-side swim action to draw predator's attention.
- 2. It has an overwhelming far distance necessary for vast surf area.
- 3. Balanced body high specific gravity can easily handle strong currents, and quickly reaches the required depth.





1. 专为在最苛刻的条件下需要远投的作钓环境而设计,日本进口烫金纸水下不同角度反射的光线,对远处猎物很有吸引力。

2. 滑动模块重心转移系统使饵像子弹一样发射,并在匀收和抽停时发出 独特的摇摆颤抖和逃窜泳姿。

 Designed for fishing that requires ultimate casting distances in the most demanding conditions.

2. An innovative sliding weight transfer system allows the lure to cast like a bullet and swim with a unique twitching and darting action on the retrieve.

Item	Length	Weight	Hook	Type
NBL9495	110mm	19g	#2	沉水 Sinking
	-0			





Item	Length	Weight	Hook	Type
NBL9006	100mm	14g	#4	浮水 Floating 0-1.2m
NBL9006	120mm	22g	#2	浮水 Floating 0-1.5m

- Designed for extreme casting distances in the most demanding conditions, the lure is built heavy and tough to target large aggressive saltwater predators.
- Fished with a fast, steady retrieve results in a strong rolling and wobbling action with minimal resistance.





1. 一体式舌板可以通过匀收动作使饵在各种海况下牢牢抓住水流,饵体摆 动紧密且倾斜摇滚角度更锐利,抽停时在3枚高强度诺比三本钩的配合 下, 展现更多的不规则逃窜角度。

2.内部搭载有效的配重球重心转移系统, 甚至在强风下也能有良好的抛投 距离。

Item	Length	Weight	Hook	Туре
NBL9029	120mm	16g	#6	浮水 Floating 0-0.9m
NBL9029	150mm	24g	#4	浮水 Floating 0-1.2m

- 1. It's 'dished lip' that bites firmly into the waves and equipped with 3 NOEBY treble hooks and weight transfer system allow it to vibrate tightly on the retrieve and the lure can also be made to dart erratically.
- 2. It can be cast a serious distance, even into strong winds, due to its effective internal shifting ball weights.





Item	Length	Weight	Hook	Type	
NBL9142	150mm	23g	#4	浮水 Floating 0-1.5m	

2. The lure is made of highly resistant ABS materials and NOEBY trebles, offering aggressive, firm and consistent navigation. 3. A steady slow or fast retrieve, twitch and pause or ripping the lure

1. Due to its slim body and light weight, the lure can be thrown great

that can generate more vibration, make it irresistible for predators of all sizes.



distances.



\* Thru-wire construction 钢丝连体设计

Item	Length	Weight	Hook	Туре	the	water it will pe	rform a Wol	oble and Roll	n arrow, but also once in action and it is also
NBL9050S	135mm	30g	#1	悬浮 Suspending 0-2.5	m attr wat		easy to cau	ıse irregular a	action by a slight flow of
NS107	NS163	NS164	NS1	65 NS166	NS167	NS168	NS169	NS170	NS183 Glow



#### \* Thru-wire construction 钢丝连体设计

Item	Length	Weight	Hook	Туре	2
NBL9738	120mm	20.5g	#2	Floating 浮水 0-2.5m	

- 1. The lures feature a reinforced fish bone thicker wall construction, meaning ultimate strength and durability.
- 2. We reinforcing the body side with fish bone rib creates an internal framework to strengthen the body of the lure, making it far less likely to be crushed or cracked by large predators.

oceans with deep water, and can search widely in open areas etc.





 宽胖体型的设计带来强大的波动效果,非常适合中深水区域或鱼群分散时使用。 通过简单的长杆拖拽动作,饵体在水下呈现"S"形游动并浮出水面,即使在恶劣 条件下也能保持稳定的摆动和大幅波动,极具吸引力。

这款潜水饵易于操控,适合所有钓手。经典的长杆抽拉即可实现"潜泳-上浮"动作,下潜时产生气泡轨迹,能吸引远距离大型鱼类的注意力,应对多种作钓环境

#### \* Thru-wire construction 钢丝连体设计

Item	Length	Weight	Hook	Type
NBL1910	180mm	76g	without hook	浮水 Floating

Recommended hook size: Triple #2/0 or #3/0, Single: 5-8g/pcs Recommended ring size: #8

- The highest wave motion is generated by the fat body of the "Jaeger" and is really effective in situations where we fish in deep areas or migratory fish are dispersed over a wide area.
- 2. It designed to be easily worked by any angler. Long rod sweeps will dip the lure under the water and produce a strong 'S' swim before popping back up on the pause, and the bubble tunnel trail produced by the surface action, are able to attract predators from great distance.







NBL1965 160mm 49g 1/0 浮水 Floating

1. 适用于作钓黄尾鰤、金枪鱼等掠食性鱼类。用力抽竿时,饵体会在水面灵活旋转产生一条气泡轨迹,对于吸引这些鱼种非常

- 饵体在水面可以模仿逃窜饵鱼的效果,钓手通过对饵动作的精确控制,使饵产生自然的翻滚动作和不规则的波浪行进路线,这都要归功于其纤细的饵体形状。
- Blue Vortex diving stickbaits are designed to catch blue runners such as Yellowtail, Tuna, Bonito, Amberjack, Kingfish, and more. When pulled hard, it create a bubble jerk action that is highly effective for attracting these species.
- 2. The lure's surface action mimics an escaping baitfish with natural rolling action and wave motion, thanks to its slim shape. You can precisely control the lure's action as desired. Its diving action, combined with an irregular rolling motion, is highly appealing to migratory fish.



Sonic **Sonic** NBL 1959 \* Thru-wire construction 钢丝连体设计

Item	Length	Weight	Hook	Туре
NBL1959	140mm	49g	1/0	浮水 Floating
NBL1959	160mm	71g	2/0	浮水 Floating

- 1. 搭载重心转移系统, 超强的远投距离能帮钓手覆盖更广的区域进 行搜索。
- 2. 饵体非常易操控, 较宽的头部设计与重心优化能让饵体潜入水 中后展现出大幅度的摇摆动作以及清晰的气泡轨迹,适用于光 线不足、浅水、中深水、风浪等多种复杂的作钓环境。
- 1. Equipped with the weight transfer system that you can capture a wider area than anyone else with its explosive casting distance and rattle sound.
- 2. The weight balance of the weight transfer system and the thicker head shape create a swinging wobbling action with strong water push to lure the target. Effective in low light conditions, deep areas, rough water, and other situations where you want to show the lure's presence over a wide area.



# Wavedancer NBL 9494

- 1. 搭载一体式钢丝加强结构, 坚固耐用, 并且外型采用空气动力学设计 可以实现更长距离的抛投。
- 2. 经过优化的内部配重设计与高浮力设计使饵能够在每次抽竿下迅速钻 入水中进行左右滚动和逃窜动作,模仿水面上受伤的饵鱼。
- 3. 另外配备了超锋利、高抗拉强度的诺比重型三本钩,不易脱钩。

Item	Length	Weight	Hook	Type
NBL9494	160mm	58g	2/0	浮水 Floating
NBL9494	190mm	86g	4/0	浮水 Floating

- 1. The lures are durable with stainless wire through construction and feature an aerodynamic design that allows for longer casts so you can reach that school of busting fish.
- 2. The tuned internal weight design gives the lure a side-to-side rolling and diving action that mimics an injured baitfish on the surface.
- 3. It equipped with ultra sharp, high tensile strength NOEBY treble hooks to accomplish this efficiently.



Item

NBL9062

NBL9062

NBL9062



Type

沉水 Sinking

沉水 Sinking

沉水 Sinking

制成, 可承受蓝鳍金枪鱼等大型鱼类的攻击。

- 2. 沉水版本相对浮水型具有更好的连贯整体动作, 并且肯定会吸引出金 枪鱼、GT等青物。
- 3. 通过不同节奏的抽竿动作,不断地抽停和暂停,使饵模仿挣扎的饵鱼, 前进过程中产生诱人的左右颤动。
- 1. Constructed with an internal through-wire and premium hardware including strong NOEBY treble hooks, these will stand up to the likes of giant Bluefin Tuna.
- 2. The sinking version has a better overall action and will be sure to produce stud bluefin tuna, GTs and more.
- 3. Twitch and pause Imitates a struggling baitfish, with a seductive flutter on the drop.

#### NS003 NS004 NS008 NS123 NS124 NS125 NS126 NS127 NS128 NS129 NS130



- 的耐用性。
- 2. 我们使用仿生学鱼骨在饵体内部构造一个屋脊型框架, 当大鱼爆发性的咬 合力施加在饵体某一点时,巨大的压强通过鱼骨分散到饵体各处,从而使 饵体可以顶住巨型捕食者的凶猛攻击, 从力学角度达到加固饵体的目的。
- \* Thru-wire construction 钢丝连体设计

\* Thru-wire construction 钢丝连体设计

Weight

70g

98g

145g

Hook

1/0

3/0

4/0

Length

140mm

160mm

180mm

Item	Length	Weight	Hook	Туре	1
NBL9740	160mm	103g	3/0	沉水 Sinking	

- 1. The lures feature a reinforced fish bone thicker wall construction, meaning ultimate strength and durability.
- 2. We reinforcing the body side with fish bone rib creates an internal framework to strengthen the body of the lure, making it far less likely to be crushed or cracked by large predators.





\* Thru-wire construction 钢丝连体设计 (150/185mm)

Item	Length	Weight	Hook	Type
NBL9493	115mm	60.5g	#2	沉水 Sinking
NBL9493	150mm	62g	2/0	沉水 Sinking
NBL9493	185mm	126.5g	4/0	沉水 Sinking

- . 配备一体式钢丝加强结构,有效地增加在与大鱼的艰苦战斗中的耐用
- 2. 匀收时, 饵体具有宽阔的"S"型滑动前进动作, 并且在身体中部和尾 部配有重型锋利的诺比加强三本钩。
- 3. 流线型带来了良好的抛投性能, 另外在下落时具有诱鱼的颤沉动作, 通过杆尖的抽动也很容易产生的左右摇摆窜逃动作。
- 1. Equipped with through-wire construction for added durability during tough fights with big fish.
- 2. The lure has a wide slide swim action when retrieved, and heavy duty sharpened NOEBY treble hooks mid-body and at the tail.
- 3. Designed to cast very well and have an enticing wobble action on the drop and also feature a side-to-side darting action that's easy to produce with twitches of the rod tip.





- 1. 特调加重一体式钢丝连体沉水铅笔无论是在深水区或强水流中作 钓都表现非常出色。钓手可以使用PE4-6等重型装备进行长距离 大面积搜索, 尤其是针对洄游鱼种低活性时, 更好的将饵送到水 中深层目标鱼藏身处
- 2. 饵体通过在中深水层缓沉姿态,适合接近白天或低活性时目标鱼 隐藏在较深的水深范围内。头部调小浮力后展现了更好的精确下 落作用, 钓手可以使用缓慢柔和的控饵动作来吸引活性不高的大 型目标鱼种。
- 1. The heavy weighted stainless steel through wire sinking stickbait is excellent both in terms of fishing in deeper waters and strong currents. The weight will also allow anglers to use heavy gear such as PE4~6 and still achieve great distance to cover ground and get the lure into the strike zone of predators.
- 2. The bait uses slow actions to approach low-activity periods when the fish hidden in the deep range during the day. The buoyancy particular to the plug, which is not found in jigs, works well making it possible for anglers to make slow actions to attract inactive feeders



Item

NBL1918

NBL1918

NBL1918



Type

沉水 Sinking

沉水 Sinking

沉水 Sinking

- 1. 由于优化后饵体加重的设计,使钓手可以在水底到30m以上左右的水 中层,再到水面以及其间的任何地方进行搜索作钓。 饵体以水平姿势 颤沉下落, 左右摆动, 最大程度模仿垂死的饵鱼
- 2. 在直线匀收时, 饵体拥有宽泛的大幅尾部摆动, 另外钓手在做抽停时, 饵体又具有犀利的逃窜加颤沉动作, 甚至当海面出现鱼群炸水时, 又 可以通过竿尖快速上挑动作使饵具有浮水铅笔在水面的窜动姿态
- 3. 一体式钢丝连接加强结构、厚实的ABS框架材料保证饵体始终拥有稳定 强劲的品质。
- 1. This bait can be fished from the surface to the bottom, and everywhere in between, in a 30+ meter of water. It's a heavy weighted stick bait, that falls in a horizontal posture, with a side-to-side wobble that perfectly mirrors a dying baitfish.
- 2. On a straight retrieve it has wide wobble action, when jigged or twitched it has a sharp darting action and when burned across the surface, it has a skipping action that resembles a fleeing bait.
- 3. Through wire construction, a durable lead filled body and triple strength saltwater grade treble hooks, quality throughout.





#### \* Thru-wire construction 钢丝连体设计

NS235

\* Thru-wire construction 钢丝连体设计

Length

160mm

185mm

205mm

Weight

73g

108g

150a

Hook

2/0

3/0

4/0

Item	Length	Weight	Hook	Туре
NBL1913	155mm	109g	3/0	沉水 Sinking
	-			F2

NS236

NS237

1. The twitchbaits are slow sinking lipless twitch bait with a long casting ability. Their deep body profile mirrors bunker, blue runners, scaled sardines and other key prey species and is a bait designed to handle large inshore and offshore gamefish.

2. This bait exhibit a wobble action on steady retrieve and quick darting action on twitch and pause.



NS233



- 2. 紧密的"S"型前进及抽停后的短暂重心对称摇摆, 搭配内镭射的闪光效 果,就像真实逃窜的饵鱼一样,深深刺激掠食者的神经。

#### \* Thru-wire construction 钢丝连体设计

Item	Length	Weight	Hook	Type
NBL1925	150mm	77g	2/0	沉水 Sinking

- 1. Slow-sinking design with a low center of gravity provides stable action without breaking down, even in rough conditions such as strong winds and high waves.
- 2. The strong water pushing wobble-roll action and the flashing effect that enables to use it like a minnow and turn on predators by simple reeling.



# Quiver Stix



Item	Length	Weight	Hook	Type
NBL9745	115mm	64g	#2	沉水 Sinking
NBL9745	130mm	81g	1/0	沉水 Sinking

- 1. 拥有铁板一样的飞行距离, 且专门针对隐藏在15-30m深度或低活性 期间不会攻击水面系假饵的中大型青物。
- 2. 由于其整体的一体式钢丝连体和众多的加固隔间,饵体几乎坚不可摧 搭配加强诺比三本钩,尽最大程度地减少脱钩几率。
- 1. Designed to target saltwater blue runner fish such as amber jacks, yellow tails hiding at depths of 15-30m.
- 2. Thanks to its integral through-frame and its numerous reinforcement compartments, it will be almost indestructible.
- 3. A new type of fishing, much deeper, for not active enough or aggressive enough to attack topwater lures.



Item

NBL9772

\* Thru-wire construction 钢丝连体设计

\* Thru-wire construction 钢丝连体设计

Length

110mm

Weight

45g

Hook

Type

沉水 Sinking

Length

130mm

Weight

38a

Hook

#4

Item

NBL1902

# FISHING BAG




- 2. 在铁板的泳姿基础上包含了沉水铅笔的大幅尾部摇摆, 我们在铁板 和沉水铅笔中找到了最佳平衡。
- 3. 重型一体式钢丝设计保证饵体整体强度。
- 1. A jig pencil mimicking thin baitfish.
- 2. Optimum balance between casting and action.
- 3. Stainless steel through wire construction.
- 4. Unbelievable carry distance equal to 40g metal jig.



Type

沉水 Sinking



- 力将能很容易达到目标距离。
- 2. 搭载高强度一体式钢丝结构,饵体强度高且非常易用,匀收时会产生铅 笔一样大幅度尾部摇摆的泳姿,抽竿时则完全再现了抽停逃窜的动作。
- 1. The lure is the fusion between a pencil bait and a casting jig. Its weight to size ratio will allow you to reach great casting distances when predators are far.
- 2. It is very easy to use, you can handle it linear, just by retrieving your reel, either by jerking it with the tip of your fishing rod.
- 3. Completely reproduced High pitch minnow action, irregular swing action with through wire construction.



**JigMinnow** 



- 1. 通过流线型身形减小空气阻力来提供理想的抛投距离,尤其非常适合 远距离鱼群炸水时使用。
- 2. 肥胖的身体匀收时会产生强烈的摆动和滚动泳姿,下落颤沉效果显著 与一体式钢丝设计搭配,即使在近海作钓也能可靠地对抗如黄尾鰤、 金枪鱼等大型青物。
- \* Thru-wire construction 钢丝连体设计

Item	Length	Weight	Hook	Туре
NBL1901	105mm	40g	#4	沉水 Sinking

- 1. Provides long cast distance by less air resistance to reach farther or quicker on far bait-fish-boils.
- 2. Fat body creates strong wobbling and rolling motion that can be reliably used even on offshore fishes like Amberjack, Yellowtail, Kingfish, Tuna by through-wire construction.





Item	Length	Weight	Hook	Type
*NBL1906	80mm	14g	#6	沉水 Sinking
*NBL1906	80mm	18g	#6	沉水 Sinking
NBL1906	99mm	28g	#3	沉水 Sinking
NBL1906	99mm	36g	#3	沉水 Sinking

\* OEM ONLY

1. Designed for casting into the heavy wind and surf where a small profile with naturally horizontal fall will punch through to your target.

域中的目标鱼。

容易的操控饵。

2. It is a lure that is very easy to handle that he cup-shaped face makes it easy to feel the pulling resistance.

2. 坡型杯状的嘴部, 收线时很容易感受到水流带来的阻力, 可以更精准更

80mm										2
NS103	NS135	NS136 Glow	NS137 Glow	NS107 Glow	NS138	NS139	NS140	NS141	NS111	۶
<u>99mm</u>			and the same of th		a suntill	and the same of th				
NS102	NS103	NS107 Glow	NS135	NS137 Glow	NS139	NS106	NS111	NS141	NS142	

Item

NBL9165

Length

75mm

**Bullet** NBL 9165

Weight

28g

Hook

#6

Type

沉水 Sinking

1.	像子弹	单一样发射得益于小轮廓高饵重比的流线型整体设计,	空气阻力
	很小,	抛投效果非常棒。	

- 2. 饵体内配备有两个加重配重块,增加饵重量比,加快下沉速度的同时 在抽停为主的作钓过程中保持饵体逃窜游姿灵活且稳定。
- 3. 表面高亮烫金纸加持,向各个方向反射光线,吸引远处目标鱼的注意 力。
- 1. Streamline fish design, when throwing, reduce drag, achieve casting effect, improve the rate of fishing.
- 2. Two lead blocks are fixed in the body of the bait to increase the weight ratio of the bait, which can sink quickly and keep the bait's swimming posture stable during the dragging process.
- 3. Laser scales design on the surface, which can reflect light in all directions to attract the attention from fish.





Item	Length	Weight	Hook	Туре
NBL1926	115mm	38g	#4	沉水 Sinking

- 1. 专为在近海浅水作钓设计,是在海滩、港口或近海船钓等作钓环境绝 佳选择, 具有出色的平衡性, 可以在搜索区域中快速启动。
- 2. 饵身设计模仿了沙丁鱼等饵鱼的各种特征,低重心和平坦的侧面使饵 体在连续抽竿和抽停时具有标准的逃窜"darting"动作。
- 1. Designed to be fished in shallow water the bait is an exceptional choice for fishing grass flats, oyster bars or working troughs along the beach which has excellent balance for quick starting action around cover.
- 2. The deep bodied shape mirrors a variety of the baitfish and the low center of gravity and flat sides give the bait an erratic darting action on a twitch and pause retrieve.







Item	Length	Weight	Hook	Type
NBL1956	90mm	24.5g	#4	缓沉 Slow Sinking
NBL1956	140mm	75g	2/0	缓沉 Slow Sinking

This slow-sinking lure has a very sinuous and delicate "S" swim when retrieved in a slow and linear manner, ideal in situations of apathetic fish; while if retrieved quickly with jerks of the rod it will swerve, simulating a small fish on the run, suitable for use in shallow water areas such as ports, rivers and mouths in search of sea bass and coastal predators.



# Sand Eel



Item	Length	Weight	Hook	Type
NBL1955	90mm	18g	#4	沉水 Sinking

- 1. 非常适合远投的一款流线型沉水铅笔, 饵体两头收紧的设计, 即使遇
- 2. 平坦的侧轮廓在水中拥有很棒的抓水能力,给钓手带来更清晰的操作 回馈感,低重心与平坦腹部设计使饵拥有强烈的颤沉摇摆,搭配匀收 时产生的尾部自然摇摆,恐怕没有鱼能抵抗如此有吸引力的饵。
- 1. Shaped for extreme distance casting, almost defying gravity and the flat sided profile for great water grip, fished slowly with occasional twitching, this is a deadly lure.
- 2. The low centered gravity flat balancer incorporated into its slender body creates a delicate, natural roll action. Allows to rise rapidly to the surface even during dead slow retrieves, create V shaped



Item

NBL9490N

Length

120mm

Weight

Hook



like escaping bait fish irregularly by jerk with the rod action during 缓沉 Slow Sinking NBL1953 215mm 71g #1 the slow retrieve. NF031



1. 极易使用的高响应水面之字狗,后置重心与平直的流线身躯即使遇到 逆风时依旧保证远投距离。

2. 碗口嘴部设计在水面呈现之字动作的同时带起水花, 搭配饵体内的两 种噪声设计,在不同抽停速度下能模仿落水逃窜和濒死猎物左右挣扎 两种不同的形态。

1. Excellent body balance allows it to make quick consecutive turns without jumping out of the water, designed to excel even at high speed, unique design is ideally suited to rapid deployment, searching wide areas quickly and effectively.

2. Water displacement through side surface of the lure creating natural splash, bubble trail and sound that well attract target fish.



Type

噪音 Noise/浮水 Floating



Hook

- 1. 深碗口鱼嘴设计在饵体潜入水中时产生密集的气泡阵, 并且伴随响亮 的气泡声。
- 2. 饵体选用比重变化小的高浮力天然木材。
- 3. 低阻力饵身设计,即使在强风等恶劣天气下依旧保证有效抛投距离, 适合应对大型青物的凶猛攻击。
- 1. The deep cup mouth creates a big bubble sound by making many bubbles while the lure is diving in the water.
- 2. The material of high buoyancy-natural wood that has less vari able specific gravity is selected for its body.
- 3. The lure body shape also provides an excellent castability and it



# Goliath Popper

\* Thru-wire construction 钢丝连体设计

Weight

Length

NBL 9248

Item



\* Thru-wire construction 钢丝连体设计

Item	Length	Weight	Hook	Type
NBL9248	200mm	127g	4/0	水面 Surface

1. The low splash, high bubble retrieve can also be useful for fish that are shy of large splashes.

在风浪较大的海平面上也能产生大量的气泡流。

2. The head design which is wide at the top transfers to a widened tail end creates a massive bubble stream in rough surface conditions.



Blooper NBL 9602

\* Thru-wire construction 钢丝连体设计

Item	Length	Weight	Hook	Туре
NBL9602	120mm	43g	#2	水面 Surface
NBL9602	160mm	78g	3/0	水面 Surface
NBL9602	200mm	150g	4/0	水面 Surface

搭载重型加厚ABS饵身、一体式钢丝设计和加强型诺比三本钩,专为应对 GT、黄尾鰤等大型中上层鱼类,加大腹部设计使饵即使在波涛汹涌的大海 中工作,产生巨大的气泡波和水花的同时也能牢牢抓住水面,几乎不会 出现侧翻情况。

- 2. 新一代超声波焊接技术在制造过程中使接缝侧形成牢固熔合,避免饵身漏 水。
- 1. Built to handle big pelagics, GT's and other large gamefish, and when worked in rough seas, it does not tumble like many others do, while it remains light enough to throw all day.
- 2. Its durability of its injection molded ABS plastic withstands the most brutal of strikes, while sonic welding technology creates a strong, watertight fusion of each body side in the manufacturing process.





- 1. 此款饵采用诺比重型强化鱼骨加厚壁结构设计,这意味着终极强度和极佳 的耐用性。
- 2. 我们使用仿生学鱼骨在饵体内部构造一个屋脊型框架, 当大鱼爆发性的咬 合力施加在饵体某一点时,巨大的压强通过鱼骨分散到饵体各处,从而使 饵体可以顶住巨型捕食者的凶猛攻击,从力学角度达到加固饵体的目的。

Item	Length	Weight	Hook	Туре
NBL9741	140mm	55g	1/0	水面 Surface
NBL9741	180mm	110g	3/0	水面 Surface

- 1. The lures feature a reinforced fish bone thicker wall construction, meaning ultimate strength and durability.
- 2. We reinforcing the body side with fish bone rib creates an internal framework to strengthen the body of the lure, making it far less likely to be crushed or cracked by large predators.





Type

水面 Surface

- 2. 采用加厚壁 ABS 主体材料, 搭配一体钢丝结构可承受猛烈的攻击。
- 3. 大而深的口杯每次抽饵时都会在水面上产生巨大的表面水花爆炸效果。
- 1. Built for long distance casting and handling both inshore and offshore big game saltwater species.
- 2. This lure has been designed with a thick-walled ABS body, through wire construction and extreme duty hooks to withstand the most ferocious strikes.
- 3. The deep-cupped face creates a huge surface explosion with each




# Mateo

Item

NBL1911

NBL 9550



#### \* Thru-wire construction 钢丝连体设计

\* Thru-wire construction 钢丝连体设计

Length

140mm

Weight


71g

Hook

2/0

Item	Length	Weight	Hook	Туре	
NBL9550	120mm	41g	1/0	水面 Surface	
NBL9550	150mm	86g	3/0	水面 Surface	
NBL9550	190mm	129g	4/0	水面 Surface	

- 前进时, 拉力会迫使水流通过设计的气泡室路径最终从头顶部喷出, 比传 统波爬会产生更多的气泡流。
- 1. Features through-wire construction and incorporates high tensile strength NOEBY hooks to stand up to attack from the large saltwater offshore species.
- 2. Jet engine mouth design, features unique bubble chamber that forces water through the chamber and shoots it out the top of the lure to create more commotion than conventional popper-style lures.



Submerger Popper NBL 9246



#### \* Line-incision technology 线切割设计

Item	Length	Weight	Hook	Туре
NBL9246	100mm	19g	#4	水面 Surface
NBL9246	120mm	29g	#2	水面 Surface
NBL9246U	150mm	54g	1/0	水面 Surface
NBL9246D	150mm	54g	1/0	水面 Surface
NBL9246U	175mm	73g	without hook	水面 Surface
				6

- 1. 远投属性波爬, 非常容易操控, 优秀的平衡配重, 即使在各种恶劣环 境下(风和波浪)也能尽可能的保持在水面上,加宽的碗口嘴部设计 会发出巨量的水花, 从远处吸引猎物。
- 2. 采用一体式冲压钢片结构,意味着足够高的饵体强度能应对承受大型 目标鱼可能造成的伤害而不至损坏。
- 1. Designed for target big fish. Its one piece through stainless steel plate construction means it can be fished on heavy tackle and withstand the abuse a large fish can put out.
- 2. Wide cup allow water to splash on the pop to attracted predator from a distance, and the popper is holding very well on the water even in rough conditions (wind & waves).



# Daio Popper

NBL 1912



#### \* Thru-wire construction 钢丝连体设计

- 1. 非常适合船抛或岸抛金枪鱼群或其他大型掠食者。
- 2. 静止状态下, 尾部倾斜向下设计更有利于提高上钩率, 细长型饵 身设计在恶劣的条件下, 抛投距离非常出色。
- 3. 优化后的平衡重心设置使饵不会下潜太深,所以即使在很短的行 进距离内, 钓手也可以舒服的做出连续抽停动作。
- The lure has overwhelming castability and level floating posture on the surface for easy bites. Even in rough conditions, the castability is excellent due to the slim shape and magnet weight moving

Hook

3/0

Type 水面 Surface

2. Due to the level floating posture, it doesn't dive to much and we can make the popping action with continuous twitching actions even over a short distance.





Type


水面 Surface

1. 子弹形状饵身和精准的平衡配重非常适合远投, 收紧的嘴部碗口和弧 线饵身曲线设计可以很好地产生大量水花和之字狗动作。

2. 加厚ABS材料结构,鲜红的眼睛,内镭射片反射的色彩搭配诺比加强 三本钩, 这或许就是所有水面系爱好者的必备品。

1. It's bullet like body shape and weight balance allow long casts, its body shape and the cup-like mouth work well to make a splash and twist action.

2. The conspicuous popping action and dog-walking action with heavy duty construction, realistic eyes, vibrant colours and NOEBY trebles, this one is a must for all anglers who fish the surface.



# ShotCaller

Length

105mm

Item

NBL9140



Hook

#2

Weight

24g

搭载高强度加厚ABS材料饵体、一体式钢丝结构与加强诺比三本钩专门 为大型物种设计, 优化后的平衡重量也向后移动了一点, 这对于岸抛或 船抛的抛投距离和稳定性都很有用。高频短抽伴随的之字狗泳姿与长行 程抽竿水下出现的密集气泡群对远距离目标拥有极强的吸引力。

#### \* Thru-wire construction 钢丝连体设计

Item	Length	Weight	Hook	Туре
NBL1908	165mm	68g	2/0	水面 Surface

- 1. The conspicuous popping action with a short rod jerk or dog-walking action with small rod twitches or splashing and blooping with a fast retrieve appeal to targets which stay far away.
- 2. Perfect shore, inshore and offshore popper which equipped with wire-through construction and strong NOEBY treble hooks. Ideal for casting or breaking schools of GT, Tuna or Dorado from the boat and also great for surf casting for striped bass or Roosterfish.





1213031312130MH P30
<ol> <li>This noise lipless crankbait casts like a bullet so you cover water quickly and efficiently, and special "tuned" sound chamber will</li> </ol>

Item	Length	Weight	Hook	Туре
NBL9141	90mm	33g	#4	噪音 Noise/沉水 Sinking

1. 这款噪音VIB可以像子弹一样发射,可以快速有效地搜索覆盖更广的 水域面积,搭配特殊调教的音室将自然地激发目标鱼的攻击本能。

2. 饵体重量较重,可实现快速下落和微妙的颤摆动作,流线侧面轮廓使 饵在各种匀收速度时都能产生超紧密的快速摆动动作,适合一年中的 任何时间任何地点作钓。

sound chamber will arouse the attack instinct in fish. 2. Heavily weighted for a fast downward fall with subtle swimming

action, the realistic slab-sided profile and super-tight wiggle action on any retrieve makes this lipless crankbait ideal for fishing any time of year.





Item	Length	Weight	Hook	Туре	2.	B
* NBL1903	70mm	20g	#4	静音 Silent/沉水 Sinking	3.	
* NBL1903	85mm	28g	#4	静音 Silent/沉水 Sinking	3	be

- Built with a metal frame and durable plastic body, which creates nstant start up vibration.
  - Delivering the perfect balance of metal, plastic, also the oversized belly design of the bait also disperses more water and produces a unique side-to-side action on the fall.

1. This silent lipless crankbait equipped with a perfectly balanced extra

heavy internal weight system, which allows to make super long





casts.



Item	Length	Weight	Hook	Type
NBL9499	85mm	24.5g	#4	静音 Silent/沉水 Sinking

- 1. 这款静音VIB配备流线型空气动力学机身,减少飞行中的阻力,有效
- 2. 另外刀锋版的背部提供令人印象深刻的破水能力, 水下振动频率更
- 1. This silent lipless crankbait equipped streamlined aerodynamic body design, reduce the drag of the bait in flight increased the throw distance.
- 2. Provides the highly impressive breaking water ability make the lure vibrate quicker under water.
- 3. In the case of high-speed rolling fishing line, it can imitate a bait fish that is frightened.





Item	Length	Weight	Hook	Type
NBL9484	70mm	16g	#4	噪音 Noise/沉水 Sinking

1. This lipless crankbait will handles everything from slow retrieve to high-speed retrieve, and fascinates big bass with its sound.

2. Thumping vibration - the lipless crankbait offers a tight, nose down wiggle with a fast retrieve, allowing it to move through grass and debris with reduced snagging.

3. Perfectly balance - Stable swimming posture and castability, excellent bottom sensing ability.



Bulldozer



针对精细作钓尤其是鲈鱼产床期等高压钓场设计的小尺寸方舌板浅 水静音胖子, 锥形高浮力在水中带来更密集的摇摆频率和震动, 适 合应用于石头浅滩、沙石滩、树桩等硬质结构区域, 1.2米最大的 潜深可以使饵体轻松摆脱障碍。

- 1. A quiet killer, it provide a less-evasive presentation that is perfect for targeting fish in heavily pressured environments.
- 2. Featuring a tapered body for a more rapid and vibrating action and the high-float plastic body.
- 3. Design for banging against shallow cover, gravely flats, and stumps. In addition to being aggressively random while hunting through the 0-4ft range, it is also highly buoyant to more easily back out of hang-ups and snags.





一款强调针对高压钓场的方型舌板浅水层静音胖子,整体摇摆紧 密,最大潜深为1.5米,通过精准的配重设定与高浮力饵身设计使 饵体在各种速度匀收下即使碰撞到障碍物后也能迅速弹开,且仍 保持平衡精准,适合在草丛、礁石、枯树中等各种厚度的障碍物 中作钓。

- 1. Diving up to 5 feet in depth and fitted with sharp NOEBY black nickel hooks. Even after bouncing off obstacles, it will remain balanced thanks to its clever square bill design and carefully positioned fixed weight.
- 2. Engineered Buoyancy perfect for crashing thick shallow cover, ripping out of grass, cranking rocks, or just burning in open water.



# Asahi Crank



Length Weight Hook Type Item 噪音 Noise/浮水 Floating 1-2m NBL9489 50mm 7g

薄切的舌板经过结构加固为这款浅水胖子前部区域提供了更强的完整性。 虽然饵体设计呈现了更多的平坦加宽区域,但在相对平坦舌板的作用下依 旧能让饵体紧密摇摆产生卡门涡街效应,舌板边缘采用微倾斜设计,确保 在精细作钓的情况下能实现更强的避障能力。

The medium-cut lip, structurally reinforced, provides significantly more integrity to the fore-region of the lure. While its surface is perfectly flat and wide, the lip also is proficient in displacing a significant amount of water. The lip's edge is angled designed to grab more and aid with tight to radius deflection. Its high-quality componentry provides durability, better performance for a better more refined execution.



# Depthcharger

D002



D046

Item Length Weight Hook Type 噪音 Noise/浮水 Floating4-6m NBL9482N 80mm 30.5q #3

具有远投性能的深水层噪音胖子, 犀利的宽大舌板使饵体在水中产 生卡门涡街效应, 发出强力的波动摇摆, 不仅使饵能迅速到达设定 4-6m的有效深度进行搜索,同时精准的配重调教即使遇到枯树、 石头等障碍物时能让饵体在磕底反弹、饵体行进轨迹、浮力保持之 间达到平衡。

- 1. The secret to getting caught while clearing obstacles such as standing trees and abandoned stones is the balance between the wider lip and a stable posture. Meanwhile it casts like a bullet and has a steep dive angle to reach the strike zone quickly and not only reach 4-6m depths, but that it had the right wobble and shimmy once it got there to attract the bass and entice them to bite.
- 2. Quickly rebounds off thick brush, trees, rocks or any other type of cover while maintaining position and trajectory.



# Shadow Step



确保擦碰障碍物后能迅速穿越的同时保持稳定摇摆前进泳姿。 1. Body side is intermediate of round and flat so it is not influenced by the wind and has stable flying posture and distance. When it

2. 即使在慢速收线的过程中,震动也会传到钓手手中,高浮力饵体

1. 特殊形状调教后的舌板让这款中潜胖子很好的穿越岩石区、草区、 枯树等障碍区,且饵体侧方成偏平状,抛投时风阻更小,不容易

受到风的影响, 保证饵体的飞行姿态和稳定距离。

swims it entices bite with flashing. 2. The bill has a round shape that makes it easy to slip out of the grass, this crankbait has a valuable performance in a wide range of situations, such as bank fishing of 2-2.5m depth, capes, standing trees and rocks, grass area of big lake and dredging areas that require long casting.







Item	Length	Weight	Hook	Туре
NBL9190	45mm	8g	#8	噪音 Noise/浮水 Floating 0-2m

- 2. 全新饵体内部设计带来更高的浮力, 饵的配重平衡加稳定可以清楚
- 3. 潜层是从水面到水下2m的深度, 全程实现快速启动摇摆和高俯仰动作。
- 1. Rattles model design, make fishing lures more easily to be sensed.
- 2. The new body internal design creates much more buoyancy so the lure has more fixed weight that can feel the vibration clearly.
- 3. The diving level is from the surface of the water to 2m depth that creates quick swimming start and high pitch action (2m depth is the most effective).





Balance:Center

**CROSS SECTION** 

Samurai Jig NBL 1005N

1. 这款后置重心的慢摇飘落铁板在下沉时会产生非常飘逸的落叶飘泳姿 可以根据目标鱼种的习惯通过慢速和高速等多种手法进行作钓。

2. 饵体一侧是平面,另一侧是多面设计,主要重量偏向在后部, 这种设计以便铁板能更快地下降到水底。单侧多面设计则是 为铁板在快速上跳或飘落时带来更多的活力,产生更多不规 则但更像受伤饵鱼的动作。

1. This rear weighted flat fall jigging lure flutters on the descent and can be fished with both a slow and high-speed jerk, depending on the mood of the target species.

2. With one flat side and the other multi-faceted, the main weight bias is at the rear to get the jig down to the bottom promptly. The multi-faceted side brings life to the lure when it is being worked, but also on the descent as well, producing a drifting, fluttering action.





Weight	Length	Action
60g	100mm	
80g	110mm	Quick Dart
100g	120mm	Stop & Fall
150g	134mm	Vibrate Fall
220g	153mm	_

- 1. 非常适合用于强水流中的活跃目标鱼。
- 2. 重心后置, 上部细长, 有利于略微加快复杂水流中的下落速度。
- 3. 下落中轻微加速,与慢摇铁板动作搭配,使饵不断地吸引多方位的捕食者。
- 1. Ideal to target fast active fish in strong currents.
- 2. Due to its slender shape, it tends to slightly accelerate the falling speed.
- 3. It tends to lightly accelerate during falling and acts like its "leaping away" from fast predators while slow jerking.



Butterball Jig NBL 1012N





Length	Action
110mm	
120mm	
127mm	Stop&Fall
130mm	Spiral Fall
145mm	
158mm	
	110mm 120mm 127mm 130mm 145mm

- 1. 专门为通过下落飘落引发咬口设计的款式,非常适合大幅度慢摇操作。
- 2. 更紧凑的饵体设计,更慢的下落速度以及独特的不规则摇摆,可以有效的吸引水 下最挑剔的捕食者。
- 1. This model was developed and is best suited for long fall jerking.
- 2. Exclusively made to induce bites when falling.
- 3. This model was given special attention to encourage bites during falling.
- 4. It gives tighter form, slower fall speed and unique sway which can be effective in interesting the most discriminating under water spectator.





Weight	Length	Action
100g	145mm	
120g	155mm	
150g	165mm	<ul><li>Falls Horizontally</li></ul>
200g	185mm	— Fast Fall
250g	193mm	— Fast Fail — High Pitch Jigging
300g	208mm	— High Fitch Jigging
400g	223mm	_
500g	245mm	



- 1. 独特的三棱型饵体设计在急流与深水钓场中表现出色。
- 2. 深海中通过快抽动作, 饵体表现得非常像一只游走逃窜的饵鱼。
- 3. 通过高频快抽, 饵尾部可以获得很好的左右摇摆动作, 引诱黄鲣、马鲛、烟仔等 鱼类凶猛攻击。
- 1. High Pitch Darting Jig, excels in fast currents and great depths.
- 2. This jig can also imitate a baitfish swimming away.
- 3. Using a high pitch retrieve the jig gets a great side to side action enticing bites from speedsters like kingfish and amberjack.



Vertical Vandal NBL 1007N

Weight	Length	Action
80g	132mm	
100g	157mm	
120g	165mm	Falls Horizontally
150g	176mm	= Fast Fall
200g	197mm	High Pitch Jigging
250g	215mm	
300g	225mm	
400g	230mm	

- , 经典快抽型铁板, 旨在加快逃窜速度, 非常适合作钓金枪鱼、黄条鰤和鬼头刀等其他猎
- 2. 细长的设计和略微平坦的背部适合在强劲的水流或深水区中作钓。当使用高速快抽时铁 板会模仿诱饵鱼飞驰而过, 引诱大型猎物发起攻击。
- . This is a high pitch jig designed to be worked faster. It is perfect for Yellowfin, Bluefin, Amberjack and a variety of other species.
- . With a slimmer body than other jig types, they're ideal for fishing in stronger currents and very deep water. It performs wonders when using High-Pitch Jerking. It mimics bait fish darting away enticing predators to attack.























\* Line-incision technology 线切割设计

Weight Length 125mm 60g

为船钓使用而设计的一款坚不可摧、外形纤薄且敏捷的板型,在快速抽竿过程中,优异的 平衡性会让钓手感觉作钓很轻、很放松、阻力很小。内置冲压钢片制成的一体式骨架,高 强度足以抵抗磕碰礁石或大型猎物带来的铁板扭曲。

- 1. Originally intended for boat fishing, the jigs are unbreakable, robust, have a slim profile and a sharp movement. During jerking, they will feel light, with minimum resistance, due to their good balance.
- 2. Feature a tough metal frame made of steel, which covers the entire length of the jig's body, making them does not bend easily even if it hits a rock.





\* Line-incision technology 线切割设计

its slow fluttering action has proven effective in shallow to mid-water reef Weight Length jigging, on a wide range of fish species. 2. Feature a tough metal frame made of steel, which covers the entire length 60g 108mm of the jig's body, making them does not bend easily even if it hits a rock. NJ026 NJ005 800LN NJ030 NJ029

1. A mid-weighted jig designed for slow falling 'like a leaf' on the drop and

的铁板扭曲。



\* Line-incision technology 线切割设计

Weight	Length
60g	109mm
NJ005 Glow	NJO Glo

态非常平稳,同时重心略微前置也满足船钓钓手的需求,落水速度快,即使在 急流下也能保持泳姿。

同时产生缓慢微妙的颤动在浅水区或中等深度水域里对很多鱼种十分有效。铁 板内置冲压钢片制成的一体式骨架,高强度足以抵抗磕碰礁石或大型猎物带来

- 2. 铁板内置冲压钢片制成的一体式骨架,高强度足以抵抗磕碰礁石或大型猎物带 来的铁板扭曲。
- 1. Designed for Shore Jigging and vertical Jigging, the center of gravity lies a little further ahead, of their mid-body. They have a very smooth, horizontal casting flight and when they land in the water, they sink from side to side.
- 2. Feature a tough metal frame made of steel, which covers the entire length of the jig's body, making them does not bend easily even if it hits a rock.





Weight Length Hook Chinu hook: #6 21g 60mm Treble hook: #6 Chinu hook: #7 28a 65mm Treble hook: #4 Chinu hook: #7 40g 80mm Treble hook: #2 重心前置设计有效减少了铁板在水中的阻力的同时增大尾部摇摆幅度, 钓手能够轻松控 制铁板从而实现从慢速到高速的灵活泳姿。下沉时表现出虚弱饵鱼沉降的动作,在抽竿 动作中左右灵活逃窜,产生的高光反射广泛吸引目标鱼的目光。

The Mini Munch has been designed to be easily used by shore or boat fishermen, with its center balance design, we have reduced the drag against the jig allowing for an agile slow to high-pitch action with your rod work. Its swimming performance is stable, stress-free and lively.







Balance:Rear

weight	Length	HOOK	
21g	70mm	Chinu hook: #6 Treble hook: #6	
28g	85mm	Chinu hook: #7 Treble hook: #4	
40g	95mm	Chinu hook: #7 Treble hook: #2	

重心后置设计,左右对称的板型实现了稳定的飞行姿势和超长的飞行距离,提高远投 搜索效率。尤其可以在深水区域或强流水域保持泳姿的稳定性,同时实现水平飘移的 下沉泳姿。

This is the model designed especially for shore casting. With its super slim body and minimal air resistance it is possible for anyone to do a beautiful long cast, the rear centered weight gives it an attractive falling position, when many bites occur.



Weight

21g

28g

40g

60g

Length

55mm

60mm

66mm

75mm

#11

#12

#15

#16

Katana Bladed Jig NBL 1008N





- 1. 流线型饵身设计,抛投时重心稳定,轻松实现远投。
- 2. 头部搭载双羽毛单钩,轻松刺穿鱼嘴,提高中鱼率。
- 3. 尾部配单钩加360 度旋转亮片, 高反光设计, 多角度折射光线。
- 4. 腹部留有挂钩位置,可根据使用情况自行搭配。
- 1. Streamline shape design feature long casting.
- 2. The sharp single hook with feather on the head makes hook fish easier.
- 3. The rear single hook with 360°swivel spoon reflects light in different angle, more attractive.
- 4. The extra hook hole on the belly for more choice in fishing.





Weight	Length	Hook
* 40g	70mm	Single hook:#14 Treble hook:#4
60g	80mm	Single hook:#14 Treble hook:#2

- 1. 多用途铁板,兼容各种收线速度,不仅仅可以高速匀收,还可以慢速匀收
- 2. 单侧中置重心设计,面对水下强流情况下也能保证稳定的饵体状态。
- 3. 尾钩搭配旋转亮片, 对鲭科马鲛和鰹科等鱼种很有效。
- 1. A multi-purpose jig that can be used not only for fast reeling, but also for slow reeling.
- 2. A low center of gravity body with excellent stability.
- 3. The sparkle and vibration of the blade are effective against sa goshi and Spanish mackerel.



Saiko Jig NBL 1015N Balance:Rear 1. 远投飞行距离超级棒。 2. 不规则地跳跃式柳叶飘下落泳姿,是打开巨物胃口的秘密武器。3. 内置高强度钢丝连体设计,面对任何巨物都很从容。

Weight	Length	Hook	
* 40g	74mm	Single hook:#14 Treble hook:#4	
60g	83mm	Single hook:#14 Treble hook:#2	

- 4. 匀收/长行程抽饵时, 饵体会产生强力旋转, 搭配进口烫金纸, 远处的 猎物会第一时间注意到发起攻击。
- 1. The flight attitude is superb.
- 2. It slide-falls irregularly turning the target's predation switch on..
- 3. The jig flaps its tail and also the head while it moves creating a strong appeal, simply by reeling.
- 4. The tail flutters for each rod shake achieving a constant action.





Weight	40g	60g	80g	100g	120g
Hook	#14	#14	#14	#16	#16

- 1. By shifting the thread hole, you can catch the tide well even in slow tide, and slide action to the left and right occurs.
- 2. By shifting the center of gravity, it falls fluttering at the time of fall and induces a bite.
- 3. Balanced design that flutters down but does not easily get entangled with needles.



# Chatterbait

挡水板Jig



- 1. 平底低重心, 保证高速匀收时饵体状态稳定。
- 2. 采用优质柔软手工绑制胶裙丝。
- 3. 设计初衷在于保持各种情况下的直线行驶稳定和各种深度搜索的可行性。
- 1. Flat-Bottom, Low Center Of Gravity Head.
- 2. Premium hand-tied silicone rubber skirts.
- 3. It was designed with the goal of achieving high straight-running stability.
- 4. Ideal for prospecting at any depth.

Head Weight(oz)	3/8oz	1/2oz	3/4oz	1oz	1 1/4oz
Head Weight (gram)	10.5g	14g	21g	28g	35g
Hook	3/0	5/0	5/0	6/0	6/0



# Blinger

复合亮片 - Spinnerbait



- 1. 独特叶片使双柳有强烈的震动感。
- 2. 钢丝鱼钩一体设计,大刀片用滚珠轴承旋转固定。
- 3. 硅胶衬裙,增加耐用性和完美的闪光。(搭配T尾、卷尾软虫使用)
- 1. 2 Different unique blade gives the double willow a feeling of strong
- 2. Stainless steel wire is not deformed, the big blade is secured with a ball bearing swivel.
- 3. Silicone skirting for increased durability and perfect flare.
- 4. Spinnerbait head design features industry-first grooved underbelly that eliminates rolling, there is an irregular reaction due to left-right fluttering and roll action that dodges changes in the water flow.
- Trailer hold wire that prevents the worm from tearing and secures it
- slipping, sharp custom-made narrow vent hook adopted.

Weight (oz)	3/8oz	1/2oz	3/4oz	1oz
Head Weight (gram)	10.5g	14g	21g	28g
Hook	3/0	3/0	4/0	4/0





Item	Length	Weight	Hook
NBL1601	75mm	21g	#8
NBL1601	90mm	28g	#6

1. 兼顾泳姿和远投, 从头部到挂钩点均采用一体式不锈钢板, 赋予头部及 全身足够的强度。

通过头部两个挂点设计改变饵身在水中的俯仰角度, 能适应岸抛和船钓 时需要的不同钓法, 使钓手能够更精准地在底层和中层之间的特定范围

1. Swim and Distance seeker, this lure have employed a one piece stainless steel plate from the line-eye to the two hook-eyes that given the head ample strength and enables anglers to easily set the worm without any hassles.

2. With the careful setting of the line-eye and unique head design, the Haul head will not be bumping the bottom, enabling the angler to trace a specific range between the bottom and the mid layer.



# Bosu Minnow



- 1. <u>耐咬耐拉伸TPR材质制成</u>,比普通PVC更软的材料特性带来了更强的摇摆/颤抖泳姿,更高的自然浮力。
- 2. 中空设计的饵体, 是雷蛙和泳饵的结晶, 相对缓慢地下落, 延长了不同 水层的搜索时间。
- 3. 超级强悍的钩不同于普通曲柄钩, 拉力巨大, 轻松应对淡水鲈鱼、狗鱼、 孔雀鲈、海水石斑、金枪等凶猛猎物。
- 4. 饵体背部藏钩设计,在灌木丛、枯树和礁石等重障碍区有效,刺激藏在掩 体中的猎物攻击和本能领地驱逐意识。
- 1. Composed of TPR soft plastic, life-like action, natural buoyancy and unmatched durability.
- 2. Hollow Body Structure and it's a hybrid between a frog and swimbait that gives anglers a swimbait that excels in both fresh and saltwater scenarios.
- 3. Effective for bush, trees, lay downs, and reef, catch those giant predators lurking in cover.

Item	Length	Weight	Hook	Туре
NBL1602	140mm	30g	Single #5/0	Sinking



Item

8113

Length

6.5"-150mm

Weight

21g


SET



其专为捕获大型鲈鱼、黑鲈、狗鱼和鲶鱼而设计,拥有大轮廓的螺纹身体和圆形薄尾翼 片,能有效吸引大鱼并产生强烈的摆尾动作;宽大的尾鳍能带来全身的大幅摆动,同时,搭 配其内含的强烈虾味能极大提升目标鱼的追咬欲望。

- 1. The Ryan Shad Swimbait built to deliver big action and even bigger bites and meets the demands of black-bass, pike and walleye fishermen.
- 2. Poured with an effective rib design, the lure improves texture and vibration for more fish-catching performance. Large paddle tail that creates a wide swinging action through the entire body.





使用深槽螺纹与加厚加重尾巴设计,即便是在最慢速的匀收下也能带来巨大的摇摆,背部藏 钩槽让饵体非常适合在茂密草丛或植被中浅水作钓。推荐搭配铅头钩、jig、配重曲柄钩、德 州、卡罗莱纳等钓组。

Item	Length	Weight	SET
8109	140mm	18.7g	5

Ideal for fishing shallow through thick grass matted vegetation, the Shad is molded with a slot along the back that keeps hook points protected for a weedless presentation, making it perfect for Texas-rig and screw-lock style swimbait hooks, it also a phenomenal choice as a trailer for any of your favorite swim jigs or bladed jigs. Alive Shad 8102 A A A A A A

> 非常柔软的饵身材料赋予饵体更广泛的摇摆动作, 在低速匀收下依旧能保持大幅度尾部摇摆 动作,推荐搭配铅头钩、德州、卡罗莱纳、倒钓、配重曲柄钩、内德、jig拖尾等钓组。

Item	Length	Weight	SET
8102	85mm	5.4g	8

Unique paddle tail shad, the alive shad provides the same silhouette as solid plastic lures, minus the bulk, its perfect for jig heads, screw-lock hooks, swim jigs, spinner baits and vibrating jigs.



# Ribbed Minnow

S3102 梦幻尾 II



- 1. T型尾部水中摆动频率极高,模拟小鱼落荒而逃的样子更加逼真生动。
- 2. 螺纹状的鱼身, 独特的香味, 极具诱惑力。
- 1. High-frequency vibration of the T-tail creates a distinct swinging action that fish find irresistible.
- 2. Impregnated with a heavy dose of squid scent, attractive and lasting.

NW214(6.3cm Only)



Tactical Minnow


SW5019S 子弹T尾鱼



- 1. 采用高级环保材料精心打造, 鱼身T型螺旋设计柔软度极佳, 泳姿逼真。
- 2. 体内添加独特配方的诱鱼剂,诱鱼迅速。
- 3. 适合各种钓组。
- 1. Using high-grade environmental material, T-shape screw body features great softness. Stable and perfect action is attractive to the fish.
- 2. Unique recipe fish agent is added to fish body. It can attract more fish with the increasing taste sense.
- 3. Reflector pieces in the body are more attractive to fish.

Item	Length	Weight	SET
子弹T尾 SW5019S	50mm	1g	6
子弹T尾 SW5019S	75mm	4g	6
子弹T尾 SW5019S	85mm	5.5g	6
子弹T尾 SW5019S	100mm	9g	5
子弹T尾 SW5019S	115mm	12g	5
子弹T尾 SW5019S	130mm	16.5g	4
子弹T尾 SW5019S	150mm	27.5g	4
子弹T尾 SW5019S	175mm	40g	3





- 1. 采用高级环保材料精心打造,模拟鱼形设计,3D鱼眼栩栩如生, T-型鱼尾在水中的泳姿更加逼真。
- 2. 鱼体添加高级诱鱼剂,香味持久,诱鱼效果好。
- 1. Super realistic paddle tail swimbait with incredible definition and action.
- 2. The fish body is added exclusive secret recipe fragrance, intense and heavy flavor, long-lasting fragrance, attracting fish promptly.

Item	Length	Weight	SET
美人鱼 5485	100mm	8g	4
美人鱼 5485	115mm	13.6g	4



路亚包 工具 HISHING TOOLS

# Mad Attack

#### S8019 胖墩T尾

Item	Length	Weight	SET
胖墩T尾 S8019	70mm	3.5g	6
胖墩T尾 S8019	100mm	9.7g	4
胖墩T尾 S8019	125mm	15g	4
胖墩T尾 S8019	150mm	22g	4



- 1. 采用高级环保材料精心打造, 鱼身T型分节设计柔软度极佳 搭配曲柄钩, 中鱼率大大提高。
- 2. 体内添加独特配方的诱鱼剂和反光亮片,诱鱼效果更好。
- 1. Using high-grade environmental material, T-shape jointed body own great softness. Stable and perfect action is attractive to the fish.
- 2. Unique recipe fish agent is added to fish body. It can attract more fish with the increasing taste sense.
- 3. Reflector pieces in the body are more attractive to fish.




# Easy Shiner

S3118 T尾鱼

Item	Length	Weight	SET
T尾鱼 S3118	50mm	0.7g	8
T尾鱼 S3118	75mm	2.5g	6
T尾鱼 S3118	90mm	4.5g	6



- 1. 采用高级环保材料, 鱼身修长柔软且有韧性。
- 2. T型鱼尾设计,水中泳姿更加逼真。
- 1. Super soft composition allows the boot tail to impart a kicking action
- 2. Body loaded with scent that is available in a variety of proven fish catching colors.



# Mad Wag

S3117 螺旋回行尾

Item	Length	Weight	SET
螺旋回行尾 S3117	60mm	1g	6
螺旋回行尾 S3117	80mm	2.7g	6
螺旋回行尾 S3117	100mm	4.6g	6
螺旋回行尾 S3117	140mm	13g	4



- 1. 独特的回型尾设计,在水中拖动时尾巴会大幅度摆动,吸引目标鱼的注意和攻击。
- 2. 鱼体内部添加高级诱鱼剂, 味道浓郁而且持久, 诱鱼迅速。
- 1. The special tail design generates a provocative wiggling motion, attracting the fish attention and attacking desire.
- 2. The fish body is added exclusive secret recipe fragrance, intense and long-lasting fragrance, attracting fish promptly.



# LuckyTail

#### 4001 响尾蛇II

- 1. 独特镰刀尾设计, 拖动时模拟鱼的尾巴在水中摆动的样子, 诱惑力极强。
- 2. 鱼体内部添加高级诱鱼剂, 味道浓郁而且持久, 诱鱼迅速。
- 1. Unique grub tail and reflecting light design, generating perfect swimming action and attracting more fish.
- 2. The fishy fragrance is added into lure body. Not only increase the taste temptation, but also own terrific bite feeling.

Secretary and the second	

Item	Length	Weight	SET
响尾蛇   4001	55mm	1.8g	6
响尾蛇II 4001	80mm	3.6g	6



# Blade Minnow

#### S3207 精灵

- 1. 鱼型饵身, 尾部扁平, 能产生细微的动作
- 2. 腹部和背部的钩槽设计,适合多种尺寸及不同钩型使用。
- 3. 抗攻击,可反复使用。
- 1. Fish shape body with flat tail create different action.
- Special groove design on the body, which can used with all kinds of worm hooks or jigs.
- 2. Super tension body made of superme material flexile and durable.

Item	Length	Weight	SET			
	90mm	3a	5			

6.3g


4

110mm

		F	1	1		1		A Committee of the Comm	1	1
		A Part State of the				A STATE OF THE STA				
NW101 夜光	NW203 珍珠白	NW204 银白双魔	NW205 绿黄双魔	NW206 橄榄双魔	NW207 橘黄双魔	NW208 茶银双魔	NW209 咖啡双魔	NW210 红粉双魔	NW211 魔术绿	

精灵 S3207

# Stirrer Tail



Its large grub tail produces an alluring swimming action that big bass attack. Whether used on a Texas-rig, Carolina-rig or even a magnum shaky head, the Stirrer Tail worm catches higher than average size fish during all months of the year and in almost any type of environment.

Item	Length	Weight	SET
8108	135mm	8g	8



# Speed Worm 8105



细长的尾部连接加厚棱块化尾巴,通过德州钓组匀收、跳底等最大发挥出饵 体在浅水区的能力。推荐搭配德州、卡罗莱纳、佛罗里达、配重曲柄钩、插 铅等钓组。

Great for a range of technique, the Speed Worm is most effective on a Texas-rig with a steady retrieve and fished through shallow water vegetation.But it is also a top choice for Carolina-rigs, split shot and wacky heads.

Item	Length	Weight	SET
8105	140mm	10.7g	6



# Finesse Stick

8106

head、内德等钓组。

当处于高压钓场或鱼口不好时, 这款精细面条虫专为这些情况设计, 钓手可 以使用任何喜欢的精细技术来作钓。推荐搭配倒钓、飘铅、德州、shaky

It works exceptionally well when the fish are in a negative mood or when there is a high amount of angling pressure. This Finesse Stick Worm can be fished on just about any of your favorite finesse techniques like a drop shot, split shot, Texas-rig, or shaky head.

8100	15511111	og	0
Gleen	, ciè	/	
Weeltheld for for the first fi	dight fine are a second	Black Hills Like	
Water	**		

Weight

SET

Length


155mm

Item

0106

# Stick Worm

8107



The bubble butt Stick Worm features an air pocket bubble butt tail design and a tapered body and the air pocket in the tail also forces the worm to stand up when on the bottom. It also features a notched head design that can be removed to make the worm sit perfectly flush against a Texas-rigged bullet style weight.

Item	Length	Weight	SET
8107	155mm	8.4g	8



# Joystick 8101



为精细作钓和高压钓场设计,饵体尾部会产品非常微妙的踢水和颤抖动作,推荐搭配德州、内德、佛罗里达、shaky head、wacky、插铅等钓组。

Stick worm and kickin craw in one. The worm generates a subtle tail kicking action that is deadly on pressured and wary fish. The joy stick comes through flooded cover really well. Reeled it over grass, pitched it into bushes, skipped it under docks.

Item	Length	Weight	SET
8101	110mm	2.4g	10



# Fork Tail



粗眼棒状大轮廓设计,在两个棱块化尾巴的加持下,由于头尾厚度不同,下降过程中产前后不同的波纹,几乎适合一年四季所有钓法。 推荐搭配无铅、插铅、德州、倒钓、shaky head等钓组。

Whether you fish it on a Texas-rig, drop shot, or shaky head, the Fork Tail Stick Worm is well suited for almost any application and gives anglers near limitless rigging options that work during all seasons of the year.

Item	Length	Weight	SET
8104	150mm	10g	8



# Kicker Craw

虾脑设有空气腔,与迷你兔子耳朵形状的虾鳖和两侧细小的虾腿共同作用产生的泳姿非常独特,饵体行进时身体每个部位都产生不同的动作,营造出真实小龙虾的感觉。推荐搭配德州、内德、卡罗莱纳、jig、shaky head等钓组。

Crafted with mini rabbit ear tail antennas, special air pocket head and large rabbit ear tail claws with independent and side legs, the Kicker Craw generates a unique swimming action with all of its parts generating different movements to create the illusion of real live crawfish.



Item	Length	Weight	SET
8111	105mm	8.8g	6



# Creepy Crawler 8103

边缘棱块化设计使在饵体下落过程中两个大钳呈现出非常剧烈嚣张摇摆姿态, 3组小脚带来的精妙细微的抖动恐怕对猎物来说是致命的吸引。推荐搭配jig、 倒钓、卡罗莱纳、德州、自由、佛罗里达、内德等钓组。

Molded with a streamlined body shape that slides through holes in vegetation with ease. Fish it on your favorite jig, drop shot rig, or carolina rig, the creepy crawler will become your new secret weapon.



Item	Length	Weight	SET	
8103	85mm	8.4g	6	



# Craw Flapper

8110

虾头部设有空气腔,让饵体拥有更好的浮力设计,在水底保持一定角度的站 立防御姿态,激怒目标鱼。推荐搭配jig、德州、卡罗莱纳、佛罗里达、shaky head等钓组。

The Craw Flapper is molded with a special air pocket that makes it stand up in a defensive position, ideal for almost any technique, the craw shines when on the back of a jig or on a Texas-rig, but it is also highly effective on a Carolina-rig and even a shaky head.



Item	Length	Weight	SET
8110	100mm	9g	6



# Buggy Craw

8112

流线型的饵身造型就像刀片一样划过厚重的水草以及覆盖物,是一款很棒的重 型德州重草区软饵,作为jig拖尾也相当出色。推荐搭配德州、jig拖尾、佛罗里 达、东京等钓组。

Features a streamlined body shape that slips through small holes and cracks in heavy cover like a knife. Not only is a great punching bait, but the Buggy Craw also makes a phenomenal jig trailer and is extremely effective on a shaky head or Carolina-rig as well.



Item	Length	Weight	SET	
8112	105mm	8.8g	6	



TORAYCA

重量

Weight (g)

350

380

396

重量

Weight

(g)

271

290

210

213

217

219

140

157

143

BEAST - TRAVEL JIGGING - BTJ603C/320

TORAYCA

调性

Action

R

R

调性

Action

RF

RF

R

R

R

R

XF

RF

RF

21

2.2

2.2

2.2

2.4

24

2.2

2.2

2.2

钓力 Drag/45°

17kg

19kg

20kg

导眼 钓力 Guide Drag/45

8+1

8+1

6+1

8+1

6+1

8+1

8+1

9+1

9kg

10kg

13kg

13kg

15kg

15kg

9kg

9kg

9kg

导眼

Guide

6+1

6+1

# Voyager Al

## SLOW PITCH JIGGING 独节慢摇竿 **™**

独节设计竿身以东丽最新高强度、高弹性高密度纳米树脂碳布打造,不仅大幅提升强度和弹性,还有效减轻 重量, 赋予Voyager系列慢摇铁板竿超强韧性和细腻手感。

针对深水及复杂双流等特殊环境,竿体具备强劲的张力与扭矩,在高水压下也能轻松操控350至800g的铁板, 表现出色。适配多种速度和节奏的抽竿操作,丝滑的力量过渡弯曲曲线在对鱼施加持续高压的同时有效减轻 钓手负担, 支持钓手使用肚顶保持大角度弓鱼。

This is a special jigging series that attracts fish with a variety of speeds and pitches of jerking, and the beautiful bending curve of the one piece blank allows anglers to maintain the high stick position which will continuously apply high pressure on the fish while reducing the load on the angler side.

It is ideal for slow pitch jerk, one pitch jerk and other jerking patterns focusing on the sinking action of the heavy weight jigs. Anglers can also utilize the fighting belt to jerk or set the grip end under your

To comfortably manipulate 350 to 800g jigs under special conditions such as deep waters, tidal currents, and complex double tides, the blank has strong tension and torque, even in high water

型号 Model	长度 Length	节数 Section	收缩长 C.Length (cm)	饵重 Jig WT.	线 Line WT.	先径 Tip Dia. (mm)	重量 (average) (g)	导眼 Guide	钓力 Drag 90°	钓力 Drag 60°
枪柄 / Ba	aitcasting Mo	odel								
C601/350	6'0"(1.83m)	1	183	Max 350g	Max PE3	2.7	183	8+1	14kg	20kg
C581/500	5'8"(1.77m)	1	177	Max 500g	Max PE4	2.4	184	8+1	18kg	25kg
C581/800	5'8"(1.77m)	1	177	Max 800g	Max PE5	2.6	191	8+1	20kg	30kg
直柄 / Sp	oinning									
S601/350	6'0"(1.83m)	1	183	Max 350g	Max PE3	2.6	190	7+1	14kg	20kg
S581/500	5'8"(1.77m)	1	177	Max 500g	Max PE4	2.5	187	7+1	18kg	25kg
S581/800	5'8"(1.77m)	1	177	Max 800g	Max PE5	2.4	194	7+1	20kg	30kg





VOYAGER-SLOW PITCH JIGGING-C581/500

VOYAGER-SLOW PITCH JIGGING-C581/800

VOYAGER-SLOW PITCH JIGGING-S601/350

VOYAGER-SLOW PITCH JIGGING-S581/500

VOYAGER-SLOW PITCH JIGGING-S581/800

VOYAGER-SLOW PITCH JIGGING-C601/350



# Infinite 無極









#### A6 SLOW JIGGING 慢摇铁板竿

全系竿坯使用强力、柔韧、高模量的日本东丽碳布和最新纳米复合材料卷制而成,搭载富士SiC导环与富士轮座,是一款专为进阶专业钓手而设计的无边界、无目标鱼限制的高性能慢摇铁板竿。

优异竿身力量传导弧度的独节设计、柔软灵敏高韧性的竿梢使铁板在水中能呈现更自然的飘落和更有节奏的游动,适配各种频率各种行程的抽竿手法。

强力有劲的竿腰力量设定与交叉碳带技术互相映射加成,A6慢摇铁板竿在应对巨型猎物时,能给予钓手 最大的力量支持,减轻身体负担。

The A6 Slow Jigging is a series designed for advanced jig fishing anglers, meaning that they can go fishing anywhere in the world without boundary and with no target limitation. Designed for targeting Amberjack, Kingfish, Tuna and most saltwater fishes.

One-piece construction and good parabolic action with tuned power output are anglers most wanted designs that offer greater lift and recovery over the totally parabolic action.

It has been loaded flexible tip section to let jig swim naturally and moderate repulsive force on belly and butt section to let jig move rhythmically.

The blank is made of powerful, flexible, and high-density Toray carbon fiber material from Japan and it has been loaded flexible tip section to let jig swim naturally and moderate repulsive force on belly and butt section to let jig move rhythmically.

We have succeeded to load high sensitivity to sense small vital information, ease of manipulation to reduce physical burden and high speed of response to transfer your input power. You can jerk both short and long strokes as you wish easily.

The Fuji reel seat allows the rod to amplify the sensitiveness and utilizing the Fuji powerful tangle-proof K series guides with durable SiC rings.

型号 Model	长度 Length	节数 Section	收缩长 C.Length(cm)	先径 Tip Dia.	元径 Butt Dia.	饵重 lure(g)	钓力 Max Drag	重量 Weight(g)	导眼 Guide
直柄 / Spinni	ing								
NBSJ651ML	6'5''(1.96m)	1	196	2.0mm	11.5mm	30-150	15kg	141	6+1
NBSJ651M	6'5''(1.96m)	1	196	2.4mm	11.9mm	80-260	15kg	151	6+1
NBSJ631MH	6'3''(1.91m)	1	191	2.1mm	12.2mm	150-350	21kg	148	6+1
枪柄 / Castir	ng								
NBSJC651ML	6'5"(1.96m)	1	196	2.0mm	11.5mm	30-150	15kg	146	10+1
NBSJC651M	6'5"(1.96m)	1	196	2.1mm	12.4mm	80-260	15kg	155	10+1
NBSJC631MH	6'3''(1.91m)	1	191	2.4mm	12.0mm	150-350	21kg	154	10+1

# Voyager 流途





# SLOW JIGGING 慢摇竿

历时2年重新设计优化后的voyager系列相比以往产品拉力再度提升,竿体重量这次也通过新材料技术的运用降低,让操控钓竿整体手感上都能更加轻松,对于在深水场作钓的钓手非常友好,竿身强大反发力辅助着铁板的晃动让钓手更能轻松的捕获各地的大型鱼类。

全系列搭载富士Alconite导环,富士轮座,有效抑制竿身多余晃动的碳带交叉技术。

The brand new voyager series slow jigging rod with more power than the other series, the weight is also lighter to make the handling more perfect, also when dealing with gigantic fish it has great resilience to help you catch the fish easily.

Equipped with Fuji's lightweight, high friction-resistant Alconite K guides and Fuji Reel Seat.

型号 Model	长度 Length	节数 Section	收缩长 C.Length(cm)	先径 Tip Dia.	元径 Butt Dia.	饵重 lure(g)	重量 Weight(g)	导眼 Guide	线 Line	钓力 Drag
直柄 / Spinr	ning									
VSJ602ML-S	6'0''(1.83m)	1.5	126.8	2.0mm	12.1mm	30-260	187	6+1	PE#1.5-3.0	18kg
VSJ602M-S	6'0''(1.83m)	1.5	126.8	2.3mm	12.6mm	100-350	198	6+1	PE#2.5-4.0	20kg
VSJ652ML-S	6'5''(1.96m)	1.5	139	2.0mm	12.5mm	30-260	196	7+1	PE#1.5-3.0	18kg
VSJ652M-S	6'5''(1.96m)	1.5	139	2.1mm	12.6mm	100-350	207	7+1	PE#2.5-4.0	20kg
枪柄 / Casti	ing									
VSJ602ML-C	6'0''(1.83m)	1.5	126.8	2.0mm	12.2mm	30-260	195	8+1	PE#1.5-3.0	18kg
VSJ602M-C	6'0''(1.83m)	1.5	126.8	2.2mm	12.5mm	100-350	204	8+1	PE#2.5-4.0	20kg
VSJ652ML-C	6'5''(1.96m)	1.5	139	2.0mm	12.6mm	30-260	202	9+1	PE#1.5-3.0	18kg
VSJ652M-C	6'5"(1.96m)	1.5	139	2.3mm	12.5mm	100-350	216	9+1	PE#2.5-4.0	20kg



#### FULL SOLID SLOW JIGGING Ⅲ 实心慢摇竿3代 🚥

该系列钓竿适用干浅水及中深水域作钓,表现全面。碳纤维实心材质赋予钓竿自然流畅的抽竿手感和卓越的 铁板控制力,让钓手既能感知水下环境,又能精准操控铁板的每一个动作。

在延续强劲搏鱼时非凡力量的基础性能下,全新第三代通过材质优化升级,进一步增强抗扭性并减少竿身多 余晃动。每一次抽竿与操控都更加稳定流畅,帮助钓手更精准地展现技巧,提升作钓体验。

Leisure Slow Jigging III Rods draw out the optimal performance and control of the jigs with a natural feel, and for the purpose of "feeling" the undersea world and "commanding" the jig. Performance that covers everything from light jigging fishing to medium jigging, and also supports mid-deep water.

While succeeding to the basic performance of the old models, New "3rd generation" Leisure Solid Slow Jigging III is sublimed to the higher stage by this model change. The rods makes sharp slow actions and will not miss any slight bites due to their high sensitiveness.

This supple blank boasts incredible strength in power fights, yet is gentle on lines and hooks. Feel and control are critical factors when selecting your rods.

型号 Model	长度 Length	节数 Sec	收缩长 C.Length(cm)	饵重 Jig WT.	线 Line WT.	先径/元径 Tip/Butt Dia. (mm)	重量 Weight (average)(g)	导眼 Guide	钓力 Drag(45°)
直柄 / Spini	ning								
NBSJ602ML	6'0"(1.83m)	1.5	137	30-180g	PE #1.5-3	1.5/10.8	190g	6+1	8kg
NBSJ602M	6'0"(1.83m)	1.5	137	100-200g	PE #2.5-4	1.7/10.9	196g	6+1	10kg
枪柄 / Cast	ing								
NBSJC602ML	6'0"(1.83m)	1.5	137	30-180g	PE #1.5-3	1.5/10.8	185g	8+1	8kg
NBSJC602M	6'0"(1.83m)	1.5	137	100-200g	PE #2.5-4	1.7/10.9	199g	8+1	10kg



#### FULL SOLID SLOW JIGGING II 实心慢摇竿2代

全实心碳纤维竿体,在高弹性、感度、拉力之间找到了合适的平衡点。 高弹性前梢可以加快铁板在水中的上挑速度,能更从容应对不同板型及水层下的各种作钓手法。 特殊调教后的竿体过渡弧度在保证拉力的同时,意旨最大程度减少钓手长时间高强度作钓的压力和疲劳,竿 身替钓手吸收了大部分负载扭力。

The high elasticity and sensitivity make this rod ideal for any kind of jigging style. The fast recovery accelerates jigs through the water faster, improving their action. The full solid blank that helps you land larger fish faster while minimizing your strain and fatigue, as the rod absorbs the majority of the load.

型号 Model	长度 Length	节数 Section	收缩长 C.Length(cm)	先径 Tip Dia.	元径 Butt Dia.	饵重 lure(g)	重量 Weight(g)	导眼 Guide	线 Line
直柄 / Spin	ning								
NBSJ562ML	5'6''(1.68m	) 2	135	1.4mm	11.5mm	30-180	160	6+1	PE#1.5-3.0
NBSJ602M	6'0''(1.83m	) 2	137	1.7mm	11.6mm	100-350	185	6+1	PE#2.5-4.0
NBSJ652M	6'5''(1.96m	) 2	146	1.7mm	11.6mm	100-350	193	7+1	PE#2.5-4.0
枪柄 / Cast	ing								
NBSJC562ML	_ 5'6''(1.68m	) 2	135	1.4mm	11.5mm	30-180	155	7+1	PE#1.5-3.0
NBSJC602M	6'0''(1.83m	) 2	137	1.7mm	11.6mm	100-350	175	8+1	PE#2.5-4.0
NBSJC652M	6'5''(1.96m	) 2	146	1.7mm	11.6mm	100-350	188	9+1	PE#2.5-4.0



\_EISURE - K7 SLOW PITCH JIGGING - NBSJC602M LEISURE - K7 SLOW PITCH JIGGING - NBSJ602N LEISURE - K5 SLOW JIGGING - NBSJ56;

# LEISURE #8

#### K7 SLOW PITCH JIGGING 慢摇铁板竿

特殊调教后的碳布设置可以给钓手提供大部分环境下最舒服的扭力和弧线,从而在使用各种铁板版型游 刃有余,无论是在深水区、礁石区作钓,强韧且灵敏的竿体在性能和质量方面都是无与伦比的。

These jigging rods feature a slow taper that provides the ideal moderate action to impart the perfect cadence on a variety of jigs. Whether you are deep jigging reef fish, pulling tog from an underwater lair, these super strong and incredibly sensitive rods have no equal when it comes to performance and quality.

A light, strong, powerful and sensitive rod which combines proven superior lifting power with fast sensitive blank recovery!

型号 Model	长度 Length	节数 Section	收缩长 C.Length	先径 Tip Dia.	元径 Butt Dia.	饵重 lure(g)	静钓力 Max Drag	重量 Weight(g)	导眼 Guide	线 Line
直柄 / Spin	ning									
NBSJ602ML	6'0''(1.83m)	1.5	127cm	2.1mm	14.1mm	30-260	18kg	198	6+1	PE #1.5-3.0
NBSJ602M	6'0''(1.83m)	1.5	127cm	2.3mm	14.3mm	100-350	20kg	215	6+1	PE #2.5-4.0
NBSJ652ML	6'5''(1.96m)	1.5	139cm	2.1mm	14.2mm	30-260	18kg	210	7+1	PE #1.5-3.0
NBSJ652M	6'5''(1.96m)	1.5	139cm	2.3mm	14.3mm	100-350	20kg	221	7+1	PE #2.5-4.0
枪柄 / Cast	ing									
NBSJC602ML	6'0''(1.83m)	1.5	127cm	2.0mm	14.3mm	30-260	18kg	203	7+1	PE #1.5-3.0
NBSJC602M	6'0''(1.83m)	1.5	127cm	2.3mm	14.3mm	100-350	20kg	192	7+1	PE #2.5-4.0
NBSJC652ML	6'5''(1.96m)	1.5	139cm	2.0mm	14.2mm	30-260	18kg	209	8+1	PE #1.5-3.0
NBSJC652M	6'5''(1.96m)	1.5	139cm	2.1mm	14.2mm	100-350	20kg	214	8+1	PE #2.5-4.0

# LEISURE #8

## K5 SLOW JIGGING - SOLID 实心慢摇竿

直柄枪柄两种款式,能多方面满足钓鱼爱好者。

适用各种规格铁板的泛用款慢摇铁板竿。完美演绎抽饵的滑动或下沉,轻松驾驭。

特殊颜色的前梢设计,更具有可视性。

分段式EVA把手,防滑不吸水。高灵敏竿身能够让人体验惊险的搏鱼过程。

Spinning and casting model, meet fisherman's different needs.

Universal type slow jigging rod, suitable for all kinds of lead jig. show lure perfect action when retrieving, easy to control.

Special tip color, strong visual impact.

The split EVA handle, anti skid and non water absorption. The high sensitive rod blank can make people experience the adventurous process of fighting fish.

型号 Model	长度 Length	节数 Section	收缩长 C.Length(cm)	先径 Tip Dia.	元径 Butt Dia.	饵重 lure(g)	钓力 Max Drag	重量 Weight(g)	导眼 Guide	线 Line
直柄 / Sp	inning									
NBSJ562	5'6''(1.68m)	2	121	1.8mm	12.5mm	30-300	20kg	200	6+1	PE #1.5-4.0
NBSJ602	6'0''(1.83m)	2	133	1.9mm	12.5mm	30-300	20kg	229	7+1	PE #1.5-4.0
枪柄 / Ca	sting									
NBSJC562	5'6''(1.68m)	2	121	1.8mm	12.5mm	30-300	20kg	205	7+1	PE #1.5-4.0
NBSJC602	6'0"(1.83m)	2	133	1.9mm	12.5mm	30-300	20kg	235	8+1	PE #1.5-4.0

TORAYCA

TORAYCA







高模量东丽碳布与东丽纳米复合材料的结合,实现了灵活性和耐用性的完美平衡,同时在不影响力量和 回弹的情况下创造出无与伦比的轻盈感,优化后的竿身过渡曲线在实际作钓过程中让钓手感到舒适的力 量传导, 节省体力。

配备富士Alconite(SiC)K支架导环,防缠绕确保出线平稳并最大限度地减少线摩擦。

专为世界各地的蓝鳍金枪鱼、马林鱼和大型石斑鱼等巨物设计,适当延长的手把节能够帮助钓手轻松提 起鱼,强力且坚韧的手把会帮钓手分担巨型鱼类逃窜时带来的过度冲击。

The Infinite Jigging series possess outstanding power and strength to go head-to-head with supersize fish around the world yet easing the load on the angler while fighting the fish.

Designed to target Bluefin tuna, marlins and super-size groupers around the world. The butt length has been extended for anglers to be able to easily lift the fish and the strong yet tenacious blank will withstand the brunt of the monstrous fish.

Some of "One & Handle" construction model in this series is specially designed for anglers to bring their rods into small airplanes and the 5' 6" specification makes them suitable for use on different kinds of boats in most countries.


Equipped with Fuji Alconite (some models are Fuji SiC) K-Frame Guides, these rods feature a tangle-free design that ensures smooth line movement and minimizes friction. The stainless steel frames and Alconite insert rings enhance overall durability and provide optimal casting performance.

型号 Model	长度 Length	节数 Section	收缩长 C.Length(cm)	先径 Tip Dia.	元径 Butt Dia.	饵重 lure(g)	重量 Weight(g)	导眼 Guide	线 Line
柄 / Spini	ning								
BJ562L	5'6''(1.68m)	2	109	2.8mm	8.7mm	80-180	290	5+1	PE #3.0-5.0
BJ602M	6'0''(1.83m)	2	122	3.1mm	11.3mm	120-300	343	5+1	PE #4.0-6.0
3J561MH	5'6''(1.68m)	1	168	3.5mm	11.5mm	200-500	368	5+1	PE #6.0-8.0
3J601MH	6'0''(1.83m)	1	183	3.4mm	12.3mm	200-500	397	5+1	PE #6.0-8.0
3J561SH	5'6''(1.68m)	1	168	3.7mm	11.5mm	350-800	403	5+1	PE #8.0-12.0
的 / Cast	ing								
BJC602M	6'0"(1.83m)	2	122	3.1mm	11.7mm	120-300	360	7+1	PE #4.0-6.0
BJC601MH	6'0"(1.83m)	1	183	3.3mm	11.9mm	200-500	410	7+1	PE #6.0-8.0
BJC561SH	5'6''(1.68m)	1	168	3.7mm	11.5mm	350-800	414	6+1	PE #8.0-12.0
	I柄 / Spin 3J562L 3J602M 3J561MH 3J561SH B柄 / Cast 3JC602M 3JC601MH 3JC561SH	Model Length  I柄 / Spinning  3J562L 5'6''(1.68m)  3J602M 6'0''(1.83m)  3J561MH 5'6''(1.68m)  3J561SH 5'6''(1.68m)  3M / Casting  3JC602M 6'0''(1.83m)  3JC601MH 6'0''(1.83m)	Model Length Section  [柄/Spinning  8J562L 5'6''(1.68m) 2  8J602M 6'0''(1.83m) 1  8J601MH 6'0''(1.83m) 1  8J561SH 5'6''(1.68m) 1  8M/Casting  8JC602M 6'0''(1.83m) 2  8JC601MH 6'0''(1.83m) 1  8JC561SH 5'6''(1.68m) 1	Model Length Section C.Length(cm)    Model Length Section C.Length(cm)   109   383602M 6'0'(1.83m) 1 168   Model Length Section C.Length(cm)   Model Length Section C.L	Model Length Section C.Length(cm) Tip Dia.  Tip Dia. Tip Dia. Tip Dia. Tip Dia. Tip Dia. Tip Dia. Tip Dia. Tip Dia. Tip Dia. Tip Dia. Tip Dia. Tip Dia. Tip Dia. Tip Dia. Tip Dia. Tip Di	Model Length Section C.Length(cm) Tip Dia. Butt Dia.    下	Model   Length   Section   C.Length(cm)   Tip Dia.   Butt Dia.   lure(g)	Model   Length   Section   C.Length(cm)   Tip Dia.   Butt Dia.   Iure(g)   Weight(g)	Model   Length   Section   C.Length(cm)   Tip Dia.   Butt Dia.   Iure(g)   Weight(g)   Guide

\* OEM ONLY

# LT JIGGING

## LT铁板竿



Ultralight 2 pieces jigging rod, powerful, ingenious and easy to operate.

Japan Toray carbon, light and sensitive, super hardness.

Equipped with full Fuji guides, nice heat dissipation.

Heavy duty Fuji DPS graphite reel seat provide increased blank contact with outstanding sensitivity. Two hardness to match different lure weight, suitable for deep sea and offshore jigging.

Contoured EVA grip deliver an excellent ergonomic connection for angler to the rod.

型号 Model	长度 Length	节数 Section	收缩长 C.Length(cm)	先径 Tip Dia.	元径 Butt Dia.	饵重 lure(g)	重量 Weight(g)	导眼 Guide	线 Line
直柄 /	Spinning								
632ML	6'3''(1.91m)	2	137	2.1mm	10.6mm	Max150	162	7+1	PE #1.0-3.0
632M	6'3''(1.91m)	2	137	2.3mm	11.1mm	Max200	168	7+1	PE #2.0-4.0

NONSUCH - JIGGING GAME - NBJ601N

NONSUCH - JIGGING GAME - NBJC601M

LEISURE - K5 JIGGING - NBJ602

EISURE - K5

JIGGING - NBJ60

### NONSUCH 🔠





# JIGGING GAME 铁板竿 <sup>™</sup>

搭配日本三菱碳布,素材钓力值达到15kg/20kg以上,细腻的竿体设计加上全新调教的腰身调性,除了黏 鱼减少脱钩,更可以轻松生动地舞动铁板。全系搭载富士导环,同时位置上也做了优化,让中鱼时竿身的 弯弧更加完美,是铁板爱好者的首选。

高强度轻量化富士轮座搭配富士加强轮帽,减轻整竿重量的同时不失强度,操控性更强,在加长后握把的 帮助下,降低搏鱼抽竿过程中钓竿左右发生晃动的状况,进一步提升整体操控舒适度。

Equipped with Fuji high-strength anti-wrap K-series guides and Fuji Reel Seat.

The strong blank with good tensile strength is made of carbon fiber and X shape carbon belt.

The one piece rod design, no matter you are shaking the bait or fighting with the fish, you can handle

	型号 Model	长度 Length	节数 Section	收缩长 C.Length (cm)	先/元径 Tip/Butt Dia (mm).	饵重 lure (g)	拉力 Drag (kg)	重量 Weight (g)	导眼 Guide	线 Line
	直柄 / Spin	ning								
	NBJ601M	6'0"(1.83m)	1	183	2.7/9.8	Max 200g	15	233	5+1	PE#2.0-5.0
k	NBJ602M	6'0"(1.83m)	1.5	126	2.4/10.3	Max 200g	15	236	5+1	PE#2.0-5.0
	NBJ601MH	6'0"(1.83m)	1	183	2.7/9.8	Max 350g	20	241	5+1	PE#3.0-8.0
r	NBJ602MH	6'0"(1.83m)	1.5	126	2.4/10.3	Max 350g	20	243	5+1	PE#3.0-8.0
	枪柄 / Cast	ting								
t	NBJC601M	6'0"(1.83m)	1	183	2.4/9.7	Max 200g	15	197	8+1	PE#2.0-5.0
r	NBJC602M	6'0"(1.83m)	1.5	126	2.4/10.3	Max 200g	15	238	8+1	PE#2.0-5.0
	NBJC601MH	6'0"(1.83m)	1	183	2.5/9.8	Max 350g	20	212	8+1	PE#3.0-8.0
	NBJC602MH	6'0"(1.83m)	1.5	126	2.4/10.3	Max 350g	20	234	8+1	PE#3.0-8.0

<sup>\*</sup> OEM ONLY

# LEISURE ## K5 JIGGING 铁板竿

高吨位碳布和纳米复合材料结合,使竿体具有非常好的弹力及弯曲度,操作铁板饵时轻松控饵。中鱼后也 能牢牢掌握主动权。加硬EVA把手,防滑不吸水。金属十字尾件设计,坚固耐用。

Couple hardness with softness, two action.

The combination of high-tonnage carbon blank and nano-composite material makes the rod blank have good elasticity and bending degree, and easy to control catching the fish.

Hard EVA handle, anti skid and non water absorption. Metal cross butt cap, strong and durable.

型号 Model	长度 Length	节数 Section	收缩长 C.Length	先径 Tip Dia.	元径 Butt Dia.	饵重 lure(g)	钓力 Drag	重量 Weight(g)	导眼 Guide	线 Line
直柄 / Sp	oinning									
NBJ602M	6'0"(1.83m	2	121cm	2.7mm	14.0mm	120-260	15kg	323	5+1	PE #4.0-6.0
NBJ602MH	6'0"(1.83m	) 2	121cm	2.8mm	14.5mm	200-500	18kg	335	5+1	PE #6.0-8.0

# JACKDAWS 青霜







NANDALLOU

# LIGHT JIGGING 轻型铁板竿 ™

寒鸦轻型铁板竿专为50米以内的浅水域作钓设计,全系搭载Fuji SiC环。竿身采用东丽纳米树脂碳布制成, 具备卓越的感度,可让钓手精准捕捉水流的细微变化以及铁板饵在水下的动态。同时,竿体具备一定的抛投 能力,能够有效扩大作钓范围,尤其适合锁定远处炸水的目标鱼。

在各种速度下的垂直抽竿控饵时,柔韧的竿稍能够最大限度地展现铁板的自然动作。而在对抗大体型鱼时, 钓手会注意到竿后腰强度带来的安全感,使控鱼更加舒服安心。

This is one of our perfect, basic light jigging series which features a remarkably flexibility responsive tip, high operational performance on belly section and powerful butt, perfect for all jigging and jerking techniques, including slow and fast one-pitch jerks and variable speed combination jerks, also suitable for casting over a wide area.

The theme of this rod is flexibility and smooth rod bending. The 1+1 section construction, with offset handle, allows easy transport whilst retaining the perfect one-piece jigging and taking advantage of cast ability and falling speed as spinning model.

型号 Model	长度 Length	节数 Section	收缩长 C.Length (cm)	饵重 Jig WT.	抛投饵重 Cast WT.	线 Line WT.	先径 Tip Dia. (mm)	重量 Weight (average)(g)	导眼 Guide	钓力 Drag
直柄 / Sp	oinning									
LJL-S63/1	6'3"(1.91m)	1.5	145	30-130g	Max 50g	PE #0.8-2	1.8	115	7+1	8kg



### X5 BOAT 船竿

优化后的强力竿腰与灵敏的弹性竿梢搭配,适合各种底层作钓、铁板、硬饵抛投等钓法。 竿身灵敏,对于近海和中深钓场等鱼种,粘鱼性手感后很好,无论个体大小都能搞定。 防缠绕顶环,陶瓷导眼,高强度不锈钢支架,高品质坚固轮座。

The tough blank and sensitive tip allows you to perform lightness and fastness. The boat rod design allows you to handle strong impact or small bites.

Thin body, light touch and high power are the focus of this rod.

Both two-axis reels and small electric reels can be used.

型号 Model	长度 Length	调性 Action	节数 Section	收缩长 C.Length	先径 Tip Dia.	饵重 lure(g)	重量 Weight	导眼 Guide	线 Line D	拉力 rag/45
直柄 / S	pinning									
BBS602M	6'0"(1.83m)	R	2	94.5cm	2.4mm	Sinker:80-300g 80#(50-120#)	232g	6+1	PE#3.0-6.0	17kg
BBS702M	7'0"(2.13m)	R	2	110.5cm	2.5mm	Sinker:80-300g 80#(50-120#)	265g	7+1	PE#3.0-6.0	18kg
BBS802M	8'0"(2.43m)	R	2	125.5cm	2.5mm	Sinker:80-300g 80#(50-120#)	288g	8+1	PE#4.0-8.0	19kg
枪柄 / C	asting									
BBC602M	6'0"(1.83m)	R	2	94.5cm	2.4mm	Sinker:80-300g 80#(50-120#)	212g	7+1	PE#3.0-6.0	17kg
BBC702M	7'0"(2.13m)	R	2	110.5cm	2.5mm	Sinker:80-300g 80#(50-120#)	248g	8+1	PE#3.0-6.0	18kg
BBC802M	8'0"(2.43m)	R	2	125.5cm	2.5mm	Sinker:80-300g 80#(50-120#)	271g	11+1	PE#4.0-8.0	19kg



# **LEISURE** ## X5 TRAVEL BOAT 四节船竿

多节旅行竿系列,伴随您世界各地旅游的同时征战当地的鱼种。 坚固、高模量碳布竿身,外观紧凑,专为海水船钓设计。 高密度EVA手把,全双脚坚固耐腐蚀国产导环。

A travel boat rods that can conquer the world, universal design without borders. Very strong, high modulus full carbon with slim profile designed for saltwater boat fishing. Ultra-high hardness EVA handle design. Strong saltwater proof tough guides.

长度 调性 节数 收缩长 先径 饵重 Length Action Section C.Length Tip Dia. lure(g)			重量 Weight	导眼 Guide	拉力 Drag/45°		
R	4	62.5cm	2.8mm	Sinker:120# (80#-150#) Comfort: 225g	265g	8+1	11kg
R	4	66.5cm	2.8mm	Sinker:120# (80#–150#) Comfort: 225g	281g	8+1	11kg
	Action R	Action Section	Action Section C.Length  R 4 62.5cm	Action Section C.Length Tip Dia.  R 4 62.5cm 2.8mm	Action Section C.Length Tip Dia. lure(g)  R 4 62.5cm 2.8mm Sinker:120# (80#–150#) Comfort: 225g Sinker:120# (80#–150#)	Action Section C.Length Tip Dia. lure(g) Weight  R 4 62.5cm 2.8mm Sinker:120# (80#-150#) 265g  Comfort: 225g 265g  Sinker:120# (80#-150#) 281a	Action         Section         C.Length         Tip Dia.         lure(g)         Weight         Guide           R         4         62.5cm         2.8mm         Sinker:120# (80#-150#) Comfort: 225g         265g         8+1           B         4         66.5cm         2.8mm         Sinker:120# (80#-150#) Sinker:120# (80#-150#)         281g         9-1

LEISURE - STAND UP - LSU1602

LEISURE - STAND UP - LSU2030

LEISURE - STAND UP - LSU3050

# LEISURE ÄR

#### LEISURE STAND UP 重型船竿

一款适用于远海拖钓大型黄鳍金枪、马林鱼或底钓石斑鱼等巨物的重型船竿,适配带有金属吊架的重型 拖钓鼓轮;

全系搭载海水重型高强度不锈钢导环、铝合金轮座、人体工程学EVA握把记忆重型铝合金万向节; \*80磅的型号为旋转导环

As the name inplies, standup rods are rods you use for heavy game fish, such as yellowfin tuna, marlin, groupers & more.

The rods are designed to place a great deal of strain on large fish while the angler stands up to do battle.

Available in 4 models from 20lb to 100lb, and built on a unidirectional wrapped, graphite/e-glass construction blank with added flex reinforcement process for strength.

Equipped with high strength, heavy duty guide frames with ocean guides inserts, aluminum reel seat, ergonomic fore grip, heavy duty aluminum gimbal and they are perfectly matched to the powerful predators with their violent flights.

型号 Model	长度 Length	收缩长 C.Length	节数 Section	先径 Tip Dia.	元径 Butt Dia.	重量 Weight	导眼 Guide	线 Line
鼓轮 / Co	nventional							
LSU1620	1.66m	166cm	1	3.8mm	12.9mm	509g	7+1	16-20lb
LSU2030	1.66m	166cm	1	4.4mm	13.4mm	531g	6+1	20-30lb
LSU3050	1.66m	166cm	1	5.2mm	13.4mm	559g	7+1	30-50lb
LSUS80	1.70m	170cm	1	5.9mm	16.0mm	647g	8+1	80lb

\* OEM ONLY





LEISURE - STAND UP - LSUS80(SPIRAL GUIDES)





TORAYCA

NB NB





#### BLUEWATER 蔚蓝

强力的综合功能深海钓竿,为铁板钓法、拖钓、沉底钓、放流和抛投钓法等为基础设计。 使用诺比最强的中高模量碳布技术,竿体在60°下拥有25-30公斤强大拉力,与正逆交叉螺旋技术扛 扭转,帮助钓手更好的深水控鱼。

全系搭载富士高强度和耐腐蚀的不锈钢支架导环,精密加工铝合金轮座和十字肚顶。

Powerful Offshore Rods Designed for Jigging, Trolling, Deep Dropping, Live bait, Casting applications.

High density EVA foam grips are perfect for offshore and actions are specifically matched to suit tuna, amberjack, grouper, mahi and whatever else you may encounter!

Both the spinning and conventional rods feature Fuji frames which perfect for any saltwater environment.

	型号 Model	长度 Length	硬度 Power	调性 Action	节数 Section	收缩长 C.Length	拉力 Drag/60°	重量 Weight	导眼 Guide	饵重 Lure	线 Line
	鼓轮 / Conve	entional									
	BWS661XXHC	6'6"(1.98m)	XXH	MF	1	198cm	29kg	500g	8+1	-	80-200lb
*	BWS701MHC	7'0"(2.13m)	МН	F	1	213cm	24kg	408g	9+1	_	40-80lb
*	BWS5610C	5'6''(1.68m)	XH	F	1	168cm		-	-		50-100lb
*	BWS5610CRT	5'6''(1.68m)	XH	F	1	168cm	-	_	-	-	50-100lb
*	BWS5840C	5'8''(1.72m)	Н	MF	1	172cm	-	_	_	1-6oz jig(160-270g)	20-40lb PE80-200lb
*	BWS6625C	6'6''(1.98m)	МН	MF	1	198cm	-		-	1-5oz jig(110-240g)	12-25lb PE50-100lb
*	BWS6640C	6'6''(1.98m)	Н	MF	1	198cm	-	-	-	2-8oz	20-40lb
*	BWS6680C	6'6''(1.98m)	XH	F	1	198cm	-	-	-	-	30-80lb
*	BWS7025C	7'0''(2.13m)	МН	F	1	213cm	-	-	-	1-3oz	10-25lb
*	BWS7030C	7'0''(2.13m)	Н	F	1	213cm	-	-	-	3/4-3oz	15-40lb
*	BWS7030C	7'0"(2.13m)	Н	М	1	213cm	-	-	-	1-4oz	15-30lb
*	BWS7040C	7'0''(2.13m)	Н	F	1	213cm	_	_	-	1-6oz	20-50lb
*	BWS7050C	7'0''(2.13m)	Н	F	1	213cm		_	-	-	20-50lb
*	BWS8040C	8'0''(2.43m)	Н	F	1.5	178cm	-	-	-	1-5oz	20-40lb
	直柄 / Spinn	ing									
*	BWS721MHS	7'2"(2.19m)	MH	F	1	219cm	25kg	423g	6+1	-	40-80lb
*	BWS7020S	7'0''(2.13m)	MH	F	1	213cm	-	-	-	1/2-2oz	10-20lb
*	BWS71030S	7'10''(2.39m)	Н	F	1	239cm	77.0		-	1-4oz	15-40lb
*	BWS8040S	8'0''(2.43m)	Н	F	1	243cm	-	-,	: <del>-</del> :	1-4oz	15-40lb

- \* OEM ONLY
- \* RT: ROLLER TIP











\_EISURE - BIG GAME PRO - NMT562-4 50-80L

# EISURE - BIG GAME PRO II - NMT602-4 50-80LE

### LEISURE ##

#### BIG GAME - TROLLING 拖钓竿

潇客Big Game系列满足您对深海重型作钓大型鱼种的所有要求。 它具有耐用、高品质的配置,坚固且 具有弹性,将鱼施加的过量压力主要转移到杆体上,而不是钓手身上。 更少的扭矩和挣扎反弹意味着更 多的钓鱼乐趣和更少的疲劳。

竿体搭配的是目前诺比最高品质的玻璃纤维材质。

X-Wrapping结构由多层交叉编织组成,这些技术以相反方向对角线紧紧地缠绕竿坯,从而在与鱼搏斗 时,在不增加额外重量压力的情况下增强扭转刚性。

The Leisure Big Game Series is everything that you could ask for in a fishing rod. It has durable, high-quality components, it's sturdy yet has resilience so the main struggle gets transferred to the rod instead of you. Less torque and struggle to you mean more fishing enjoyment and less fatigue. These blanks are using the highest qualitty glass fiber available. This is what differentiates us from other rod makers.

X-Wrapping construction consists of multiple layers of tape that tightly wind the blank diagonally in opposite directions, resulting in enhanced torsional rigidity without adding extra weight.

型号 Model	长度 Length	节数 Section	收缩长 C.Length(cm)	先径 Tip Dia.	元径 Butt Dia.	重量 Weight(g)	导眼 Guide	线 Line
直柄 / Spin	ning							
NMT601-80	1.83m	1	183	4.9mm	16.4mm	970g	5+1	50-80lb
* NMT661-80	1.98m	1	198	5.1mm	17.8mm	1025g	6+1	50-80lb
NMT601-120	1.83m	1	183	5.4mm	16.8mm	985g	5+1	80-120lb
* NMT661-120	1.98m	1	198	5.4mm	18.2mm	1060g	6+1	80-120lb
* NMT661-150	1.98m	1	198	5.6mm	18.5mm	1095g	6+1	120-150lb

\* OEM ONLY

# LEISURE ##

潇客Big Game系列以在最严苛的深海环境下顺利作钓而为设计初衷,可应对最重型的拖钓方法。 加强重型玻璃纤维大大增强了杆的强度,同时保留了竿体适当的弯曲能力。 这种技术的组合提高了钓竿 的结构刚度,使其在负载下保持真实扭矩状态,同时使钓鱼者能够通过毛坯有效地传输拉力,从而在重 型海上钓法中提供及时的战斗力。

配备了全套滚轮导轨和顶环,可随时对抗海洋中最强大的鱼类,包括蓝鳍金枪鱼,旗鱼等。 每个型号都采用不同的导环布局、长度、硬度等,为钓鱼者提供更多选择,以满足他们的喜好和作钓风格。

Engineered to perform in the most demanding of circumstances, the Leisure Big Game Series Conventional Rods are equipped to dominate the heaviest trolling applications.

Heavy-Duty glass fiber greatly enhances rod strength while retaining the ability to flex. This combination of rod technologies increases the structural rigidity of the rods so that they remain true under load while enabling anglers to efficiently transfer power through the blank for much needed fighting power in heavy offshore applications.

Equipped with a full set of roller guides and tip, the rods are ready to take on some of the most powerful game fish in the sea, including the mighty Bluefin Tuna.

Each model utilizes different guide layouts, lengths, power and more, delivering more options for anglers to meet their preferences and fishing styles.

旋转滑轮顶导眼-SWIVEL ROLLER TOP

#### BIG GAME PRO - TROLLING 拖钓竿

型号 Model	长度 Length	节数 Section	收缩长 C.Length(cm)	先径 Tip Dia.	元径 Butt Dia.	饵重 lure(g)	重量(不含手把) Weight(g)	导眼 Guide	线 Line(lb)
直柄 / Spinning									
NMT562-4 50-80lb	1.68m	2	114.5	7.0mm	18.8mm	500-750	663g	3+1	50-80
NMT562-6 130-180lb	1.68m	2	114.5	8.8mm	20.0mm	1000-1400	706g	3+1	130-180
NMT562-4 80-130lb	1.68m	2	114.5	7.7mm	19.5mm	600-1200	676g	3+1	80-130
NMT602-4 50-80lb	1.83m	2	128.5	7.0mm	18.8mm	500-750	704g	4+1	50-80
NMT602-4 80-130lb * OEM ONLY	1.83m	2	128.5	7.7mm	19.5mm	600–1200	727g	4+1	80-130

固定滑轮顶导眼-STANDARD ROLLER TOP

#### BIG GAME PRO II - TROLLING 拖钓竿

	型号 Model	长度 Length	节数 Section	收缩长 C.Length(cm)	先径 Tip Dia.	元径 Butt Dia.	饵重 lure(g)	重量(不含手把) Weight(g)	导眼 Guide	线 Line(lb)
	直柄 / Spinning									
	NMT562-4 50-80lb	1.68m	2	114.5	7.0mm	18.8mm	500-750	672g	3+1	50-80
*	NMT562-6 130-180lb	1.68m	2	114.5	8.8mm	20.0mm	1000-1400	715g	3+1	130-180
*	NMT562-4 80-130lb	1.68m	2	114.5	7.7mm	19.5mm	600-1200	686g	3+1	80-130
	NMT602-4 50-80lb	1.83m	2	128.5	7.0mm	18.8mm	500-750	712g	4+1	50-80
	NMT602-4 80-130lb	1.83m	2	128.5	7.7mm	19.5mm	600-1200	738g	4+1	80-130
	* OFM ONLY									

TORAYCA







自2022年起,无数次的碳布搭配选择、设计优化、拉力测试以及实战循环测试,我们终于实现了突破。 灵敏且灵活的竿稍让抛投和操控假饵得心应手。

鱼竿素材的制作涉及多种因素,包括碳布的弹性、厚度、树脂含量、纤维角度以及模具锥度设计,每一 项都决定着最终产品的表现。在无穷无尽的组合中,我们找到最优方案,成功打造出具有卓越重负载耐 久性的钓竿。通过优化的搭配,钓手使用肚顶下高达70度的高角度抬升时,竿腰会展现出柔韧且流畅的力 量过渡,同时利用中腰和后腰的回弹力有效对抗巨物,大幅减轻作钓时的负担,为钓手提供更加舒适、 高效的使用体验。

Mankind is ever eager, ever evolving, and ever inventing.

We aspired to create a rod capable of going head-to-head with some giants in casting game, the rod blank must be absolutely trustworthy. After countless years of testing in the field, this ambition led to the inception of Voyager boat casting series.

The Voyager Boat Casting series are the lightest in weight, highly well balanced, possess a light casting feel and armed with outstanding butt power to win over the massive fish. All models are unique from each other, it have been loaded sensitive and flexible tip section to manipulate lure at your will, potential of usability and ability of distance cast.

#### Innovative Blank Development Story

If the rod blank is overly rigid, it becomes too challenging for anglers to endure the fierce struggle of a monster.

Additionally, such a stiff rod blank wouldn't allow casting a 100g lure.

On the other hand, a rod blank that's too flexible wouldn't just fail to lift a monster but would also easily break under the heavy load.

Our journey towards creating the perfect rod blank involved relentless cycles of design, bench testing, and field testing, and was finally completed in 2024.

We precisely design the necessary torque and power, fulfilling the requirements for recoil, durability, and flexibility needed for our blank.

Its core flexibility allows the rod to be bent effectively with realistic human strength, generating repulsive power as it bends. Even in a fight with monsters, the rod blank remains robust, assisting anglers by lifting while enduring the strain.

型号 长度 节数 收缩长 饵重 线 先径/元径 重量 Model Length Section (cm) Lure WT. Line WT. Dia. (average) Action (mm) (g)	
Tune Edition 全檢	导眼 Guide
Turia Cuttori in the	
VP80H 8'0"(2.43m) 1.5 170.5 40-160g PE: 6-10 3.2/15.2 385 R	6+1
VP77XH 7'7"(2.31m) 1.5 157.5 Max 180g PE: 8-12 3.3/14.2 375 RF	5+1
GT Edition 牛港	
VP82XH 8'2"(2.48m) 1.5 179.5 Max 190g PE: 5-8 3.8/15.9 391 R	6+1
VP710XXH 7'10"(2.39m) 1.5 165.5 Max 230g PE: 6-10 3.4/16.4 393 R	6+1
Kingfish Edition 黄鲣	
VP85MH 8'5"(2.57m) 1.5 189.5 Comfort 40-120g Max PE7 2.8/14.9 373 RS	6+1
Light Concept 轻型波爬	
VP83M 8'3"(2.51m) 1.5 165 Max 80g Max PE4 2.4/14.8 299 R	7+1

#### \* OEM ONLY

Model	Target	Suitable Reel Size	Drag	
VP80H	100kg/Tuna • Kingfish	14000~30000	30kg/60°	
VP77XH	200kg/Tuna • GT	14000~30000	30kg/60°	
VP82XH	Small~Large GT	14000~20000	30kg/60°	
VP710XXH	Small~Large GT	14000~20000	30kg/60°	
VP85MH	Kingfish · Yellowfin tuna	10000~18000	20kg/45°	
VP83M	Kingfish • GT	6000~10000	16kg/45°	

TUNA EDITION-VP77XH

VOYAGER-PLUGGING SPECIAL-VPS83MH APPAREL

VOYAGER-PLUGGING SPECIAL-VPS82:

INFINITE - OCEAN - NBP762N

VOYAGER-PLUGGING SPECIAL-VPS83









#### PLUGGING SPECIAL 综合波爬竿 🚥

一款综合性能优异的波爬竿,重量更轻、抛投更远、强调针对各种钓法的相对泛用性,无论是浮水/沉水铅 笔、波爬等都能展现出良好的操控性,出色的竿腰力量带来的高回弹高响应,为的了钓手可以通过竿体本 身的回弹力将目标鱼拉到水面。

Our mission was to create a boat casting rod that is lighter, casts farther, is stronger, and offers the ability to use a wide range of lures while being highly efficient when going head-to-head with

We focused on its casting ability as the most important aspect which is obviously the key factor when venturing out for a casting game. As the Voyager Plugging Special series are equipped with a highly resilient and highly responsive blank for extended castability, this will also assist anglers automatically and directly apply pressure on the fish during the fight.It is a user-friendly rod as anglers can smoothly shift from the loading of the blank to aggressively lifting of the fish.

型号 Model	长度 Length	节数 Section	收缩长 C.Length (cm)	饵重 lure(g)	线 Line	先径 Tip/Butt Dia.	重量 Weight (average) (g)		导眼 Guide	钓力 Drag
直柄 / Sp	inning									
VPS83MH	8' 3"(2.51m)	1.5	185	Max 120g	Max PE6	3.4/15.2	374	R	6+1	18kg/45°
VPS83H	8' 3"(2.51m)	1.5	185	Max 150g	Max PE8	3.3/14.2	397	R	6+1	20kg/45°
VPS82XH	8' 2"(2.49m)	1.5	182.5	Max 180g	Max PE10	3.3/14.2	405	R	6+1	22kg/45°

# Infinite &&







# OCEAN POPPING

高吨东丽碳布与纳米复合材料结合, 杆身轻巧, 拉力超群。 日本富士A 环, 散热好抗腐蚀。

加强Fuji型轮座坚固耐用。

加强EVA减震把手,减震与防滑效果极佳。

Japan Toray carbon and nano resin feature ultralight blank and unbelievable max drag. Fuji Alconite guides with good heat dissipation and corrosion resistance.

Strengthened Fuji reel seat is sturdy and durable.

Strenghten EVA handle can absorb shock and avoid slipping.

型号 Model	长度 Length	节数 Section	收缩长 C.Length(cm)	先径 Tip Dia.	元径 Butt Dia.	饵重 lure(g)	重量 Weight(g)	导眼 Guide	线 Line
直柄 / Spin	ning								
NBP762MH	7'6''(2.29m)	2	168	2.9mm	13.9mm	120	352	6+1	PE#3.0-6.0
NBP762H	7'6''(2.29m)	2	168	3.1mm	14.4mm	200	368	6+1	PE#4.0-8.0
NBP862MH	8'6''(2.60m)	2	188	3.0mm	16.0mm	120	362	6+1	PE#3.0-6.0
NBP862H	8'6''(2.60m)	2	188	3.5mm	16.5mm	200	380	6+1	PE#4.0-8.0
NBP8102MH	8'10"(2.70m)	2	199	3.0mm	16.0mm	120	384	6+1	PE#3.0-6.0
NBP8102H	8'10"(2.70m)	2	199	3.5mm	16.5mm	200	402	6+1	PE#4.0-8.0

# GAINERS 凯旋

#### SHORE CASTING ROD 岸抛竿

从铁板和硬饵的抛投,软硬适中的竿梢让身体感到放松,并且强硬的竿腰足够对抗青物。 整竿富士双脚支架导环与富士轮座能持续有效地缓解控饵与搏斗拔鱼带来的沉重负荷。 全新针对大型青物设计充满韧性的素材调性,再强的鱼竿如果没有合理的柔韧性,那么在巨物硬拉搏斗 中会处于劣势。

It's gentle on your body from jig and plug control to casting and is bendy enough to fight big fish. Fuji double foot saltwater tough guides and Fuji reel seat provide excellent performance. H class rod is powerful and anglers will be able to comfortably cast 100g (max 110g) lures.

型号 Model	长度 Length	调性 Action	节数 Section	收缩长 C.Length(cm)	先径 Tip Dia.	饵重 lure(g)	重量 Weight(g)	导眼 Guide	线 Line
直柄 / Spin	ning								
NBG862XH	8'6"(2.60m)	RF	2	136	2.3mm	Max160	318	6+1	PE #3.0-6.0
NBG862EXH	8'6"(2.60m)	RF	2	136	2.6mm	Max200	327	6+1	PE #4.0-8.0
NBG902H	9'0"(2.75m)	RF	2	143	2.8mm	Max110	329	6+1	PE #2.0-4.0
NBG902XH	9'0''(2.75m)	RF	2	143	2.8mm	Max160	354	6+1	PE #3.0-6.0
NBG1002H	10'0"(3.05m)	RF	2	158	2.6mm	Max110	379	6+1	PE #2.0-4.0
NBG1002XH	10'0"(3.05m)	RF	2	158	2.8mm	Max160	397	6+1	PE #3.0-6.0

#### **LEGEND** 6 II

#### SHORE JIGGING ROD 岸投铁板竿

通用型岸投铁板竿,非常适合40到160克的铁板以及铅笔等,竿子非常轻盈且强力。 初衷在适用铁板饵与铅笔饵,与波爬竿相比,更柔软的竿尖可以发挥粘鱼作用,让钓手能在任何条件下

强力海水导环、重型轮座与超耐用EVA握把确保竿子足够坚固可靠。

A general purpose shore jigging Rod perfect for casting Stickbaits and metal jig in the 40 to 160g ange. These rods are very light and powerful.

Ideal for casting pencil baits and metal jigs, the softer tip of the rods, when compared to the Popping series, gives better action to stickbaits and allows anglers to work their lures through calm and rough conditions perfectly.

SALTWATER TOUGH GUIDES and heavy Duty Lock and the Ultra Durable EVA Grip provides a solid, infallible, connection to the rod.

型号 Model	长度 Length	调性 Action	节数 Section	收缩长 C.Length(cm)	先径 Tip Dia.	饵重 lure(g)	重量 Weight(g)	导眼 Guide	线 Line
直柄 / Spir	ning								
NBG862XH	8'6"(2.60m)	R	2	136	2.6mm	40-160	326	6+1	PE #3.0-6.0
NBG862EXH	8'6"(2.60m)	RF	2	136	2.8mm	60-200	324	6+1	PE #4.0-8.0
NBG902H	9'0"(2.75m)	R	2	143	2.6mm	25-110	335	6+1	PE #2.0-4.0
NBG902XH	9'0''(2.75m)	R	2	143	2.8mm	40-160	350	6+1	PE #3.0-6.0
NBG1002H	10'0"(3.05m)	R	2	158	2.7mm	25-110	379	6+1	PE #2.0-4.0
NBG1002XH	10'0"(3.05m)	R	2	158	2.9mm	40-160	397	6+1	PE #3.0-6.0

# LEISURE ## X5 SHORE CASTING 岸抛竿

高强度高韧性进口碳布,提高竿身强度触感清晰。 通体交叉碳带工艺, 作钓时竿身不易爆裂。 国产SiC耐腐蚀双支架导环,DPS加强轮座EVA防滑手把。

Designed for use with a wide range of jigs and big, heavy hard and soft lures.

The biggest feature of the X5 shore jigging rod , is this model has power on the rod tip. The tip power an provide precise control for jigs by only the bounce motion of the rod tip.

Blank is made by high elasticity material, which is known commonly for high castability. Butt section is really strong but tip section is soft and sensitive.

The blank is designed with X-wrapping that supports your strong fight.

Double foot saltwater tough guides and Heavy-duty reel seat provides increased blank contact with outstanding sensitivity.

型号 Model	长度 Length	调性 Action	节数 Section	收缩长 C.Length(cm)	先径 Tip Dia.	饵重 lure(g)	重量 Weight(g)	导眼 Guide	线 Line
直柄 / Spin	ning								
NBSF902H	9'0"(2.75m)	RF	2	142	2.1mm	Max70	279	7+1	PE #1.5-3.0
NBSF902XH	9'0"(2.75m)	RF	2	142	2.3mm	Max90	288	7+1	PE #2.0-4.0
NBSF962H	9'6"(2.90m)	RF	2	149.5	2.4mm	Max70	293	7+1	PE #1.5-3.0
NBSF962XH	9'6''(2.90m)	RF	2	149.5	2.4mm	Max90	299	7+1	PE #2.0-4.0
NBSF1002H	10'0"(3.05m)	) RF	2	157	2.7mm	Max70	315	7+1	PE #1.5-3.0
NBSF1002XH	10'0"(3.05m)	) RF	2	157	2.8mm	Max90	326	7+1	PE #2.0-4.0

# Infinite &







#### A7 PRO - SHORE MEDIUM GAME

采用日本东丽碳布和纳米复合材料结合而成,竿身坚固,轻量化、韧性好、感度高。 整竿搭配日本富士导环,不伤线的同时提高抛投和远投性能。 加强日本富士轮座, 紧锁渔轮, 易操控。

通体加硬EVA把手设计,手感舒适,防滑不吸水。

Japan Toray high carbon with nano resin material featured high sensitivity, durable and tra light. Japan Fuji rod guides featured good long casting performance.

High strengthen Japan Fuji reel seat fixed reel very well.

Non-slip handle made of EVA offer anglers good hand feeling.

型号 Model	长度 Length	节数 Section	收缩长 C.Length(cm)	先径 Tip Dia.	元径 Butt Dia.	饵重 lure(g)	重量 Weight(g)	导眼 Guide	线 Line
直柄 / Spi	nning								
NBB822M	8'2''(2.49m)	2	129	1.6	13.0	7-35	163	8+1	PE #0.8-2.0
NBB902M	9'0''(2.75m)	2	141	1.6	13.5	7-35	180	8+1	PE #0.8-2.0
NBB822MH	8'2''(2.49m)	2	129	1.6	13.2	10-45	168	8+1	PE #0.8-2.5
NBB902MH	9'0''(2.75m)	2	141	1.6	14.0	10-45	194	8+1	PE #0.8-2.5
NBB962MH	9'6''(2.90m)	2	150	1.7	14.7	10-45	204	8+1	PE #0.8-2.5
NBB822H	8'2''(2.49m)	2	129	1.8	14.0	20-70	187	8+1	PE #1.0-3.0
NBB902H	9'0''(2.75m)	2	141	1.8	14.1	20-70	208	8+1	PE #1.0-3.0
NBB962H	9'6''(2.90m)	2	149	1.8	13.3	20-70	225	8+1	PE #1.0-3.0

# Infinite & &



富士轮座搭配上旋式螺帽牢固锁紧渔轮。







采用日本东丽碳布和纳米复合材料, 竿身强度高, 韧性好, 整体传导性好。 分段式加硬EVA握把,合理减轻重量,提高传感性。 不锈钢K支架富士Alconite导眼减少出线阻力,使远投性能与抛投感更出色。

Updated sea bass rod has pretty sensitivity when fishing. The split EVA handle reduces weight reasonably and improves sensibility.

Fuji Alconite K type guides reduce resistance and feature better casting.

Fuji reel seat with topspin button is easy to fix reel.

型号 Model	长度 Length	节数 Section	收缩长 C.Length(cm)	先径 Tip Dia.	元径 Butt Dia.	饵重 lure(g)	重量 Weight(g)	导眼 Guide	线 Line
直柄 / Spir	nning								
NBB822M	8'2"(2.49m)	2	129	1.6	13.0	7-35	133	8+1	PE #0.8-2.0
NBB902M	9'0"(2.75m)	2	141	1.6	13.5	7-35	150	8+1	PE #0.8-2.0
NBB822MH	8'2"(2.49m)	2	129	1.6	13.2	10-45	138	8+1	PE #0.8-2.5
NBB902MH	9'0''(2.75m)	2	141	1.6	14.0	10-45	164	8+1	PE #0.8-2.5
NBB962MH	9'6''(2.90m)	2	150	1.7	14.7	10-45	173	8+1	PE #0.8-2.5
NBB822H	8'2"(2.49m)	2	129	1.8	14.0	20-70	157	8+1	PE #1.0-3.0
NBB902H	9'0"(2.75m)	2	141	1.8	14.1	20-70	177	8+1	PE #1.0-3.0

# Infinite && A6 SURF







A6 Surf是一款适用于沙滩&堤坝&岩礁的岸抛远投竿,可以和米诺、金属vib、铁板饵和软饵钓组搭配。 全系标配Fuji Alconite 不锈钢K支架导环, DPS轮座+LO/AN锁紧螺母。

以远距离抛投为初衷,使用高模量碳布,轻盈的抛投手感能克服3m以上长竿给钓手带来的负担,让钓 手将注意力集中在控饵上。

Fuji K-series Alconite Guides & Fuji DPS Reel Seat+ Fuji LO/AN Lock Nut.

The Infinite A6 for Surf is ideal for the flat fish game targeting Flounders and Flatheads with minnows, metal iigs and soft plastics.

With the concept focusing on long distance casting, the light weight blank and light casting feel will allow anglers to maintain their concentration throughout the day.

	발号 odel	长度 Length	节数 Section	收缩长 C.Length(cm)	先径 Tip Dia.	饵重 lure(g)	重量 Weight(g)	导眼 Guide	线 Line	
直	柄/Spin	ning								
NB	B1002MH	10'0"(3.05m)	2	156	1.9mm	Plug:10-45g Jig:Max60g	202	8+1	PE #0.8-2.5	
NB	B1062MH	10'6''(3.20m)	2	164	1.9mm	Plug:10-45g Jig:Max60g	215	9+1	PE #0.8-2.5	
	B1062H D <i>EM ON</i>	10'6''(3.20m) VLY	2	164	2.1mm	Plug:20-70g Jig:Max80g	224	9+1	PE #1.0-3.0	

INFINITE - A7 PRO - NBB822N

INFINITE - A6 SEABASS - NBB82

NFINITE - A6 SURF - NBB1002MH







TORAYCA



专为近海路亚设计的综合强力款式,无论是船钓、岸抛还是皮划艇,都可以通过搭配不同钓组在不同海况 下对抗目标鱼。

宇身设定具有很浓的美系风格,普通路亚竿强调过硬的竿腰会使钓手长时间水下拔鱼控鱼的过程中手腕非常疲劳,Virtuosi inshore强调力量传导过渡设计,历时两年的不断设计和测试,竿梢调教相对软弹,因 此路亚饵在水下的泳姿明显更自然飘逸,最后逐渐过渡到强有力的竿腰及手把。目标鱼对抗的力量越大, 竿身弧线越漂亮,充分利用每一寸竿身,大鱼的冲击力力会逐级向后释放到手把节,以至钓手可以通过加 长设计的手把运用小臂或大臂的力量来对抗。

支持各种饵型、控饵泳姿好、刺鱼发力透彻、对抗过程力量分散舒适、竿身皮实拉力大,这才是一款好近 海综合竿需要具备的所有要素。

Virtuosi Inshore Series Rods will have you fishing with ease and power.

It has been in the design and test field for over 2 years and can handle a very wide range of coastal fish and fishing techniques.

Expect high performance whether you are fishing from a boat, or a kayak, fishing off of the beach to offshore fishing.

Versatility for Various Inshore Species

- The ergonomic handle ensures a comfortable and firm grip, even during prolonged fishing
- All rods feature an extended fore grip handle, which is a much-desired addition for any experienced inshore angler.

\* The MH / H power model features a rubber gimbal that securely fits into a rod holder or a fighting belt for additional support.

#### Features

Carbon TORAYCA Japan IM6 IM7 ( 24T 30T ) Fuji Concept "O" Stainless Steel Guides Fuji DPS / ECS Better Control Performance reel seats Premium Cork Handle

	型号 Model	长度 Length	节数 Section	收缩长 C.Length	饵重 Lure	先径 Tip Dia.	元径 Butt Dia.	线 Line	重量 Weight	导眼 Guide	拉力 Drag/45°
	直柄 / Spii	nning									
*	VIS70MLF	7'0"(2.13m)	1	213cm	1/8-1/2oz(3.5-14g)	1.7	9.6	6-12lb	135g	7+1	13kg
*	VIS70MF	7'0"(2.13m)	1	213cm	3/8-3/4oz(10.5-21g)	1.9	9.9	8-17lb	144g	7+1	15kg
*	VIS70MHF	7'0"(2.13m)	1	213cm	1/2-1 1/2oz(14-42g)	1.9	10.6	12-25lb	165g	7+1	13kg
*	VIS76MHF	7'6''(2.29m)	1	229cm	1/2-1 1/2oz(14-42g)	2.1	11.4	12-25lb	180g	8+1	11kg
*	VIS76HF	7'6''(2.29m)	1	229cm	1/2-2oz(14-56g)	2.3	12.0	15-30lb	195g	8+1	14kg
	VIS702MLF	7'0"(2.13m)	2	111cm	1/8-1/2oz(3.5-14g)	1.6	9.3	6-12lb	134g	7+1	9kg
	VIS702MF	7'0"(2.13m)	2	111cm	3/8-3/4oz(10.5-21g)	1.8	9.6	8-17lb	145g	7+1	10kg
	VIS702MHF	7'0"(2.13m)	2	111cm	1/2-1 1/2oz(14-42g)	1.9	10.3	12-25lb	168g	7+1	11kg
	VIS762MHF	7'6''(2.29m)	2	120cm	1/2-1 1/2oz(14-42g)	1.9	11.8	12-25lb	189g	8+1	11kg
	VIS762HF	7'6"(2.29m)	2	120cm	1/2-2oz(14-56g)	2.1	12.3	15-30lb	199g	8+1	13kg
	枪柄 / Cas	sting									
*	VIC70MHF	7'0"(2.13m)	1	213cm	1/4-1oz(7-28g)	1.9	10.4	8-20lb	162g	8+1	13kg
*	VIC76MHF	7'6"(2.29m)	1	229cm	1/4-1oz(7-28g)	2.1	11.3	8-20lb	175g	9+1	11kg
*	VIC76HF	7'6''(2.29m)	1	229cm	3/4-2oz(21-56g)	2.3	11.9	15-30lb	187g	9+1	14kg
	VIC702MHF	7'0''(2.13m)	2	121cm	1/4-1oz(7-28g)	1.8	10.1	8-20lb	172g	8+1	11kg
	VIC762MHF	7'6''(2.29m)	2	127cm	1/4-1oz(7-28g)	1.9	11.2	8-20lb	183g	9+1	11kg
	VIC762HF	7'6"(2.29m)	2	127cm	3/4-2oz(21-56g)	2.2	12.1	15-30lb	199g	9+1	13kg

\* OEM ONLY







KEEN FORCE - NBKF86M

KEEN FORCE - NBKF74UL-S

KEEN FORCE - NBKF83ML

#### KEEN FORCE 锐袭

一款多型号针对多鱼种、多钓法的适合初学者的综合系列路亚竿。 高模量全碳竿体,手感轻盈,拉力强。 符合人体工程学的渔轮座与现代工艺的完美结合。

Designed for multi-purpose light and predator fishing.
High Modulus Full Carbon blank for responsive performance.
Ergonomic reel seat blends perfectly with the modern cosmetics.
Exceptional value for the beginner or less experienced angler.

型号 Model	长度 Length	调性 Action	拉力 Drag/60°	节数 Section	收缩长 C.Length	先径 Tip Dia.	饵重 lure(g)	重量 Weight	导眼 Guide	线 Line
直柄 / Spinn	ning									
NBKF68L-S	6'8"(2.04m)	F	4kg	2	104.5cm	1.1	2-10	104g	7+1	3-8lb
NBKF74UL-S	7'4"(2.24m)	F	4kg	2	115.5cm	1.1	1-6	114g	8+1	2-6lb
NBKF76L	7'6"(2.29m)	F	4kg	2	118cm	1.5	2-10	109g	8+1	3-8lb
NBKF76ML	7'6"(2.29m)	F	5kg	2	119cm	1.7	5-25	129g	7+1	6-12lk
NBKF83ML	8'3"(2.52m)	F	5kg	2	130cm	1.8	5-25	146g	8+1	6-12lk
NBKF86ML	8'6"(2.59m)	F	5kg	2	134cm	1.8	5-25	157g	8+1	6-12lk
NBKF86M	8'6"(2.59m)	F	6kg	2	134cm	2.0	7-35	164g	8+1	8-16lb
NBKF90ML	9'0"(2.75m)	F	5kg	2	141cm	1.9	5-25	168g	8+1	6-12lk
NBKF90M	9'0"(2.75m)	F	7kg	2	141cm	2.0	7-35	170g	8+1	8-161
NBKF96M	9'6"(2.90m)	F	7.5kg	2	151cm	2.2	7-35	183g	8+1	8-161

\*S: Solid Tip

	<b>Trout</b> (main stream,lake)	76L 76ML 83ML	If you're targeting trout up to 30cm in the main stream, 76L is recommended and if you're targeting larger fish, 76ML is recommended.  For using small lures in lakes, 76L is recommended, and for long casting, the longer 83ML is ideal.
12 manua	Horse mackerel	68L-S 74UL-S	For beginners in jighead rigging, 68L-S is recommended. If long casting is required, 74UL-S is a match.
	Rockfish	74UL-S 76L	For Rock fishing with a combination of winding, a longer roc is advantageous. For worm fishing, 74UL-S is the best match. For plugs, 76L is a match.
	Seabream	76L	For exploring the bottom delicately and using topwater plug for black sea bream, the shorter and more flexible 76L is a match.
	Seabass	86ML 90ML 90M 96M	For harbor areas, choose 86ML as the main focus, and for river mouths, choose 90–96M as the main focus. If you mainly use minnows and sinking pencils, ML is recommended and if you use heavy vibrations frequently, M power is recommended.
	Eging	83ML 86ML 86M	For the fall squid season, 83ML or 86ML is recommended. For the spring large-size season, the 86M which can also cast large Egi is the best match.  Even around the fishing port, you can easily target up to 30cm.
a the	Scorpion fish & Pheasant grouper	76ML 86M	Even around the fishing port, you can easily target up to 30cm. For Scorpion fish, 76ML is recommended and for strong-pulling pheasant grouper, use 86M.
	Hairtail	83ML 86ML 86M	The key to winding is to keep the lure moving. Use 86ML as the main focus and if you lack confidence in your arm strength, use 83ML. When blue fish are mixed in, 86M is recommended.
70000	Flounder & Flathead	90ML 90M 96M	Long models with excellent long casting are ideal. For minnows and worms, 96ML is recommended and for metal jigs, 96M is ideal.

# Infinite &&

#### INFINITE SURF

EVA抛投控制握把, 直接传力兼具防滑效果。 日本东丽高吨位碳布, 竿身轻便, 调性准确。 富士导眼搭配富士板卡轮座鱼竿、整体轻便、便于远投。

中国红竿体3节设计,携带方便。 EVA handle is sensitive and avoids slipping. Toray carbon blank is light, and action is precise.

Fuji guides and reel seat feature ultralight blank and long casting distance. China red appearance, 3 sections design can be carried easily.

#### 空心稍 - TUBULAR TIP





型号 Model	长度 Length	节数 Section	收缩长 C.Length	先径 Tip Dia.	元径 Butt Dia.	铅重 Casting Weight	线 Line	重量 Weight	导眼 Guide
直柄 / Spinr	ning								
NBH1303XH	13'0"(3.97m)	3	137cm	2.7mm	21.0mm	100-260g	PE #4.0-8.0	334g	5+1
NBH1403XH	14'0"(4.28m)	3	148cm	2.8mm	21.2mm	100-260g	PE #4.0-8.0	366g	5+1



# Short Butt Surf





野兽强力远投竿身采用36吨轻量化东丽碳纤维制成,搭配富士K系列防缠绕导环和富士轮座。低位轮座设计 给渔轮提供稳定、安全的连接,提高了平衡性和控制力,同时在抛投和收线时更容易操作鱼竿。独特的助 投手指能够提高抛投时的精准度,将作钓体验提升至全新高度。

野兽强力远投竿采用36吨轻量化东丽碳纤维竿身,搭配富士K系列防缠绕导环和富士轮座,展现卓越性能与 可靠性。低位轮座设计确保渔轮连接稳固安全,同时提升竿体的平衡性和操控力,使抛投和收线更容易操 作鱼竿。独特的抛投辅助装置显著提高抛投精准度,让作钓体验迈向全新高度。

Crafted with a 36-ton lightweight Toray carbon blank, Fuji K-Series anti-tangle guides, and a Fuji reel seat, these rods offer unmatched performance and reliability. Also, complete with bionic finger for

Whether you're targeting freshwater or saltwater species, the Beast Surf fishing rods offer a winning combination of advanced features, unmatched durability, and superior performance, anglers can fish with confidence, knowing their gear is built to last.

型号 Model	长度 Length	节数 Section	收缩长 C.Length	先径 Tip Dia.(mm)	铅重 Cast WT	线 Line	重量 Weight (g)	导眼 Guide
直柄 / 5	Spinning							
BSS14H	14'0"(4.28m)	3	147.5cm	3.0	4-6oz(110-170g)	PE2-4 (30-50lb)	639	9+1

BEAST - SHORT BUTT SURF - BSS14H

SURF MASTER HYBRID

SURF MASTER TUBULAR - 4253B)

#### SURF MASTER SURFCASTING HYBRID 实心稍沙滩远投竿

Surf Master Hybrid是一款敏捷且反应迅速的碳实心竿稍沙滩远投竿,采用高模量碳纤维竿身,轻量化 设计, 具备卓越的抛投性能。

实心竿稍增强竿尖的灵敏度,小鱼的轻微触碰也能清晰看到。配备富士导环与DPS轮座,搭载强力抛投 防滑手把, 带来更轻松舒适的体验。

The Surf Master Hybrid is a ready and reactive hybrid tip rod that combines a high quality carbon blank, lightweight and excellent casting performance.

The hybrid tips feature a seamlessly joined solid section, which amplifies the touches of even the smallest fish and the extra fast tip action allows you to really increase power when you need to reach long distances, but still maintain sensitivity to show smaller fish bites when using an approach lighter.

The rod adapts to every style, offering variants with Fuji guides and Fuji DPS reel seat for a superior fishing experience, and equipped with the Cast Control Grip.



型号 Model	长度 Length	节数 SEC	收缩长 C.Length	先径 Tip Dia.	铅重 Csat WT	重量 Weight	导眼 Guide	拉力 Drag/60°
直柄 / Spinn	ning							
4253 Hybrid	14'0"(4.25m)	3	148cm	1.7mm	100-250g	480g	7+1	11kg

#### SURF MASTER SURFCASTING TUBULAR 沙滩远投竿

Surf Master Tubular Surf为追求极限抛投距离的钓手设计。

采用高模量碳布和最新的抗扭技术,精准的调性将抛投力量全部转化为精准且理想的飞行距离,轻松应 对200g的铅坠,配备富士导环与DPS轮座,搭载强力抛投防滑手把,提供稳固握感,提升抛投力量与精 度,带来卓越钓鱼体验。

The Surf Master Surf is a fishing rod designed to reach exceptional distances, ideal for expert anglers who want to maximize their performance.

Built with high quality materials and advanced Noeby technologies, this rod offers an accurate action that converts the casting power into blank compression, allowing you to handle leads up to 250g. and achieve extremely precise and long casts.

The rod adapts to every style, offering variants with Fuji guides and Fuji DPS reel seat for a superior fishing experience, and equipped with the Cast Control Grip, designed to offer a firm grip and improve strength and precision during casting.













TORAYCA

#### 岸抛鱿鱼

东丽超高弹性超轻碳布和东丽纳米复合材料结合,竿身轻便,传导性超快。 特殊的裁布工艺搭配四轴布窗口、保证竿身拉力与整体美观。 富士钛合金支架,SIC环,导眼采用最新的排列方式有效保证抛投的距离和准确度。 富士轮座,加硬EVA把手,既美观又保证了鱼竿的平衡感和传导性。

The rod is made of the latest high-strength and high-elasticity Toray ultra-high-density nano carbon fiber material, combined with Toray high-elastic carbon fiber material.

Unique cutting technique and 4-axis construction offer high drag power and perfect performance. Fuji TITANIUM Frame and SIC rings, the latest guides arrangement ensure long and precise casting distance.

Fuji reel seat and strengthen EVA handle feature balance and sensibility.

型号 Model	长度 Length	节数 Section	收缩长 C.Length(cm)	先径 Tip Dia.	元径 Butt Dia.	饵重 lure(g)	重量 Weight(g)	导眼 Guide	木虾重量 EGI Size	线 Line
直柄 / Spi	nning									
NBT862ML	8'6"(2.59m	2	133	1.6mm	11.9mm	5-21	98	7+1	#1.8-#3.5	PE #0.4-1.0
NBT902ML	9'0"(2.75m	) 2	141	1.6mm	12.6mm	6-28	105	8+1	#1.8-#3.5	PE #0.4-1.0

#### NONSUCH 🖦

### BOAT SQUID / CUTTLEFISH / OCTOPUS/ IKA METAL 船钓乌贼/鱿鱼/八爪/章鱼

一款针对船钓章鱼、乌贼、八爪鱼、墨鱼、鱿鱼而设计的系列。 高模量碳布以及敏感锋利的钛合金实心竿稍, 竿腰强力过渡顺滑。 搭载Fuji 不锈钢支架导环,舒适的定制专属轮座。

These series were built for boat Octopus, Cuttlefish, Webfoot Octopus, IKA metal fishing

High Modulus Carbon Graphite Construction and sensitive and sharp solid titanium tip and powerful backbone to big size predators.


Equipped with Fuji stainless steel frame guides, custom exclusive reel seat.

型号 Model	目标鱼种 Target	长度 Length	节数 SEC	收缩长 C.Length	先径 Tip Dia.	元径 Butt Dia.	饵重 Sinker	重量 Weight	导眼 Guide	线 Line
枪柄 / Cas	sting									
NBCUT145	CUTTLEFISH	1.45m	1.5	103.5	1.1mm	8.7mm	38-225g (#10-#60)	95g	11+1	10-40lb
NBCUT155	CUTTLEFISH	1.55m	1.5	113	1.2mm	9.8mm	112-375g (#30-#100)	108g	12+1	15-60lb
NBWEB168	WEBFOOT OCTOPUS	1.68m	1.5	125.5	1.2mm	9.9mm	38-75g (#10-#20)	110g	13+1	5-30lb
NBOCT170	OCTOPUS	1.70m	1.5	120	1.4mm	11.0mm	38-300g (#10-#80)	114g	11+1	20-80lb
NBOCT170	OCTOPUS	1.70m	1.5	120	1.4mm	11.0mm	38-300g (#10-#80)	114g	11	+1

\* Titanium Tip: NBOCT170

\* Solid Carbon Tip: NBCUT145/155, NBWEB168













#### POWER GAME 淡水大物

野兽大物竿是诺比研发的一款针对白斑狗鱼、孔雀鲈等淡水顶级掠食者开发的全新系列。 多种型号适合对应中大型软体泳饵、抽停饵、滑翔饵、亮片等不同钓法。 全系列标配富士导环和轮座。

高响应竿梢、快调性、硬挺竿腰、高硬度EVA和高模量碳布相得益彰,让钓手感到足够的信心。

Beast is a complete range of predator rods from NOEBY designed and developed to cover all kind of technics for pike / peacock bass fishing.

Highly responsive and incredibly light high modulus full carbon.

Equipped with Fuji high-strength anti-wrap K-series guides and durable reel seat. Ultra-high hardness EVA handle design.

型号 Model	长度 Length	调性 Action	节数 SEC	收缩长 C.Length	先径 Tip Dia.	饵重 lure(g)	重量 Weight	导眼 Guide	线 Line
枪柄 / Casting									
NBC662XHF	6'6"(1.98m)	F	2	104cm	2.0mm	14-70	170g	9+1	12-30lb
NBC662XXHF	6'6"(1.98m)	F	2	103cm	2.7mm	28-150	187g	9+1	15-40lb
NBC702XHF	7'0"(2.13m)	F	2	110cm	2.1mm	14-70	180g	9+1	12-30lb
NBC762XXHF	7'6"(2.29m)	F	2	118cm	2.7mm	28-150	214g	9+1	15-40lb
NBC802XXHF	8'0"(2.44m)	F	2	123cm	2.4mm	28-150	260g	9+1	15-40lb
NBC862XXH+MF	8'6"(2.59m)	MF	2	133cm	2.4mm	56-170	282g	9+1	20-50lb
直柄 / Spinning									
NBS742XHF	7'4"(2.24m)	F	2	116cm	2.1mm	14-70	206g	8+1	12-30lb
NBS802XH+F	8'0"(2.44m)	F	2	126cm	2.2mm	28-90	183g	8+1	15-35lb









### FLOAT TUBE 皮划艇

专用于水沙发、桨板或kayak皮划艇等钓法环境,全系列搭载富士导环和轮座。 短尺寸、短手把为钓手抛投、刺鱼、摘鱼等情况提供了最大可操作性。

此系列短而轻的竿型也非常适合女士和儿童适用。

H硬度以上的型号,针对狗鱼、鲶鱼等大型鱼种进行了竿腰强化,确保钓手能轻松降服巨物。

Dedicated to float-tube, Stand Up Paddle or kayak fishing.

Compact rods, generally short, and having a compact handle in order to offer maximum maneuverability during throws, animation of lures and fights.

Rather rare on the market, this type of short and light cane is also very suitable for children. It has a reduced size which will facilitate your gestures during throws as well as during close combat.

Equipped with Fuji's guides and durable reel seat.

型号 Model	长度 Length	调性 Action	节数 SEC	收缩长 C.Length	先径 Tip Dia.	饵重 lure(g)	重量 Weight	导眼 Guide	线 Line
直柄 / Spini	ning								
NBS562ML	5'6"(1.68m)	F	1.5	146cm	1.6mm	3-14	102g	7+1	3-10lb
NBS562MH	5'6"(1.68m)	F	1.5	146cm	2.2mm	7-28	122g	6+1	6-17lb
NBS582H	5'8"(1.72m)	RF	1.5	150.5cm	2.3mm	10-40	131g	6+1	10-25lb
NBS592XH+	5'9"(1.75m)	RF	2	90.5cm	2.4mm	30-90	167g	6+1	12-35lb
枪柄 / Cast	ing								
NBC562MH	5'6"(1.68m)	F	1.5	141cm	2.2mm	7-28	131g	7+1	6-17lb
NBC582H	5'8"(1.72m)	RF	1.5	145cm	2.2mm	10-40	137g	7+1	10-25lb
NBC592XH	5'9"(1.75m)	RF	2	91.5cm	2.2mm	20-60	146a	7+1	12-30lb

TORAYCA

# Infinite &&





#### A7 SENSE

日本东丽碳布, 竿身轻便, 传导性超快。

特殊的裁布工艺搭配四轴布窗口设计,保证竿身拉力与整体美观。

新型富士KL-H支架,导眼采用最新的排列方式有效保证抛投的距离和准确度。

富士轮座,高档软木把手和加强EVA后把手,既美观又保证了鱼竿平衡感和传导性。

Made of high modulus, low resin A-helical core Toray carbon fiber from Japan

Special cutting technology and a four-axis construction offer high drag power and perfect whole

New-style Fuji KL-H frame and high quality guides arranged reasonably feature long and precise casting distance.

Fuji reel seat, natural cork handle and strengthen EVA rear handle feature the sense of balance and

型号 Model	长度 Length	调性 Action	节数 Section	收缩长 C.Length	先径 Tip Dia.	元径 Butt Dia.	饵重 lure(g)	重量 Weight	导眼 Guide	线 Line(lb)
直柄 / Spinn	ing									
NBBF702ML	7'0''(2.13m)	F	2	111cm	1.2mm	12.3mm	6-17	105g	8+1	8-16
NBBF702M	7'0''(2.13m)	F	2	111cm	1.4mm	12.5mm	7-25	107g	8+1	10-20
NBBF762ML	7'6''(2.29m)	F	2	120cm	1.4mm	11.4mm	6-17	109g	9+1	8-16
NBBF762M	7'6''(2.29m)	F	2	120cm	1.7mm	11.4mm	7-28	111g	9+1	10-20
NBB802M	8'0''(2.43m)	MF	2	125cm	1.4mm	12.0mm	5-21	112g	9+1	10-20
NBBM822ML	8'2"(2.49m)	М	2	129cm	1.4mm	13.0mm	7-21	126g	9+1	8-16
NBBM822M	8'2''(2.49m)	М	2	129cm	1.4mm	14.0mm	10-28	123g	9+1	10-20
枪柄 / Casti	ng									
NBBFC702ML	7'0''(2.13m)	F	2	111cm	1.2mm	12.3mm	6-17	115g	9+1	8-16
NBBFC702M	7'0''(2.13m)	F	2	111cm	1.4mm	12.5mm	7-25	121g	9+1	10-20
NBBMC762M	7'6''(2.29m)	М	2	120cm	1.4mm	13.3mm	7-28	127g	10+1	10-20
NBBFC762MH	7'6''(2.29m)	F	2	120cm	1.4mm	13.1mm	10-30	136g	10+1	10-25
NBBFC802M	8'0"(2.43m)	F	2	125cm	1.4mm	13.3mm	6-21	128g	10+1	10-20

# Senses





专为国内开发的强力精细虫竿,强调轻盈舒适的持感,重视流水环境和远投、软虫钓组、同时兼顾泳 饵、抽停米诺以及小型铁板。竿梢坚挺,鱼讯传导能力很棒,快调设计有利于控制抛投弹道和准确性。 全系搭载进口软木,全富士A环及防缠顶环,竞技轮座,有效抑制竿身多余晃动的碳带交叉技术。

Equipped with Fuji's lightweight, high friction-resistant Alconite K guides.

Rolled for beastly bottom contact performance, this family of actions provides the perfect combination of technical sensitivity and pure power.

Designed for soft baits rig like jigheads. Texas rigs. Flipping and Pitching, features fast actions to increase accuracy and line control for low trajectory casting scenarios and imparting subtle movement to the bait.

型号 Model	长度 Length	节数 Section	收缩长 C.Length	先径 Tip Dia.	元径 Butt Dia.	饵重 lure(g)	重量 Weight	导眼 Guide	线 Line(lb)
直柄 / Spi	nning								
682ML	6' 8" (2.03m)	2	107cm	1.8mm	10.5mm	4-17	114g	7+1	4-8
682M	6' 8" (2.03m)	2	107cm	1.9mm	10.7mm	5-25	113g	7+1	4-10
722MH	7' 2" (2.19m)	2	113cm	2.1mm	13.4mm	7-28	120g	8+1	4-15
枪柄 / Cas	sting								
C682ML	6' 8" (2.03m)	2	107cm	1.8mm	10.5mm	4-17	117g	9+1	4-8
C682M	6' 8" (2.03m)	2	107cm	1.9mm	10.7mm	5-25	116g	9+1	4-10
C722MH	7' 2" (2.19m)	2	113cm	2.1mm	13.4mm	7-28	123g	9+1	4–15

INFINITE - A7SEN - NBBF702N

# NONSUCH - S602M

#### NONSUCH 🔠



# FRESHWATER LURE ROD 尚品路亚竿

尚品淡水路亚竿采用短把设计和人体工程学轮座,适用于各种淡水路亚钓法,能够适应不同的作钓环境,满足各类钓法的实际需求。它具备三大核心特点:高灵敏度、高强度和高弹性。导环采用富士K系列防缠绕导环,兼具强度与耐用性,能够应对强力巨物。

With a short butt section design ,the Nonsuch is suitable for all lure fishing techniques and can adapt to all fishing grounds, elevating the practical requirements of each fishing technique. It embodies three key features: high sensitivity, high strength, and high elasticity.

The guide rings adopt Fuji K-Series anti-tangle guides series, combining strength and durability. This enables it to cope with powerful bursts and accommodate diverse fishing setups, enhancing sensitivity and adaptability to various fishing techniques.

S662M     6'6''(1.98m)     2     103     1.7     10-30     117     7+1     1       S702M     7'0"(2.13m)     2     110.5     1.7     10-30     123     7+1     1 <b>校村 / Casting</b> C602MH     6'0"(1.83m)     2     93.5     1.8     14-42     118     8+1     1       C662MH     6'6"(1.98m)     2     103     1.8     14-42     128     8+1     1									
S602ML     6'0''(1.83m)     2     93.5     1.7     7-21     104     7+1     8       S662M     6'6''(1.98m)     2     103     1.7     10-30     117     7+1     1       S702M     7'0"(2.13m)     2     110.5     1.7     10-30     123     7+1     1       校报 / Casting       C602MH     6'0"(1.83m)     2     93.5     1.8     14-42     118     8+1     1       C662MH     6'6"(1.98m)     2     103     1.8     14-42     128     8+1     1				C.Length	Tip Dia.		Weight		线 Line
S662M     6'6''(1.98m)     2     103     1.7     10-30     117     7+1     1       S702M     7'0"(2.13m)     2     110.5     1.7     10-30     123     7+1     1       校所 / Casting       C602MH     6'0"(1.83m)     2     93.5     1.8     14-42     118     8+1     1       C662MH     6'6"(1.98m)     2     103     1.8     14-42     128     8+1     1	直柄 / Spin	ning							
S702M     7'0"(2.13m)     2     110.5     1.7     10-30     123     7+1     1       枪柄 / Casting       C602MH     6'0''(1.83m)     2     93.5     1.8     14-42     118     8+1     1       C662MH     6'6''(1.98m)     2     103     1.8     14-42     128     8+1     1	S602ML	6'0"(1.83m)	2	93.5	1.7	7-21	104	7+1	8-16lb
<b>枪柄 / Casting</b> C602MH 6'0''(1.83m) 2 93.5 1.8 14-42 118 8+1 1 C662MH 6'6''(1.98m) 2 103 1.8 14-42 128 8+1 1	S662M	6'6''(1.98m)	2	103	1.7	10-30	117	7+1	10-20lb
C602MH     6'0''(1.83m)     2     93.5     1.8     14-42     118     8+1     1       C662MH     6'6''(1.98m)     2     103     1.8     14-42     128     8+1     1	S702M	7'0"(2.13m)	2	110.5	1.7	10-30	123	7+1	10-20lb
C662MH 6'6"(1.98m) 2 103 1.8 14-42 128 8+1 1	枪柄 / Cast	ting							
	C602MH	6'0"(1.83m)	2	93.5	1.8	14-42	118	8+1	12-25lb
C700M 7'0"(0.12m) 0 110	C662MH	6'6''(1.98m)	2	103	1.8	14-42	128	8+1	12-25lb
C/OZIVI / U (Z.15III) Z 110.5 1./ 10-30 125 9+1 1	C702M	7'0"(2.13m)	2	110.5	1.7	10-30	125	9+1	10-20lb

# Infinite & to





#### A7 TROUT

INFINITE - A7 Trout - NBO642UI

NONSUCH - C602MH

采用日本东丽高吨位碳布, 竿身轻便, 调性准确。

采用高级 FUJI 导环,出线顺滑。把手搭配葡萄牙进口纯软木,手感更舒适。

微物直柄竿中的核心款式。小型米诺、小软虫等轻型拟饵在任何钓点都能使用。细腻的竿梢赋予饵虫生 命力般泳动。

精致雕刻的 NOEBY 金属标牌, 尽显品牌气质。

Japan toray carbon, light weight and precise action.

Fuji guides ensure smooth casting line. Natural cork handle imported from Portugal, perfect hand feeling.

It is the core design among small fish spinning rod, suitable for small minnow, soft worm and other light lure, used in any freshwater fishing. Exquisite tips give soft bait lifelike action.

Elegant laser carved "NOEBY" metal tag, wonderful showing the brand temperament.

型号 Model <b>直柄 / Spi</b> r	长度 Length	节数 Section	收缩长 C.Length	先径 Tip Dia.	饵重 lure(g)	重量 Weight	导眼 Guide	线 Line
NBO642UL	6'4''(1.93m)	2	100cm	1.3mm	1–7	87g	6+1	2-4lb
NBO642L	6'4"(1.93m)	2	100cm	1.3mm	3–10	92g	6+1	3-8lb



# K7 路亚竿

握持舒适,平衡完美,非常适合本土淡水,近海等鱼情。 耐用、坚固、轻便、抛投舒适、控饵流畅是我们的设计初衷。

高模量碳布,调教出了更高的竿梢灵敏度,加上快调性,使钓手能在各个水层下舒适控饵,瞬间感知咬口。

Comfortable and Perfectly balanced- Work Great in medium lures.

Supreme sensitivity and advanced actions are perfectly designed for all styles of medium lures. Designed to be extremely durable, strong, and lightweight as well as give you fantastic vibration transmission.

型号 Model	长度 Length	调性 Action	节数 Section	收缩长 C.Length	先径 Tip Dia.	饵重 lure(g)	重量 Weight	导眼 Guide	线 Line
直柄 / Spinnin	g								
NBBF702M	7'0''(2.13m)	Fast	2	111cm	1.6mm	7-28	130g	7+1	10-20lb
NBBF702MH	7'0"(2.13m)	Fast	2	111cm	1.7mm	10-40	133g	7+1	10-25lb
NBBF762M	7'6"(2.29m)	Fast	2	119cm	1.6mm	7-28	141g	8+1	10-20lb
枪柄 / Casting									
NBBCF702M	7'0"(2.13m)	Fast	2	111cm	1.5mm	7-28g	129g	8+1	10-20lb
NBBCF702MH	7'0"(2.13m)	Fast	2	111cm	1.7mm	10-40g	132g	8+1	10-25lb
NBBCF762M	7'6"(2.29m)	Fast	2	119cm	1.5mm	7-28g	140g	9+1	10-20lb
NBBCF762MH	7'6"(2.29m)	Fast	2	119cm	1.8mm	10-40g	145g	9+1	10-25lb

# LEISURE ÄR

### K7 // 路亚竿

LEISURE - K7 II - NBBCF702

\_EISURE - K7 II - NBBF702N

高弹腰力强劲的碳布设计,以其优异的吸震能力应对各种抛投时竿梢晃动。 适用于各种钓组、帮助钓手在各种环境下以最合适的钓法征服猎物。 轻便灵敏的竿体和分体式后 EVA 握把有助于减轻重量并提高平衡性。

A blank that is highly elastic and has strong vibration absorbing capability can deal with all kinds of head shaking with its excellent shock absorption capability.

Light push casting is more effective in securing casting distance, rather than a strong swing motion. Light and responsive carbon rod blanks & Split rear EVA grip reduce weight and improve balance.

型号 Model	长度 Length	调性 Action	节数 Section	收缩长 C.Length	先径 Tip Dia.	饵重 lure(g)	重量 Weight	导眼 Guide	线 Line
直柄 / Spinnin	g								
NBBF702M	7'0"(2.13m)	F	2	109cm	1.8mm	7-28	125g	7+1	10-20lb
NBBF702MH	7'0"(2.13m)	F	2	109cm	1.7mm	10-40	124g	7+1	10-251
枪柄 / Casting									
NBBCF702M	7'0"(2.13m)	F	2	109cm	1.8mm	7-28	126g	8+1	10-20lb
NBBCF702MH	7'0"(2.13m)	F	2	109cm	1.8mm	10-40	126g	8+1	10-251

:ISURE - K7 - NBBCF702N

LEISURE - K6 - NBBCF662N LEISURE - K6 - NBBF662MI LEISURE - JIG - JIG 8

# **ELEISURE** #8 JIG - SOLID TIP

碳素实心稍搭配微导环使鱼讯号在竿体更快地传导放大,且抛投轻饵时不易受侧风影响。 在铅头钩, 倒钓, 小硬饵等精细作钓时发挥出色。 优化调整后的竿腰,即使面对大体型鱼种时会给钓手带来充分的信心。

Super Sensitive Carbon Solid Tip + Strong butt.

Work Great in Classic Jigging, Drop Shot and Finesse Jigging.

Supreme sensitivity and advanced actions are perfectly designed for all styles of micro lures. The rods that have been fine-tuned perfectly for classic jigging, drop shot and finesse jigging fishing techniques.

型号 Model	长度 Length	调性 Action	节数 Section	收缩长 C.Length	先径 Tip Dia.	饵重 lure(g)	重量 Weight	导眼 Guide	线 Line
直柄 /	Spinning								
Jig 8	6'0"(1.98m)	EX.F	2	103cm	0.8mm	2-8	95g	8+1	3-6lb
Jig 12	7'0"(2.13m)	EX.F	2	109cm	0.9mm	3-12	100g	8+1	4-10lb
Jig 18	7'6"(2.29m)	EX.F	2	119cm	1.0mm	4-18	108g	8+1	15-12lb

# LEISURE #8 K6

交叉缠带配合高吨位碳布, 竿身坚固, 轻便灵敏, 钓性准确, 适用7-40g 的假饵。 配备K&KW支架,SiC环导眼,抛投顺畅精准作钓。 枪柄直柄两种款式,满足不同需求。

X-style wrapping construction and high carbon make blank durable and ultralight, which feature precise action with 7-40g bait.

Equipped with K&KW frame and SiC guides, offering smooth casting and precise dropping. Both casting and spinning model, suitable for various demands.

	型号 Model	长度 Length	节数 Section	收缩长 C.Length	先径 Tip Dia.	元径 Butt Dia.	饵重 lure(g)	重量 Weight	导眼 Guide	线 Line
	直柄 / Spinni	ing								
	NBBF662ML	6'6"(1.98m)	2	103cm	1.9mm	11.0mm	6-17	111g	7+1	8-16lb
*	NBBF662M	6'6''(1.98m)	2	103cm	1.9mm	11.0mm	7-28	114g	7+1	10-20lb
	NBBF702ML	7'0''(2.13m)	2	110cm	1.8mm	11.6mm	6-17	119g	7+1	8-16lb
	NBBF702M	7'0''(2.13m)	2	110cm	1.9mm	11.6mm	7-28	119g	7+1	10-20lb
	NBBF762M	7'6''(2.29m)	2	120cm	1.9mm	11.8mm	7-28	127g	8+1	10-20lb
	NBBF762MH	7'6''(2.29m)	2	120cm	1.9mm	11.8mm	10-40	133g	8+1	10-25lb
	NBBF802M	8'0''(2.43m)	2	125cm	1.9mm	12.3mm	7-28	141g	8+1	10-20lb
	枪柄 / Castin	ng								
	NBBCF662M	6'6"(1.98m)	2	103cm	1.9mm	11.0mm	7-28	124g	8+1	10-20lb
*	NBBCF662MH	6'6''(1.98m)	2	103cm	1.9mm	11.2mm	10-40	125g	8+1	10-25lb
	NBBCF702M	7'0''(2.13m)	2	110cm	1.8mm	11.7mm	7-28	129g	8+1	10-20lb
	NBBCF702MH	7'0''(2.13m)	2	110cm	1.9mm	11.5mm	10-40	130g	8+1	10-25lb
*	NBBCF762M	7'6''(2.29m)	2	120cm	1.9mm	11.8mm	7-28	140g	9+1	10-20lb
*	NBBCF762MH	7'6''(2.29m)	2	120cm	1.9mm	11.8mm	10-40	145g	9+1	10-25lb

\* OEM ONLY

# LEISURE # K5

直柄枪柄两种款式,满足钓鱼爱好者的不同需求。

高吨位碳布设计, 竿身坚固。

增加强度和感度、发挥优秀的远投性能。是长距离岸抛时必不可少的一款产品。 应用拟饵的范围广泛,有着优秀的拟饵操作性,同时也有应对大型鱼种的力量。

Spinning and casting model, meet fisherman's different needs.

High carbon blank ensure strong power.

High strength and sensitivity, cast bait to long distance, suitable for shore casting.

Matched with multiple lures, nice operating performance for fake lures, also has power against big fish.

型号 Model	长度 Length	节数 Section	收缩长 C.Length	先径 Tip Dia.	元径 Butt Dia.	饵重 lure(g)	重量 Weight	导眼 Guide	线 Line(lb)		
直柄 / Spin	直柄 / Spinning										
NBBF702M	7'0"(2.13m)	2	110cm	1.9mm	11.5mm	7-28	116g	7+1	10-20		
NBBF762M	7'6"(2.29m)	2	120cm	1.9mm	10.7mm	7-28	124g	8+1	10-20		
NBBF802M	8'0"(2.43m)	2	126cm	2.1mm	12.2mm	7-28	140g	8+1	10-20		
枪柄 / Cast	ing										
NBBCF662M	6'6"(1.98m)	2	103cm	1.9mm	11.0mm	7-28	112g	8+1	10-20		
NBBCF702M	7'0"(2.13m)	2	110cm	2.1mm	11.6mm	7-28	123g	8+1	10-20		
NBBCF702MH	7'0"(2.13m)	2	110cm	2.1mm	11.6mm	10-35	128g	8+1	10-25		
NBBCF762MH	7'6"(2.29m)	2	120cm	2.3cm	11.8mm	10-35	132g	9+1	10-25		

<sup>\*</sup> OEM ONLY

# LEISURE ## K4

直柄枪柄两种款式,满足钓鱼爱好者的不同需求。

便携四节设计, 携带方便。

采用高吨位碳布, 竿身轻便, 强度高。

采用SiC防缠绕导环,出线顺滑,不伤线。

分段式EVA把手, 防滑不吸水。

spinning and casting model, meet fisherman's different needs.

Portable 4 sections design, more suitable for travelling fishing.

High carbon blank, light weight and high power.

SiC tangle-free guides, smooth casting protect the lines.

The split EVA handle, skid resistance and water proof.

	型号 Model	长度 Length	节数 Section	收缩长 C.Length	先径 Tip Dia.	元径 Butt Dia.	饵重 lure(g)	重量 Weight	导眼 Guide	线 Line(lb)
	直柄 /	Spinning								
*	S664	6'6"(1.98m)	4	54cm	2.0mm	11.5mm	7-28	136g	7+1	8-20
	S704	7'0''(2.13m)	4	56cm	2.1mm	11.5mm	7–28	142g	7+1	8-20
	枪柄 /	Casting								
*	C664	6'6"(1.98m)	4	55cm	2.0mm	11.5mm	7-28	140g	8+1	8-20
	C704	7'0"(2.13m)	4	57cm	2.1mm	11.5mm	7-28	148g	8+1	8-20

<sup>\*</sup> OEM ONLY

# LEISURE ## K2

初学者入门级鱼竿。不同强度的双稍设计,多方面满足路亚初学者的需求。

不同长度及直柄枪柄的设计,满足钓鱼爱好者的不同需求。

高吨位碳布设计, 竿身坚固, 不畏巨物。

M/ML 柔软与力量的兼具设计,软虫及中小型拟饵都可以广泛使用。 M/MH 力度与飞行距离兼具,注

6-35g的拟饵都能对应使用,无论是开阔水域还是水草区域都能广泛应用。

Entry level rod for beginner. 2 tips in different strength, meet beginner 's different needs.

Different length, spinning and casting model, meet fisherman's different needs.

High carbon blank ensure strong power against big fish.

M/ML action owe nice softness and power, suitable for soft bait and small & middle fake lures.

M/MH owe strength and long casting distance, more powerful after fish biting.

Apply to 6-35g lures, can be used in any freshwater fishing.

型号	长度	节数	收缩长	先径	元径	饵重	重量	导眼	线
Model	Length	Section	C.Length	Tip Dia.	Butt Dia.	lure(g)	Weight	Guide	Line(lb
直柄 / Spinn	ing								
NBF662M/ML	6'6''(1.98m)	2	103cm	1.7/1.6	11.7	6-28	112/111	7+1	8-20
NBF702M/ML	7'0''(2.13m)	2	110cm	1.7/1.6	12.0	6-28	123/127	8+1	8-20
NBF802M/MH	8'0"(2.43m)	2	124cm	1.8/2.0	12.5	7-35	141/146	8+1	10-25
枪柄 / Castir	ng								
NBFC662M/ML	6'6''(1.98m)	2	103cm	1.7/1.8	11.7	7-35	123/127	8+1	10-25
NBFC702M/MH	H 7'0''(2.13m)	2	110cm	1.7/1.8	12.2	7-35	131/133	8+1	10-25
NBFC802M/MH		2	124cm	1.8/2.0	12.6	7–35	153/154	9+1	10-25

\_EISURE - K2 - NBFC662M/I

LEISURE - K5 - NBBF702N

LEISURE - K4 - C6

NOUSUCH - 台钓 - 3.6m

LEISURE - 台钓竿 - 4.5m

NOUSUCH - 大物竿NONSUCH PLUS - 8.1m

#### \*\*LEISURE ※ 潇客台钓竿

高吨位碳布复合材料竿体,大节设计受力均匀提高竿身强度触感清晰。 多股编织PE竿捎绳加固耐拉,中鱼不易挣脱。

烤漆工艺大方美观, 铝合金防爆环。

一体式握把重心靠后,握感舒适久握不累。

Carbon Fiber telescopic fishing pole rod,can be used in lake, river, reservior.

28 tons carbon platform style, strong body and uniform bends,comfortable handle. Anti-cracking ring design,avoid cracking, spread the immediate force and reinforce the pole hole.

Anti-lock system design, avoid the section to be locked and make power conduction smoothly.

Packed with high level NOEBY PET box, beautiful and safe.

型号 Model	节数 Section	先径 Tip Dia.	元径 Butt Dia.	收缩长 C.Length	素材自重 Weight	安全钓重 Safe Drag	极限钓重 Max Drag
台钓							
3.6m	4	1.2mm	21.8mm	1080mm	80g	1500g	1700g
4.5m	5	1.2mm	22.8mm	1080mm	113g	1800g	2000g
5.4m	5	1.2mm	23.6mm	1180mm	150g	2000g	2200g
6.3m	6	1.2mm	25.5mm	1180mm	188g	2000g	2200g
7.2m	7	1.2mm	26.0mm	1180mm	253g	2000g	2200g

#### NONSUCH 🔠 尚品台钓竿

高吨位碳布复合材料竿体,内交叉逆丝碳布提高竿身强度。

多股编织PE竿捎绳加固耐拉,中鱼不易挣脱。

烤漆工艺大方美观, 铝合金防爆环。

一体式握把重心靠后,握感舒适久握不累。

Nano coating golden shining surface.

Transverse carbon cloth wall,innner and middle longitudinal carbon cloth.

High pressure Integration Tech, improve the density of material.

4H hardness and light weight, anti-skid handle is easy to hold.

Packed with high level NOEBY PET box, beautiful and safe.

型号 Model	节数 Section	先径 Tip Dia.	元径 Butt Dia.	收缩长 C.Lenath	素材自重 Weight	安全钓重 Safe Drag	极限钓重 Max Drag
台钓						3	9
3.6m	4	1.4mm	23.0mm	1060mm	72g	1600g	1800g
4.5m	4	1.5mm	23.8mm	1220mm	100g	1800g	2000g
5.4m	5	1.5mm	24.8mm	1180mm	145g	2000g	2200g
6.3m	6	1.5mm	25.2mm	1180mm	185g	2000g	2200g

#### NONSUCH PLUS 尚品大物

高吨位进口碳布打造轻量竿体,搭配45°交叉碳带工艺提高扭力,增强防爆。

竿身大节设计让受力均匀,2-8调设计提升腰力和回弹力。

重心靠后减轻持重感,加厚竿壁连接处金属防爆环。

加强PE线连接前稍,360°旋转抗拉力强。

Powerful pulling force to challenge big fish.

Reverse wire carbon cloth enhace the drag power.

Electroplating ice flower ensure magnificent coating.

Integrated skidproof grip, easy operation.

Exclusive high-end gift box protect the rod during transportation.

型号							
4.5m     5     1.6mm     24.5mm     1080mm     147g       5.4m     5     1.6mm     24.7mm     1180mm     181g       6.3m     6     1.6mm     25.7mm     1180mm     237g       7.2m     7     1.6mm     27.4mm     1180mm     318g       8.1m     8     1.6mm     28.5mm     1180mm     405g       9.0m     9     1.6mm     31.0mm     1180mm     505g							钓重 Drag
5.4m     5     1.6mm     24.7mm     1180mm     181g       6.3m     6     1.6mm     25.7mm     1180mm     237g       7.2m     7     1.6mm     27.4mm     1180mm     318g       8.1m     8     1.6mm     28.5mm     1180mm     405g       9.0m     9     1.6mm     31.0mm     1180mm     505g	台钓						
6.3m     6     1.6mm     25.7mm     1180mm     237g       7.2m     7     1.6mm     27.4mm     1180mm     318g       8.1m     8     1.6mm     28.5mm     1180mm     405g       9.0m     9     1.6mm     31.0mm     1180mm     505g	4.5m	5	1.6mm	24.5mm	1080mm	147g	8000g
7.2m         7         1.6mm         27.4mm         1180mm         318g           8.1m         8         1.6mm         28.5mm         1180mm         405g           9.0m         9         1.6mm         31.0mm         1180mm         505g	5.4m	5	1.6mm	24.7mm	1180mm	181g	8000g
8.1m 8 1.6mm 28.5mm 1180mm 405g 9.0m 9 1.6mm 31.0mm 1180mm 505g	6.3m	6	1.6mm	25.7mm	1180mm	237g	8000g
9.0m 9 1.6mm 31.0mm 1180mm 505g	7.2m	7	1.6mm	27.4mm	1180mm	318g	8000g
	8.1m	8	1.6mm	28.5mm	1180mm	405g	8000g
10.0m 10 1.6mm 33.8mm 1180mm 609g	9.0m	9	1.6mm	31.0mm	1180mm	505g	8000g
	10.0m	10	1.6mm	33.8mm	1180mm	609g	8000g

# Infinite &&



#### 无极 INFINITE SW

超大尺寸单向轴承经久耐用,配有单向锁紧以及多刹系统。 6.5毫米的坚固主轴能够承受巨大的拉力。

3陶瓷线轴在出线时更加平顺, 4毫米固态线圈。

全封闭的机身(6个防水线圈把整个轮身,旋转钮组件包裹起来)。 不锈钢传动齿轮, 小齿轮, 连接齿轮和锰铜合金震动齿轮。

最大拉力30公斤。

金属机身,齿轮,数控精密加工的铝质线杯。

不锈钢和碳素垫片使渔轮的拉力表现更出色。

双球面轴承使线轴的运转能够高速平顺。

易拆卸,可更换T型把手或EVA手柄。

Large size one-way durable bearings, with one-way clutch and multi braking system. 6.5 mm solid main shaft can withstand great tension.

The ceramic spool is more smooth at the outlet, and the 4 mm solid bail wire circle. A fully enclosed body (6 waterproof coils wrap up the entire wheel body and the knob assembly).

Stainless steel drive gear, pinion gear, connection gear, and manganese bronze oscillation gear.

30kg maximum drag power, Al-Si-Cu-Mg Aluminum body and rotor, CNC machined aluminum spool, Removable and changeable T shape knob or EVA knob. Stainless steel and carbon drag washers to support good dragging performance. Twin ball bearing to support the high speed smooth running of spool.

型号 Model	转速比 Gear Ratio	重量 Weight	轴承 Ball Bearing	收线长 Line Retrieve	最大拉力 Max Drag	线容 Line Cap	
14000	4.1:1	791g	10+1	85cm	30kg	PE#6.0-300m	#8.0-250m
20000	4.1:1	872g	10+1	93cm	30kg	PE#6.0-430m	#8.0-330m

\*LINE RETRIEVE - The line retrieve per crank / handle turn specification explains how much line is retrieved in

# Infinite & to



#### 无极 INFINITE SW

金属机体坚固耐用,防海水设计不易腐蚀。 内旋组合手把,可以直接转动拆卸,左右手互换方便。 锌合金齿轮, 不锈钢主轴, 不锈钢轴承。 碳纤维刹车片, 刹车力稳定。

High strength Aluminum body, body cover, bail arm and rotor. 8+1 sealed stainless steel bearings

Stainless steel and carbon drag washers feature high dragging performance. Dual propulsion anti-twist line roller provide high speed smooth running of line. CNC Aluminum allov handle and knob, anti-corrosion and comfortable Stainless steel main shaft, pinion gear, connection gear provide 20kg max power.

转速比 Gear Ratio	重量 Weight	轴承 Ball Bearing	收线长 Line Retrieve	最大拉力 Max Drag	线容量 Line Capacity
5.2:1	272g	8+1	63cm	8kg	PE #1.0-280m #1.5-180m Nylon 0.26mm/150m
5.2:1	276g	8+1	66cm	8kg	PE #1.5-270m #2.0-200m Nylon 0.285mm/160m
5.2:1	325g	8+1	71cm	12kg	PE #3.0-210m #4.0-180m Nylon 0.31mm/200m
5.2:1	333g	8+1	76cm	12kg	PE #4.0-230m #5.0-170m Nylon 0.33mm/210m
5.2:1	338g	8+1	81cm	12kg	PE #4.0-260m #5.0-190m Nylon 0.33mm/240m
4.3:1	522g	8+1	72cm	20kg	PE #4.0-350m #6.0-230m Nylon 0.4mm/220m
4.3:1	532g	8+1	77cm	20kg	PE #6.0-280m #8.0-180m Nylon 0.5mm/210m
	5.2:1 5.2:1 5.2:1 5.2:1 5.2:1 4.3:1	Gear Ratio         Weight           5.2:1         272g           5.2:1         276g           5.2:1         325g           5.2:1         333g           5.2:1         338g           4.3:1         522g	Gear Ratio         Weight         Ball Bearing           5.2:1         272g         8+1           5.2:1         276g         8+1           5.2:1         325g         8+1           5.2:1         333g         8+1           5.2:1         338g         8+1           4.3:1         522g         8+1	Gear Ratio         Weight         Ball Bearing         Line Retrieve           5.2:1         272g         8+1         63cm           5.2:1         276g         8+1         66cm           5.2:1         325g         8+1         71cm           5.2:1         333g         8+1         76cm           5.2:1         338g         8+1         81cm           4.3:1         522g         8+1         72cm	Gear Ratio         Weight         Ball Bearing         Line Retrieve         Max Drag           5.2:1         272g         8+1         63cm         8kg           5.2:1         276g         8+1         66cm         8kg           5.2:1         325g         8+1         71cm         12kg           5.2:1         333g         8+1         76cm         12kg           5.2:1         338g         8+1         81cm         12kg           4.3:1         522g         8+1         72cm         20kg

\*LINE RETRIEVE - The line retrieve per crank / handle turn specification explains how much line is retrieved in one full turn of the reel handle.



#### 无极 INFINITE POWER

专为近海或重度远海作钓而设计。 凭借最新的的碳纤维刹车系统和阻力油脂,拥有切实 20公斤的刹车力,由于重型黄铜主齿轮与精密机切黄铜小齿轮相结合,收线丝滑。

- 坚韧的机切黄铜主齿轮和小齿轮。
- 刚性机加工铝线杯和耐腐蚀涂层工艺。
- 机加工铝制手柄臂/椭圆球型大握丸,强度高。
- 9BB+1RB耐腐蚀不锈钢轴承。

Built for both light inshore and heavy offshore fishing. With an impressive carbon fiber drag system with drag grease that generates 25/45lbs of fish stopping drag, your retrieve will be smooth as silk cast after cast thanks to Heavy-duty brass Main Gear technology coupled with precision machine cut brass pinion gear.

- Tough machine-cut brass main gear & opinion gear.
- Rigid machined aluminum spool & Corrosion-resistant coating process.
- Machined aluminum handle arm for strength.
- 9BB + 1RB corrosion-resistant stainless steel bearings.

型号 Model	转速比 Gear Ratio	重量 Weight	轴承 Ball Bearing	最大拉力 Max Drag	收线长 Line Retrieve	线容量 Line Capacity(mm/m)
* 5000H	6.2:1	350g	9+1	25lbs	109cm	0.285/290 0.31/250 0.33/230 PE #4.5/200 #5/160
8000H	5.9:1	530g	9+1	45lbs	115cm	0.35/330 0.4/250 PE #4/370 #5/260
10000H	H 5.9:1	540g	9+1	45lbs	124cm	0.35/430 0.4/330 PE #5/330 #6/260

#### \* OEM ONLY

\*LINE RETRIEVE - The line retrieve per crank / handle turn specification explains how much line is retrieved in



#### 无极 INFINITE V9

纺车轮为淡水钓手和海水钓手提供高性能的帮助,加大精密切割锌合金主齿轮提供更高 的扭力和耐用性。

- 机加工阳极氧化铝线杯和碳纤维刹车系统。
- 重型实心铝制提环线和刚性金属手柄设计,强度高。
- 精密机切锌合金主齿轮和黄铜小齿轮。

The Infinite V9 Spinning Reel offers crossover performance for both fresh and saltwater anglers and the oversized Zinc alloy drive gear delivers increased power and durability.

- Machined aluminum anodized spool & Carbon fiber drag system.
- Heavy-duty solid aluminum bail wire & Rigid metal handle design for strength.
- Precision machine-cut Zinc alloy main gear and brass pinion gear.

	型号 Model	转速比 Gear Ratio	重量 Weight	轴承 Ball Bearing	最大拉力 Max Drag	收线长 Line Retrieve	线容量 Line Capacity(mm/m)
k	1000	5.2:1	155g	10+1	16lbs	65cm	0.128/170 0.148/130 0.165/100 PE #0.8/130 #1/100
k	2500SH	6.2:1	195g	10+1	16lbs	88cm	0.128/200 0.148/150 0.165/120 PE #0.8/160 #1/120
	2500H	6.2:1	198g	10+1	16lbs	88cm	0.205/240 0.235/200 0.26/160 PE #1.5/240 #2/200 #2.5/160
	3000H	6.2:1	205g	10+1	16lbs	94.5cm	0.235/240 0.26/200 0.285/180 PE #2/240 #2.5/200 #3/180
	4000H	6.2:1	245g	10+1	22lbs	101cm	0.26/290 0.285/260 0.31/230 PE #2.5/290 #3/260 #3.5/230
k	5000H	6.2:1	265g	10+1	22lbs	109cm	0.285/290 0.31/250 0.33/230 PE #3/290 #3.5/250 #4/230

\* OEM ONLY

\*LINE RETRIEVE - The line retrieve per crank / handle turn specification explains how much line is retrieved in



# 尚品 NONSUCH V6

轻质碳纤维框架。 8HPB+1RB耐腐蚀不锈钢轴承。 精密铝合金主齿轮和齿轮。 高刚性精密机加工阳极氧化铝手柄。 超平衡转子设计,碳纤维刹车系统。

Light weight carbon frame and side plates.

8HPB + 1RB corrosion resistant stainless steel bearings.

Precision Aluminum alloy main gear and oscillating gears.

Rigid, machined aluminum, anodized handle.

An ultra-balanced carbon rotor design, and a carbon fiber drag system.

型号 Model	转速比 Gear Ratio	重量 Weight	轴承 Ball Bearing	最大拉力 Max Drag	收线长 Line Retrieve	线容: Line Cap	
2500H	6.2:1	218g	8+1	14lb	88cm	PE #1.5-260m	#2.5-160m
3000H	6.2:1	220g	8+1	14lb	97cm	PE #2.0-270m	#3.0-180m
4000	5.2:1	238g	8+1	15lb	86cm	PE #2.5-300m	#3.0-260m

\*LINE RETRIEVE - The line retrieve per crank / handle turn specification explains how much line is retrieved in one full turn of the reel handle.



**LEGEND** 7

#### LEGEND 7

冷锻造钢+机械切割高级轻质机身。 切口线杯设计确保作钓中实现更流畅的抛投性能及飞行距离。 驱动黄铜齿轮是卷线器中最重要的部分,最大卸力18~25公斤。

Cold-sintering+Machine-cutting High-level winding precision

A smoother line emission is realized by spool bevel design, improving the flight distance. The drive gear is the most important part in the reel, Max Drag power 18kg-25kg, 9+1 stainless steel bearings, One-way rotation switch.

型号 Model	转速比 Gear Ratio	重量 Weight	轴承 Ball Bearing	最大拉力 Max Drag	收线长 Line Retrieve	线容量 Line Capacity
2500S	5.2:1	240g	9+1	10kg	64cm	Nylon 0.165mm–150m 0.185mm–130n PE #1.0–150m #1.2–130m
3000	5.2:1	295g	9+1	18kg	76cm	Nylon 0.20mm–200m 0.23mm–150m PE #1.5–200m #2.0–150m
4000	5.2:1	307g	9+1	18kg	80cm	Nylon 0.28mm–200m 0.31mm–150m PE #3.0–200m #3.5–150m
5000	4.7:1	435g	9+1	25kg	86cm	Nylon 0.33mm-330m 0.37mm-260m PE #4.0-330m #5.0-260m
6000	4.7:1	457g	9+1	25kg	91cm	Nylon 0.37mm–290m 0.40mm–250m PE #5.0–290m #6.0–250m

\*LINE RETRIEVE - The line retrieve per crank / handle turn specification explains how much line is retrieved in one full turn of the reel handle.

#### **NONSUCH** 尚品



#### 尚品 NONSUCH PRO

主体及侧盖采用新尼龙复合材料,结实耐用。 超轻超硬铝合金线轮,出线顺畅均匀。 采用高强度铜合金主齿轮杆,有效延长使用寿命。 线轮两端使用日本NMB不锈钢轴承独立支撑结构,有效增加渔轮的拉力。 采用多组升级刹车片,使刹车力稳定持久更均匀。 新型对称平衡磁力刹车系统使炸线几率降至10%以内。

The body and cover are made of high strength nylon composite ensuring the body is very strong and durable.

Our rugged ultra light aluminium alloy spool features extremely smooth casting. An extemly durable copper alloy main shaft will the extend the life of this product. Japanese NMB gears at both ends of the main shaft with self–supporting construction give you maximum power.

A new braking system that contains sets of an upgraded washer feature that drastically improves the braking balance and greatly reduces the chance of line tangles for rookie users.

New-style braking system can reduce the risk of messy line when casting.

型号 Model	转速比 Gear Ratio	重量 Weight	轴承 Ball Bearing	收线长 Line Retrieve	最大拉力 Max Drag	线容 Line Ca	
PRO - R	7.3:1	216g	11+1	70cm	8kg	0.33mm-100m	0.2mm-200m
PRO - L	7.3:1	216g	11+1	70cm	8kg	0.33mm-100m	0.2mm-200m

\*LINE RETRIEVE - The line retrieve per crank / handle turn specification explains how much line is retrieved in one full turn of the reel handle.

# LEISURE ##



#### 潇客 LEISURE POWER

强度、拉力、握持感的良好平衡。

采用最新的碳纤维主体壳和侧盖,轻量化的同时具有极高的强度,减少钓手长时间作钓的疲

碳纤维刹车系统,精密加工重型大尺寸黄铜主齿和小齿。 进口高强度顺滑轴承。

Perfect balance of lightness, strength and design.

The latest graphite main body and side cover for ultimate strength and lightweight use, designed for all day comfort on the water.

Carbon fiber star drag system.

Precisely machined heavy–duty brass driver gear.

New high strength bearing is specially developed for large fish.

型号 Model	转速比 Gear Ratio	重量 Weight	轴承 Ball Bearing	收线长 Line Retrieve	最大拉力 Max Drag	线容量 Line Capacity
Power – R	6.6:1	226g	9+1	71cm	13kg	PE 0.20mm-200m
Power - L	6.6:1	226g	9+1	71cm	13kg	PE 0.24mm-160m PE 0.28mm-120m

\*LINE RETRIEVE – The line retrieve per crank / handle turn specification explains how much line is retrieved in one full turn of the reel handle.



#### 潇客 LEISURE K7

主体及侧盖采用新尼龙复合材料、结实耐用。 10+1不锈钢顺滑轴承,金属星型手柄。 采用精加工强力黄铜主齿和小齿。 碳纤维刹车垫片保证最小的刹车热衰减。

The main body and side cover uses the newest durable nylon construction for ultimate strength and lightweight use.

Brass main gear and pinion gear for ultimate power and strength.

5 magnetic beans built in to ensure efficient operation of the brakes.

Wider line ceramic guide ring + Precision Japanese spool bearings.

型号 Model	转速比 Gear Ratio	重量 Weight	轴承 Ball Bearing	收线长 Line Retrieve	最大拉力 Max Drag	线容量 Line Capacity
K7 – R	7.1:1	215g	10+1	68cm	7kg	16lb-140m
K7 – L	7.1:1	215g	10+1	68cm	7kg	16lb-140m

\*LINE RETRIEVE - The line retrieve per crank / handle turn specification explains how much line is retrieved in





### 潇客 LEISURE K9

机身坚固耐用,多片碳纤维刹车系统刹车力度大。 9+1不锈钢顺滑轴承,铝合金摇臂;八颗强磁多级调节系统抛投稳定。 卸力报警功能,精加工强力黄铜主齿和小齿。

The main body and side cover uses the newest durable nylon construction for ultimate strength and lightweight use.

Brass main gear and pinion gear for ultimate power and strength.

8 magnetic beans built in to ensure efficient operation of the brakes.

Wider line ceramic guide ring + Precision Japanese spool bearings.

型号 Model	转速比 Gear Ratio	重量 Weight	轴承 Ball Bearing	收线长 Line Retrieve	最大拉力 Max Drag	线容量 Line Capacity
K9 – R	7.1:1	220g	9+1	67cm	7kg	0.205mm-140m
K9 – L	7.1:1	220g	9+1	67cm	7kg	0.265mm-120m

\*LINE RETRIEVE - The line retrieve per crank / handle turn specification explains how much line is retrieved in

# LEISURE ##



#### 潇客 LEISURE X5

drag system

高刚性压铸铝合金框架, 搭配耐腐蚀图层工艺, 抵抗海水等恶劣天气的侵蚀。 精密加工的重型黄铜主齿和小齿,耐用性好,无惧巨物。 外部可调磁力抛投系统、高达15公斤的碳纤维星型卸力系统。

Rigid diecast aluminum frame and sideplates & Corrosion-Resistant Coating process Precisely machined heavy-duty brass mian gear and pinion gear. External adjustable magnetic cast control system & Up to 15kg carbon fiber star

型号 Model	转速比 Gear Ratio	重量 Weight	轴承 Ball Bearing	收线长 Line Retrieve	最大拉力 Max Drag	线容量 Line Capacity
X5 – R	6.4:1	288g	9+1	66cm	15kg	PE:#3-280M
X5 – L	6.4:1	288g	9+1	66cm	15kg	#4-200M

\*LINE RETRIEVE - The line retrieve per crank / handle turn specification explains how much line is retrieved in one full turn of the reel handle

#### NONSUCH 尚品



#### 尚品 NONSUCH 1200P

耐腐蚀金属主体.握感舒适的EVA球形把手。 大规格A6061-T6铝合金线杯,线容量更大。 超强化铜合金主齿轮齿杆,多组碳纤维泄力刹车片,提供强大拉力。 不锈钢材质螺杆和线规,可调式离心刹车系统,最大钓力可达25公斤。

Corrosion-proof metal frame and side cover, EVA ball knob. Larger A6061-T6 Aluminum spool for large line capacity. High stength brass main gear, multiple carbon drag water for big drag power. Stainless steel material line guide pole and line guide, adjustable centrifugal braking system, max power up to 25kg.

型号 Model	转速比 Gear Ratio	重量 Weight	轴承 Ball Bearing	收线长 Line Retrieve	最大拉力 Max Drag	线容量 Line Capacity
1200P - R	6.3:1	260g	10+1	62cm	25kg	0.285mm-210m 0.33mm-160m
1200P - L	6.3:1	260g	10+1	62cm	25kg	0.37mm-130m

\*LINE RETRIEVE - The line retrieve per crank / handle turn specification explains how much line is retrieved in one full turn of the reel handle



#### **THUNDER**

最大拉力15kg,强力应对雷强、大型泳饵、近海船钓、大根等钓法。 大容量铝合金线杯良好适配可靠稳定地线性磁力刹车系统。 三角矩阵内出线孔, 缩小了鱼线出线夹角, 更高容错率保证抛投顺畅。 碳纤维材质机身主体黄铜齿轮, 刚性高, 抗冲击能力强。

Max Drag 15kg, Multi-disc high output Carbon drag system. Large Capacity Machined Aluminum, Anodized Spool with external adjustable. Magnetic cast control system. Wider Line Guide Cone Improves Reel Casting Performance.

Brass Main Gear For Ultimate Power And Strength.

型号 Model	转速比 Gear Ratio	重量 Weight	轴承 Ball Bearing	收线长 Line Retrieve	最大拉力 Max Drag		容量 apacity
THUNDER - R	6.4:1	261g	6+1	70cm	15kg	0.28mm-280m	0.32mm-200m
THUNDER - L	6.4:1	261g	6+1	70cm	15kg	0.37mm-130m	0.40mm-100m

\*LINE RETRIEVE - The line retrieve per crank / handle turn specification explains how much line is retrieved in one full turn of the reel handle

#### NONSUCH #



### GAINERS





#### 尚品 NONSUCH JG 1500/2500

加硬合金铜材质精加工齿轮, 使用寿命长, 运转顺畅。

主体结构采用航空铝材一体加工、经过锻造时效热处理、消除内应力、永久不变形。 机体表面经过多达6次的氧化和打磨处理,平整耐腐蚀。

8+1防尘密封不锈钢轴承。

人体工学设计的力量型EVA握手,触感舒适,轻松发力。

日本华尔卡耐高温碳纤维橡胶复合材质的摩擦片保障了刹车的平稳顺畅。

Hard alloy copper CNC gear,long-lasting and running smoothly.

Integrated aviation aluminum main structure, effective heat forging, never deform.

6 times oxidize and polish, smooth and corrosion-resistant

8+1 sealed stainless steel Ball Bearing.

Ergonomics powerful EVA knob, cosy grip and easy to cooperate.

Japanese Huaerqia refractory carbon & rubber composite material drag washer ensure stable breaking.

型号 Model	转速比 Gear Ratio	重量 Weight	轴承 Ball Bearing	收线长 Line Retrieve	最大拉力 Max Drag	线名 Line C	学量 apacity
1500 – R	5.2:1	392g	8+1	77cm	15kg	PE#2-500m	PE#3-350m
1500 – L	5.2:1	392g	8+1	77cm	15kg	PE#2-500m	PE#3-350m
2500 – R	5.2:1	532g	8+1	93cm	20kg	PE#3-400m	PE#4-300m
2500 – L	5.2:1	532g	8+1	93cm	20kg	PE#3-400m	PE#4-300m

\*LINE RETRIEVE - The line retrieve per crank / handle turn specification explains how much line is retrieved in

#### **GAINERS**

全金属机身, CNC机加工而成, 高强度锻造铝框架, 耐磨耐用。 采用不锈钢轴承,精密加工黄铜传动齿轮,让操控更有顺滑感和持久性。 离心式制动系统,耐高温碳素片刹车片,摩擦力均匀平稳,实现12KG的拉力。 陶瓷出线口收放线同步运行,顺滑流畅,阻力低,抛投性能好。 采用符合人体工程学的长金属摇杆, 刚性耐用。 星型卸力调节,操作方便。防滑深线杯设计,线容量大。

CNC machined, cold forged 7009 Aluminum Frame.

Anodic Oxidation surface Inifinite anti-reverse stainless steel ball bearing.

Precisely Machined brass drive gear.

Sealed stainless steel ball bearing.

Clicker system for the action adjusting.

Centrifugal breake system with advanced Drag Material, Evenly Retrieve and Powerful Drag.

型号 Model	转速比 Gear Ratio	重量 Weight	轴承 Ball Bearing	收线长 Line Retrieve	最大拉力 Max Drag	线容l Line Cap	
5000 - R	6.5:1	383g	8+1	71cm	12kg	PE #5.0-150m	#6.0-140m
5000 – L	6.5:1	383g	8+1	71cm	12kg	PE #5.0-150m	#6.0-140m

\*LINE RETRIEVE - The line retrieve per crank / handle turn specification explains how much line is retrieved in

#### S-STORM / T-STROM

高强度铜齿盘组, 使渔轮运转更顺滑。

全金属主体和侧盖, 不锈钢防尘密封轴承。

不锈钢排线轴使排线更顺滑耐用。

人体工学设计的力量型橡胶握手, 触感舒适, 轻松发力。

日本华尔卡耐高温碳纤维橡胶复合材质的摩擦片保障了刹车的平稳顺畅。

Hard copper gear assembly, running smoothly.

Full metal main structure and side cover, sealed stainless steel Ball Bearing.

Stainless steel line conductor, smooth and durable winding line.

Ergonomics powerful EVA knob, cosy grip and easy to operate.

Japanese Huaerqia refractory carbon & rubber composite material drag washer ensure stable breaking.

型号 Model	转速比 Gear Ratio	重量 Weight	轴承 Ball Bearing	最大拉力 Max Drag	线容量 Line Capacity
* S-Storm 4000 - R	5.2:1	296g	2+1	10kg	PE #4-180m PE #6-140m
* S-Storm 4000 - L	5.2:1	296g	2+1	10kg	PE #4-180m PE #6-140m
T-Storm 8000 - R	3.6:1	595g	2+1	15kg	PE #6-600m PE #8-400m
T-Storm 8000 - L	3.6:1	595g	2+1	15kg	PE #6-600m PE #8-400m

\* OEM ONLY

### NONSUCH ##





#### 尚品航母 CONVENTIONAL REEL

机身、线杯、侧盖采用高强度航空铝合金材料。 军工级别防腐蚀防刮痕表面处理,外观靓丽不褪色。 不锈钢斜齿齯合,运转顺畅耐腐蚀。 双面刹车设计,进口碳纤维加工的刹车材料,刹车平稳顺畅。 摇臂采用2次镂空加工技术,精美而轻量化。 拉簧式双棘轮反动系统。

High strength & light Aluminium body & rotor.

Military grade anti–corrosion and anti–scratch surface processing.

Stainless steel gear, smooth operation and corrosion resistance.

Dual breaking system with imported light carbon drag washer.

Double hollow processing knob pattern, light and aesthetic.

型号 Model	转速比 Gear Ratio	重量 Weight	轴承 Ball Bearing	最大拉力 Max Drag	线容量 Line Capacity	主体尺寸 Main body size
2500 – R	4.5:1	539g	7+1	18kg	0.28mm/400m	Ф62х49.7
2500 – L	4.5:1	539g	7+1	18kg	0.28mm/400m	Ф62х49.7
4000 – R	4.5:1	573g	7+1	20kg	0.37mm/240m	Ф68х49.7
4000 – L	4.5:1	573g	7+1	20kg	0.37mm/240m	Ф68х49.7
6000 – R	4.5:1	605g	7+1	20kg	0.37mm/300m	Ф68x57.7
6000 – L	4.5:1	605g	7+1	20kg	0.37mm/300m	Ф68х57.7
8000 – R	4.5:1	605g	7+1	20kg	0.37mm/370m	Ф68х67.7
8000 – L	4.5:1	605g	7+1	20kg	0.37mm/370m	Ф68х67.7
10000 – R	4.5:1	640g	7+1	25kg	0.37mm/450m	Ф76х58.7







#### EXSENSE PRO BRAIDED LINE X8 PE 8编PE线

日本超高分子量原丝通过高密度编织, 不涨号。 经过特殊结构处理, 让线材结构更平整, 光滑的表面涂层,在拉力、顺滑、吸水性之间达到了很好的平衡。 Braided by original Japan silk made of high polymer material. Special coating offer excellent water repellency. Superior abrasion resistance. Increased sensitivity & easy handling.

规格 Model	拉力 Drag(lb)	线径 Dia(mm)	长度 Length(m)
#0.6	14	0.138	150/300
#0.8	16	0.155	150/300
#1.0	22	0.175	150/300
#1.2	25	0.195	150/300
#1.5	30	0.218	150/300
#2.0	40	0.251	150/300
#2.5	45	0.275	150/300
#3.0	50	0.305	150/300
#4.0	75	0.346	150/300
#5.0	87	0.370	150/300
#6.0	95	0.400	150/300
#8.0	103	0.500	150/300



#### VOYAGER HYPER BRAIDED LINE X8 NOW 8编PE线

使用8股日本超高分子量聚乙烯编织,新配方防护涂层,增强了水中顺滑性和防水 性,延长了抛投距离的同时减少性能衰减。线径均匀,纤维紧密结合,表面光滑, 几乎无延展性,强韧耐磨,适合船钓和岸钓。

Built around 8 strands of the finest quality japanese fibers and made to the highest tolerances in japan, has great strength and wear resistance for boat fishing and shore casting. The 8 strand braid line has uniform diameter, all the fibers bonds tightly and even, which make the surface smooth, strong and stable, has almost no elongation that is sensitive to use.

规格 Model	拉力 Drag(lb)	线径 Dia(mm)	长度 Length(m)
#1.0	21	0.172	300m
#1.5	25	0.218	300m
#2.0	32	0.251	300m
#2.5	39	0.275	300m
#3.0	43	0.305	300m
#4.0	56	0.346	300m
#5.0	70	0.370	300m
#6.0	84	0.400	300m
#8.0	98	0.500	300m



#### INFINITE BRAIDED LINE X8 PE 8编PE线

线体编织紧实不易松散,超强拉力,超强耐磨性。 由进口原丝编制而成,更加顺滑,摩擦力小,提升抛投距离。 长效染色工艺,着色力强,大幅度增加使用寿命。 采用特殊涂层,零吸水性,提升切水性,八股原丝更能有效防止断线跑鱼。 Material is imported from Japan, smoother,less friction and increase the

casting distance.

Super tension and abrasion resistance.

Not easy to fade by permanent dyeing technology, and extend line life time drastically.

Special line coating offer line non-absorbent and dive quickly.

规格 Model	拉力 Drag(lb)	线径 Dia(mm)	长度 Length(m)
#0.4	8	0.105	150 / 300 / 1000(10*100)
#0.6	10	0.128	150 / 300 / 1000(10*100)
#0.8	13	0.140	150 / 300 / 1000(10*100)
#1.0	16	0.181	150 / 300 / 1000(10*100)
#1.2	20	0.190	150 / 300 / 1000(10*100)
#1.5	22	0.205	150 / 300 / 1000(10*100)
#2.0	29	0.234	150 / 300 / 1000(10*100)
#2.5	35	0.260	150 / 300 / 1000(10*100)
#3.0	44	0.280	150 / 300 / 1000(10*100)
#3.5	50	0.300	150 / 300 / 1000(10*100
#4.0	57	0.320	150 / 300 / 1000(10*100)
#5.0	70	0.370	150 / 300 / 1000(10*100)
#6.0	80	0.400	150 / 300 / 1000(10*100)
#7.0	93	0.450	150 / 300 / 1000(10*100
#8.0	103	0.500	150 / 300 / 1000(10*100)



#### LEISURE BRAIDED LINE X4 PE 4编PE线

采用新型的编制技术制作超强拉力的PE线; 编制紧密细致,线体光滑柔顺,切水迅猛; 通过实施GP加工,使生产线具有绝妙的弹性和弹性,大大提高了操作性和耐磨 耗性, 实现了高强度。可抵挡大物疯狂撕咬;

Braided by latest technology, super tension, super wear resistance. Material is imported from Japan, line smoother and more water cut

GP technology improved line strength and durability, that can resist bite from monster.

规格 Model	拉力 Drag(lb)	线径 Dia(mm)	长度 Length(m)
#0.4	7	0.105	100/300/1000
#0.6	8	0.128	100/300/1000
#0.8	9	0.140	100/300/1000
#1.0	10	0.160	100/300/1000
#1.2	11	0.181	100/300/1000
#1.5	16	0.205	100/300/1000
#2.0	24	0.234	100/300/1000
#2.5	28	0.260	100/300/1000
#3.0	35	0.280	100/300/1000
#3.5	40	0.300	100/300/1000
#4.0	44	0.320	100/300/1000
#5.0	50	0.370	100/300/1000
#6.0	60	0.400	100/300/1000
#7.0	70	0.450	100/300/1000
#8.0	80	0.500	100/300/1000

# Infinite & &



# PREMIUM FLUORO CARBON LEADER 氟碳前导线

采用碳素材质制作,进口原丝品质好。 拉力强大, 低延展性, 不惧搏击大物。 线体表面加强处理, 超强耐磨。 比重大, 迅速切水, 不吸水。

Made of high quality Japan carbon material .

High tension, low extensibility, featured good performance when fighting

The surface of line is strengthened, durable and non-absorbent.

规格 Model	拉力 Drag(lb)	线径 Dia(mm)	长度 Length(m)
#1.0	4	0.17	50
#1.2	5	0.19	50
#1.5	6	0.21	50
#2.0	8	0.25	50
#2.5	10	0.27	50
#3.0	12	0.29	50
#3.5	14	0.31	50
#4.0	16	0.34	50
#5.0	18	0.38	50
#6.0	22	0.41	50
#8.0	30	0.48	50
#10.0	37	0.55	50
#12.0	45	0.60	50
#14.0	55	0.65	50
#16.0	65	0.70	50

### NONSUCH XIII



### FLUORO CARBON 氟碳线

高纯度尼龙原丝,经过碳氟涂层的处理可以迅速切水。 具有超强拉力,避免跑鱼现象。 低延展性, 韧性好, 防缠绕。

High purity nylon thread which can dive quickly by the treatment of fluorocarbon coating.

Supper line tension and abrasion resisitance.

Less extensibllity, high toughness,anti-twisting .

-				
	规格 Model	拉力 Drag(lb)	线径 Dia(mm)	长度 Length(m)
Ì	#0.8	4	0.15	100/150
	#1.0	6	0.17	100/150
	#1.2	7	0.18	100/150
	#1.5	8	0.20	100/150
Ī	#2.0	10	0.235	100/150
	#2.5	12	0.26	100/150
	#3.0	14	0.285	100/150
	#3.5	16	0.31	100/150
Ī	#4.0	18	0.33	100/150
	#5.0	22	0.38	100/150
Ī	#6.0	24	0.41	100/150
Ī	#7.0	28	0.43	100/150
İ	#8.0	32	0.48	100/150
İ	#10.0	36	0.50	100/150



#### SUPER HEAVY DUTY TREBLE 6066-4X 重型海钓三本钩

4倍加强,采用防锈涂层技术,适用于船钓/岸抛、水面系或作钓淡水巨型掠食性鱼类。 Designed for saltwater shore/offshore casting, topwater game, and freshwater predator fishing.

Target species: Kingfish/Yellowtail, Tuna, GT, Barramundi, Catfish, and more.

#### **ULTRA** ANTIRUST

规格 Model	钩重 WT.(approx)	拉力 Strength(kg)	包装率 QTY.
1/0	3.1g	40	6
2/0	4.3g	52	6
3/0	5.9g	65	6
4/0	8.2g	85	5



#### PLUGGING INLINE SINGLE REPLACEMENT 5X 重型硬饵单钩

5倍加强,无缝管付扩孔钩圈工艺保证强度的同时保证可轻松挂上重型双圈,可以搭配 波爬,铅笔饵使用,适用于船钓/岸抛、水面系或作钓淡水巨型掠食性鱼类。 These Inline Single Hooks are designed for saltwater game, and ideal for big lures like plugs and poppers, the extra-wide bend ensures secure hook-ups with strong, fast saltwater species. The enlarged, fully welded eyelet is super strong yet thin, making it easy to attach to small split rings without deformation, ensuring effortless rigging.

规格 Model	钩号 Hook Size	钩重 WT.(approx)	拉力 Strength(kg)	包装率 QTY.
8095-5X	3/0	2.4g	50	6
8095-5X	4/0	3.3g	57	5
8095-5X	5/0	4.7g	76	5
8095-5X	6/0	6.7g	80	5
8095-5X	7/0	8.0g	94	4



#### PLUGGING INLINE SINGLE ASSIST HOOK 5X 重型硬饵防脱单钩

5倍加强,平打钩身,300磅高强度PE线确保强度的同时保证减少因扭转角度应力问题导 致的脱钩现象, 搭配波爬, 铅笔饵使用, 适用于船钓/岸抛、水面系或作钓淡水巨型掠食

The Plugging Single HD is a heavy-duty assist hook designed for saltwater lure fishing, perfect for large plugs and poppers. Its extra-wide bend ensures secure hook-ups with strong, fast saltwater species. The hollow-core assist cord allows greater hook movement, enhancing hook-up ratios and reducing the risk of the hook coming loose.

规格 Model	钩号 Hook Size	钩重 WT.(approx)	拉力 Strength(kg)	实心单圈 Solide Ring	线 PE Line	包装率 QTY.
8062-5X	4/0	3.3g	68	#6	300lb	4
8062-5X	5/0	4.4g	78	#6	300lb	4
8062-5X	6/0	7.2g	102	#7	300lb	4
8062-5X	7/0	9.4g	148	#7	300lb	4

FISHING





#### EXTRA HEAVY DUTY JIGGING HOOK - A 重型铁板钩A

配备强力冲压实心重型单圈, 拉力强。

宽钩门,高碳钢锋利铁板钩,缠线精致紧密防水加固胶。

钩尖对向朝向可以内外互换、针对不同钓场情况提高中鱼率和减少挂底几率。 诺比最新超锋利高强度切割和新涂层技术。

Featuring a heavy-duty Ocean loop.

Wide strong Noeby hook with high quality materials.

Splice tying process for perfect presentation and performance.

Noeby's ultra-sharp cutting hook point and the new coating technology.

钩号 Size	线长 Line Length	钩长 Hook Length	钩宽 Hook Width	钩直径 Diameter	包装率 SET
3/0	15mm	36mm	16mm	2.38mm	2
4/0	17mm	39mm	18mm	2.58mm	2
5/0	20mm	44mm	21mm	2.88mm	2
6/0	23mm	51mm	24mm	3.38mm	2
7/0	25mm	55mm	28mm	3.78mm	2





#### HEAVY ASSIST HOOK - B 重型铁板钩B

非常适合搭配不同类型饵型使用,包括飘落铁板、快抽铁板、甚至波爬和铅笔等。 配备强力冲压实心重型单圈, 拉力强。

搭配强力编织线、保证柔软的同时确保拉力稳定。

诺比最新超锋利高强度切割和新涂层技术。

Perfect for use with a variety of lures including slow pitch jigs, speed jigs, swimming plugs, and more.

The braided line used for the assist is soft and extremely strong at the same

Noeby's ultra-sharp cutting hook point and the new coating technology.

钩号 Size	线长 Line Length	钩长 Hook Length	钩宽 Hook Width	钩直径 Diameter	包装率 SET
4/0	15mm	39mm	18mm	2.58mm	3
5/0	17mm	44mm	21mm	2.88mm	3
6/0	20mm	51mm	24mm	3.38mm	3
7/0	20mm	55mm	28mm	3.78mm	3





#### JIGGING ASSIST HOOK - C 重型铁板钩C

配备强力冲压实心重型单圈、拉力强。

宽钩门,高碳钢锋利铁板钩,缠线精致紧密防水加固夜光胶。 搭配强力凯夫拉线,保证稳定拉力的同时避免被锋利牙齿鱼种切线。 诺比最新超锋利高强度切割和新涂层技术。

Pretied with high quality natural hair that significantly enhances the presentation of the jig in the water.

Equipped with Kevlar assist cord that ensures a proper orientation of the hook, providing a well-balanced flexibility to the cord.

Noeby's ultra-sharp cutting hook point and the new coating technology

钩号 Size	线长 Line Length	钩长 Hook Length	钩宽 Hook Width	钩直径 Diameter	包装率 SET
1/0	10mm	23mm	14mm	1.43mm	2
2/0	12mm	27mm	16mm	1.58mm	2
3/0	15mm	32mm	18mm	1.88mm	2
4/0	20mm	36mm	20mm	2.18mm	2
5/0	20mm	42mm	24mm	2.48mm	2









### JIG ASSIST HOOK - D 铁板钩D

采用高碳钢制作, 钩柄长, 钩尖锋利耐腐蚀性强, 刺穿效果好。 钩柄绑线不容易滑线, 鱼上钩时不容易断线, 钩柄依据力学原理设计, 保护了线 与钩面摩擦, 大幅度降低了断线的机率, 稳定性强。

High carbon material, long hook figure, sharp tip, nice corrosion resistance. Equipped with high strength 16 strands knitted assist cord, not easy to break at fish bitten.


Connection part is glow in the dark, attractive both in the day and at night. Hook figure are designed in principle of mechanics, avoid friction between hook and wire, reduce breaking probability.

#### Glitter/带夜光丝

钩号 Size	线长 Line Length	线拉力 Line Strength	钩长 Hook Length	钩宽 Hook Width	钩直径 Diameter	包装率 SET
1/0	10mm	220lbs	23mm	11.5mm	1.5mm	2
2/0	10mm	220lbs	25mm	13mm	1.6mm	2
3/0	15mm	286lbs	28mm	14mm	1.7mm	2
4/0	20mm	286lbs	32mm	15mm	1.7mm	2
5/0	20mm	300lbs	35mm	17mm	1.85mm	2
6/0	25mm	300lbs	41mm	19mm	2.25mm	2

钩号 Size	线长 Line Length	线拉力 Line Strength	钩长 Hook Length	钩宽 Hook Width	钩直径 Diameter	包装率 SET
3/0	15mm	286lbs	28mm	13.5mm	1.6mm	2
4/0	15mm	286lbs	32mm	15mm	1.7mm	2
5/0	15mm	300lbs	35mm	17mm	1.85mm	2
6/0	20mm	300lbs	41mm	19mm	2.25mm	2
7/0	25mm	330lbs	45mm	20mm	2.5mm	2

#### ALL-ROUND VERSATILE TREBLE HOOK-3X STRONG 3倍加强三本钩








#### CATFISH PRO HOOK 6X 鲶鱼活饵钩

三角鲶鱼活饵钩相比同等规格的圆钩强度提高了20%,不仅适用于而活饵作钓 淡水巨型鲶鱼等,也非常适用于海水沙滩、礁石以及近海鱼种。

The finished 3-sided wire is 20% stronger than a corresponding round wire hook. Rigid and tough, the Triangle Catfish Pro Hook is ideal not only for freshwater monster cats and sturgeon, but also for saltwater surf, reef, and inshore species.

钩号	直径	钩腹	长度	包装率
Size	Diameter	Gap	Length	SET
5/0	2.3mm	24.7mm	51mm	



# WORM HOOK 曲柄钩

日本进口高碳钢制作,稳定性高,不变形。 研磨型钩尖,锋利且耐用,穿透力强。 先进的多层电镀工艺, 耐腐蚀。 4独特钩尖角度,更好挂饵,提高中鱼率。

Japanese high-carbon steel with high stability, no deformation. Grinding hook tip, sharp and durable with good penetration. Advanced multi-layer plating process, corrosion-resistant. Unique hook tip angle, easy to hang lures and catch fish.

钩号 Size	直径 Diameter	钩腹 Gap	长度 Length	包装率 SET
1#	1.0mm	14.1mm	36.5mm	10
1/0	1.25mm	16.0mm	41.5mm	9
2/0	1.33mm	17.9mm	47.0mm	9
3/0	1.50mm	20.5mm	52.3mm	8
4/0	1.51mm	23.0mm	58.0mm	8
5/0	1.53mm	24.0mm	63.0mm	8
6/0	1.72mm	27.0mm	69.7mm	8



#### DARTER RS JIGHEAD 铅头钩

加强型铅头钩,使用海钓&淡水钓。 采用优质碳钢材质鱼钩,钩尖锋利,不易跑鱼。 尖头设计,减少阻力,利于远投,切水快。

Conical shaped, hydrodynamic jig head with minimum resistance in the water. Extra gripping claw. Hold slim worm without tearing them.

Tin Coating, a sticky sharp needle point allows for deep and quick penetration. With an assist eye, a special eyelet facilitates the use of an additional triple hook. Noeby add an extra gripping claw, a made-of-wire baitkeeper, which secure the silicon lure by getting a firm hold.



钩号 Size	重量 Weight	包装率 SET
1/0	7g	4
2/0	10g	4



钩号	重量	包装率
Size	Weight	SET
4/0	28g	3





#### LEGEND JIGHEAD 传奇铅头钩

日本专供碳钢材质,钩尖锋利。 先进的多层电镀工艺,耐腐蚀。

独特造型,重心稳定,平衡度佳,停止动作时鱼饵呈45°上扬,有利于鱼咬钩。

Japanese high-carbon steel material, sharp and durable.

Advanced multi-layer plating process, corrosion-resistant.

Unique shape features the center of gravity is stable, the bait keep  $45^{\circ}$  up when motionless makes catching fish easily.

钩号 Size	重量 Weight	包装率 SET
1/0	7g	4
1/0	10g	4
2/0	10g	4

# MUSTAD JIGHEAD 慕斯达铅头钩

采用优质鱼钩,钩尖锋利,鹰钩设计,锐度高,刺入快不易跑鱼。 铅头钩容易操作,也擅长模仿小鱼,小虾逃窜情形,引发追咬,操作简单, 中鱼率高。

铅坠由电解铅制成,钩子采用日本进口钩子,质量佳,坚固锋利。 搭配卷尾,T尾等软饵使用,十分方便。

Black nickel finish.

Strong and flexible wire.

Super sharp and strong hook make catching easily.

Anti-corrosion coating on head and hook.

Perfect bend shape, enabling easy fixation of the lure and preventing it from sliding.

Designed to be fished in both fresh and saltwater.

钩号 Size	重量 Weight	包装率 SET
1#	5g	4
1/0	7g	4
2/0	10g	4
3/0	15g	4







#### TEXAS RIG SLIDING SINKER 防挂子弹铅

因为穿线角度特殊设计,重心集中在下部且与水底有更多的接触面积,意味着更高的触底感度,另外软饵也会飘动的更丝滑,内置PVC软管不伤线。

Due to the angle of the line coming through the sinker, the majority of the weight stays on the bottom, so maintaining better bottom contact means more sensitivity from the overall rig.

The softbait float around a bit more compared to a bullet weight that holds the bait down closer to the bottom. A specialized tube is integrated inside the weight to allow it to slide up and down your line freely without fraying or damaging the line.

重量 Weight	14g	21g	28g
包装率 SET	10	8	6



#### HEAVY-DUTY ULTRA WIRE SPLIT RING 海钓巨物双圈 📼

非常适用与大型海水硬饵连接,由最高品质的不锈钢制成,提供可靠、高强度的连

Super heavy-duty ultra Wire Stainless Split Rings are ideal for connecting hooks to big saltwater lures. Made from the highest quality stainless steel, and it provide a reliable, high strength connection for various heavy duty rigging applications and open easily with any pair of split ring pliers.

型号 Size	重量 WT.(approx)	拉力 Strength(lb)	拉力 Strength(kg)	包装率 QTY.
#7	0.7g	154	70	15
#8	1.1g	175	80	10
#9	1.5g	200	91	10



#### HEAVY-DUTY HYPER WIRE SPLIT RING 压扁巨物双圈

独特的内斜口设计,更换附件方便快捷。不锈钢材质,耐高温氧化,耐腐蚀,强度高。压扁设计,增加强度,抗变形。 Made of stainless steel, improve the strength of the split ring and make it

more resistant to corrosion.

Anti-corrosion treatment is applied to the surface for use in salt water, so there is no need to worry about rust. Quick to "spring-back" after open.

型号 Size	外径 Piter	内径 Inside	厚度 Thickness	拉力 Drag	包装率 SET
5#	7.0mm	5.0mm	0.9mm	30kg/66lb	30
5.5#	8.0mm	5.5mm	1.0mm	42kg/93lb	30
6#	9.0mm	6.0mm	1.2mm	53kg/117lb	30
7#	10.5mm	7.0mm	1.4mm	62kg/137lb	25
8#	12.0mm	8.0mm	1.6mm	80kg/176lb	20
10#	14.3mm	10.0mm	1.8mm	100kg/220lb	15
11#	16.0mm	11.0mm	2.0mm	110kg/242lb	10
12#	17.2mm	11.7mm	2.2mm	130kg/287lb	10



#### SOLID RING 单圈

不锈钢制作,防生锈,抗腐蚀。一体成型,拉力强大。精研磨,表面光滑不伤线。 Compact and strong, creates a solid connection point that works well in conjunction with split rings. For those who can not afford a terminal tackle malfunction, the ring is a premier choice.

型号 Size	外径 Piter	内径 Inside	厚度 Thickness	拉力 Drag	包装率 SET
2#	5.0mm	3.0mm	0.8mm	103kg	50
3#	5.5mm	3.5mm	1.0mm	135kg	50
4#	6.5mm	3.8mm	1.2mm	166kg	50
5#	7.6mm	4.8mm	1.2mm	197kg	50
6#	9.0mm	5.7mm	1.4mm	228kg	50
7#	9.4mm	6.2mm	1.6mm	268kg	50
8#	11.5mm	7.2mm	2.0mm	289kg	40
9#	12.2mm	7.6mm	2.2mm	335kg	40



#### 8 SHAPE RING 无缝8字环

高压冲床双压扁连接环,不易变形,强度高,更结实。 不锈钢材质,经久耐用,破断力也大幅度提升。

The high-pressure punch double-flattened connecting ring is less deformation, high strength and durable.

Made of stainless steel, durable and the breaking force improved drastically. Optimal material, smooth and burr-free.

型号 Size	外径1 Piter1	内径1 Inside1	外径2 Piter2	内径2 Inside2	厚度 Thickness	拉力 Drag
S	8.5mm	5.5mm	5.6mm	2.7mm	1.4mm	80kg
М	10.1mm	6.2mm	7.6mm	3.8mm	1.7mm	105kg
L	11.3mm	7.6mm	8.4mm	4.7mm	1.7mm	125kg



#### CRANK BAIT SNAP NBLS7003 路亚别针

型号 Size	拉力 Drag(lb)	包装率 SET
NBLS7003B-1#	18	18
NBLS7003B-2#	25	18
NBLS7003B-3#	30	18
NBLS7003S-1#	18	18
NBLS7003S-2#	25	18
NBLS7003S-3#	30	18

\* B: BLACK S: SLIVER



#### **DUOLOCK SNAP** NBS7002 增强别针

拉力 Drag(lb)	包装率 SET		
12	18		
18	18		
25	18		
30	18		
12	18		
18	18		
25	18		
30	18		
	Drag(lb)  12  18  25  30  12  18  25		

\* B: BLACK S: SLIVER



#### **DUOLOCK SWIVEL SNAP** NBRS7001 增强别针+美式转环

型号 Size	拉力 Drag(lb)	包装率 SET
NBRS7001B-3*3	30	12
NBRS7001B-6*1	18	12
NBRS7001B-7*1	18	12
NBRS7001B-8*0	12	12
NBRS7001S-3*3	30	12
NBRS7001S-6*1	18	12
NBRS7001S-7*1	18	12
NBRS7001S-8*0	12	12

\* B: BLACK S: SLIVER



#### CHEST BAG A 传奇胸包

(SR小号 31\*21\*13cm(前4后9), MR大号 38\*23\*15cm(前5后10)

采用防水防污皮革材质制成,配有挂环,可挂钓鱼工具。 YKK拉链防水设计,水密性能好,防止雨水侵入。 内部空间大,有隔板,方便物品整理整齐,附手机口袋。 Made of waterproof & stain resistant material, equipped with ring for hanging fishing tools. YKK waterproof zipper feature supper sealability, avoid wetting by rain.

# 黑迷彩 星空军绿 荒漠迷彩 星空灰 Desert camo Space gray

#### LEGEND TACKLE BAG B 传奇胸包

(内包 inner size: 34\*20\*11cm)

安全卡环,可外挂小配件。 采用进口布料,配有安全卡扣更安全。

Safety clasp be attached to the small accessory kit.

Making with Imported fabric material and equipped with safety buckle. Waterproof and anti-fouling, prevent the fishing accessories from beingcor roded by sea water effectively.



#### LEGEND BOAT BAG 传奇船包

(内包 inner size: 28X12X23cm)

超大容量,多口袋设计,满足全部出钓需求。 底部附有橡胶保护层,有效保护包内工具。

Excellent workmanship and perfect surface. Oxford fabric is wear-resistant, the shoulder belt and belt can be adjusted to suit all kinds of people. The bottom with a rubber protective layer to protect the inner equipment effectively.



#### HIP PACK 腰包

(内包 inner size: 30\*15\*10cm)

专为轻装路亚而设计的腰包, 具有各种作钓所需的功能细节设计, 配有主/副仓收纳、路亚钳套、多个D型外挂扣、水杯袋、可调节腰带。 Offering complete organization and mobile gear storage that constructed from polyester with a polyurethane coating,



#### #105 重生路亚钳

特殊加工不锈钢钳口,轻松更换鱼钩和取钩。锋利强壮的钨钢刀片,轻松剪断各 种钓鱼线。

Special craft stainless steel mouth, easy to take and change hooks. Sharp and strong tungsten steel blade, easy to cut various fishing line.

型号	长度	重量
Model	Length	Weight
#105	178mm	124a



#### #106 重生路亚钳 PLUS

加长的钳嘴更利于摘取鱼钩。锋利强壮的钨钢刀片,轻松剪断各种钓鱼线。航空铝 材质制成手柄,握感舒适,轻便顺手,耐腐蚀。

Lengthened clamp eases to remove hooks. Sharp and strong tungsten steel blade, easy to cut various fishing line. The handle is made of preservative aviation aluminum, and the light weight is portable.

	型号	长度	重量
	Model	Length	Weight
Ī	#106	200mm	134g



#### #109 狼牙II代路亚钳

路亚钳通体采用耐腐蚀轻量航空铝合金材质。钨钢刀片,轻松剪断各种钓鱼线,锋利耐生锈。带有一键式锁定功能,钳子可以在关闭状态下放置,易收纳。 The design of hole on body signs to the combination of force and beauty. Easy open, push-pull switch. Super easy to use with one hand. Lightweight and delivers excellent corrosion resistance.

型号	长度	重量	
Model	Length	Weight	
#109	181mm	97g	



钨钢刀片侧面剪线功能设计,轻松剪断各种钓鱼线。特殊工艺加工不锈钢钳口,开环简单,便于取钩。定制钳套和失手绳,保护鱼钳,携带方便。

Tungsten steel blade, side cutting line function, easy to cut various fishing line. Special craft stainless steel mouth, easy to take rings and hooks. Customized convenient sheath and lanyard.

型号	长度	重量
Model	Length	Weight
#104	175mm	



## #101 迷你路亚钳

钳头弯嘴设计,取钩、换钩、剪线方便。双面板簧钳 口自动张开,单手轻易操作。

Curved clamp head, easy to take, change hook and cut line. Easily operated by one hand cause by the spring on both sides.

型号	长度	重量
Model	Length	Weight
#101	130mm	62g



# #102 多功能弯嘴路亚钳

钓鱼钳,开口、开环、剪线、夹鱼多功能集一身,是每一个垂钓爱好者的必备品。双面板簧钳口自动张开,单手轻易操作。多功能小刀隐藏在握把中,切割刮鱼鳞兼备。 This is a multi-function plier to help anglers to enjoy sports. Easily operated by one hand cause by the spring on both sides. Mulit-function sharp cutters in the handle special for cutting and scraping.

型号	长度	重量	
Model	Length	Weight	
#102	160mm	123g	



专为微物路亚饵搭载的小双圈设计,钳嘴细小,可轻松 开直径2mm的双圈。采用不锈钢材质制作而成,强度高 耐腐蚀。

Designed for the small split ring of mini lures ,the jaws are small and can easily open split ring with 2mm diameter. Made of stainless steel, high strength and corrosion resistance.

型号	长度	重量
Model	Length	Weight
#110	138mm	53g



#### #201 枪柄控鱼器

经典造型,不锈钢材质坚固耐用。

Classic designed products with stainless steel material, solid and durable.

	型号	长度	重量
	Model	Length	Weight
Ì	#201	220mm	124g



# #202 狼牙折叠控鱼器

可折叠设计,操作灵活,携带方便。 钳口设计科学, 闭合强度大。 单手可扳动开关,操作简单方便。

Folding model, flexible operating, convenient to carry.

The grip lip has a bigger closed force for special clamp.

Can trigger the switch by one hand, which is simple and convenient.

	型号	长度	重量
	Model	Length	Weight
İ	#202	280mm	190g



### PR BOBBIN KNOTTER 打结器


金属穿线管,切口光滑不伤线,伸缩设计,自由调节。 可调节阻力旋钮,防滑螺纹设计,根据需要调整输线速度。 夹线槽双橡胶圈设计,固定鱼线不打滑。

Metal threading pipe, the cut is smooth and does not hurt the line, the telescopic design is freely adjustable.

Adjustable resistance bottom, non-slip thread design, adjust the transport

The double rubber ring of the clamping groove is designed to prevent the fishing line from slipping.

28\*31\*75mm



类型 Type	节数 SEC	收缩长 C.Length	延伸总长 Total Length	重量 Weight	手把 Handle type	网头类型 Landing Net Type	网材质 Net material	网长 Landing Net Size	网深 Net Depth
TYPE-A(Floating)	1	64cm	122cm	404g	Carbon 碳纤维	Carbon/Folding head 碳纤维/折叠头	Rubber-coated mesh 橡胶防缠网	60cm*50cm	50cm
TYPE-B(Floating)	2	64cm	167cm	375g	Carbon/Telescopic 碳纤维/伸缩	Carbon/Folding head 碳纤维/折叠头	Rubber-coated mesh 橡胶防缠网	60cm*50cm	50cm
TYPE-C(Floating)	1	122cm	180cm	705g	Carbon 碳纤维	Carbon/Telescopic 碳纤维/伸缩头	Rubber-coated mesh 橡胶防缠网	60cm*50cm	50cm
TYPE-D(Floating)	6	64cm	326cm	517g	Carbon/Telescopic 碳纤维/伸缩	Carbon/Folding head 碳纤维/折叠头	Rubber-coated mesh 橡胶防缠网	60cm*50cm	50cm

# Voyager Al

Big Game Carbon Fiber Fishing Gaff 强力海钓搭钩

竿体材质 Shaft Material	竿体长度 Shaft Length	节数 Section	钩子材质 Hook Material	钩子宽度 Hook Width	钩子直径 Hook Dia.
Carbon Fiber	4'8" (143cm)	1	316L Stainless Steel	10cm	10mm
Carbon Fiber	8'0" (243cm)	1	316L Stainless Steel	10cm	10mm
Carbon Fiber	8'0" (243cm)	2	316L Stainless Steel	10cm	10mm





#### FISHING ROD PROTECTOR 東竿带

发泡橡胶压纹高弹力OK布与织带合成,有效保护尖端和尾部,弹力适中。 绑带用于绑扎握把端前端,背面发泡橡胶压纹防磨损。

High elastic neoprene material & foaming rubber thread &belt, protect tip and end part of the rod effectively.

The belt fix the front of handle, thick bottom side offer better shock absorption.

尺寸 Size	长度可调范围 Length adjustable range	颜色 Color
М	90-120cm	Black
L	100-135cm	Black

#### FISHING LANYARDS 失手绳

内置多股钢丝, 耐拉扯。 TPU柔软外层耐磨, 延展性强, 回弹快。 不锈钢双圈防锈坚固。 加强登山卡扣设计,开合轻松,锁扣牢固,使用方便。

Ideal for securing pliers, lip grips, tool rods, and reels for camping, fishing and

Built in steel wire- The inside is a high strength stainless steel wire, external high-quality imported TPU materials, super strong pull with good resilience.

长度	拉力	最大拉伸长度	材质
Length	Drag	Maximum Extend Length	Material
21cm	7kg	135cm	Aluminum Ring+TPU Plastics

#### REEL BAG 渔轮包

加厚带弹力材质制作, 更好的保护渔轮。 魔术贴开口设计,使用方便。

Thickened elastic material, better protect the fishing reels. Velcro clip, stick firmly and convenient to use.

尺寸 Size	长度 Length	宽度 Width	推荐尺寸 Reel Size
SPINNING - M	120mm	125mm	500-3000
SPINNING - L	180mm	130mm	1000-4000
SPINNING - XL	185mm	160mm	5000-10000
SPINNING - XXL	215mm	165mm	10000-20000
CASTING - S	100mm	100mm	100-200
CASTING - M	140mm	130mm	100-300







SPINNING

BAIT CASTING



#### FISHING TOWEL 毛巾

多功能毛巾,柔软磨绒,不易掉毛。

强力吸水,环保无异味,不掉色,易清洗。

Lightweight microfiber, dries quickly, more efficient, and can absorb and release water instantly.



#### PRO ANGLING GLOVES A 露三指手套

手背采用冰丝高弹力透气布料。

手背的LOGO及白色条均为反光条,提高夜间钓鱼安全性。

手掌处采用高新技术材料布料, 舒适、耐磨

手掌中间位置采用纯羊皮表面,耐磨性好,里面SBR材质防震缓冲效果好。

The UPF 50+ and SPF UV Protect your hands from sunburn, skin toughening and aging.

Ultra-Comfortable Ice Elastic Breathable Fabric, breathable quick drying fabric provide comfort and keeps you cool and dry.

Anti-slip and Anti-abrasion, providing better grip on the fishing rod in damp or sweaty conditions.

Hook and loop closure design.

	尺寸 Size	手掌周长 Hand Around	颜色 Color
r	М	17-21cm/6.7-8.2in	Grey/Multi-color
	L	20-23.5cm/7.8-9.2in	Grey/Multi-color
	XL	21.5-24.5cm/8.9-10.5in	Grey/Multi-color



#### ALL-PURPOSE FISHING GLOVES C 全指手套

手背采用楼梯布材质, 护手防挂。 反光条LOGO设计,提高夜间钓鱼安全性。 手指中间是高弹透气布料,掌心及手指处均有透气孔设计,透气效果好。 手掌处立体剪裁, 防滑耐磨, 防震缓冲。

Built from heavy-duty, quick-drying material that will not only protect you whist handling fish, but is also comfortable and easy to wear from dawn to dusk. UPF50+ Syn UV Protection, protect your hands and wrists from harmful sun's UV rays.

Superior breathable ventilation, anti-slip and anti-abrasion. Hook and loop closure design.

尺寸 Size	手掌周长 Hand Around	颜色 Color
М	17-21cm/6.7-8.2in	Grey
L	20-23.5cm/7.8-9.2in	Grey
XL	21.5-24.5cm/8.9-10.5in	Grey



#### 3D FIGHTING GLOVES D 波爬铁板手套

一款定位于与中大型鱼类搏斗的波爬铁板手套, 3D裁剪技术将手套塑造出真手的自 然形状,极高的舒适度会让钓手忽略手套的存在,专注于搏斗过程。柔软的人造皮 革与快干透气布料的基础上添加高摩擦力网状矩阵防滑垫,紧密贴合手部但灵活性 不受限的同时拥有壁虎一样的抓力。

Ideal for casting and jigging for Tuna, Kingfish, and GT. Noeby's 3D cutting technique shapes these gloves to the exact natural shape of a real hand. The fingertips and thumb have been reinforced with long days of casting and the palm of the glove has an extra layer of material sewn on with hexagonal shaped grip to maintain contact and prevent slippage when wet.

尺寸 Size	手掌周长 Circumference in cm	手掌周长 Circumference in inches
L	23-24cm	9"-9.5"
XL	25-26cm	9.75"-10.25"
XXL	27-28cm	10.5"-11.25"



<sup>\*</sup> Please allow 1-2cm measuring deviation due to manual measurement.



#### HEADWEAR 钓鱼帽

采用高级棉纱面料,舒适透气。 采用先进蒸烫技术,确保产品长期洗涤不变形。 内衬吸汗层设计, 保证佩戴干爽。

Using high cotton yarn fabric, comfortable and breathable.

Adopted the imported steaming and pressing technology to ensure the products are not deformed for the long term.

尺寸	周长
Cap Size	Circumference
均码	56-62cm



#### SUN MASK A 防晒头巾

UPF50+新型功能面料,冰丝凉感,阻隔紫外线,保护皮肤。 四面弹力, 不易变形, 贴合度高, 细腻光滑, 柔和亲肤易洗涤。 UPF50+ new functional fabric, cold silky, blocking UV, protect the skin. Four-sided elastic, not easy to deform, high fit degree, fabric is fine and smooth, soft and easy to wash.

尺寸	上宽	下宽	长度
Size	Top Width	Bottom Width	Length
均码	24	24	38



#### 3D SUN MASK B 立体防晒头巾

冰丝面料, 冰丝凉感, 轻薄透气。 紫外线UPF防晒50+, 呵护肌肤。 Ice silk fabric, ice silky cool, light and breathable. UV UPF 50+ protection, care for the skin.



### CASTING FINGER PROTECTOR 远投指套

弹力面料,舒适透气。 手腕松紧带魔术贴设计, 佩戴方便。 Non-slip single finger cast gloves, finger protection device. Made of high-quality thick fabric, durable and comfortable. Protecting fingers from cutting and abrasion.



#### SLEEVE UPF50+ 防晒袖套

UPF50+, 有效遮蔽户外有害紫外线。 4段针织工艺,符合人体工程学。 冰丝面料, 防勾丝, 不起球。 UPF50+, shielding outdoor harmful UV rays effectively . Ice silk fabric, washable ,anti-hook, not pilling .

尺寸	袖套上宽	套袖下宽	袖套长度		
Size	Arm Sleeve Top Width	Arm Sleeve Bottom Width	Arm Sleeve Length		
XL	13.0	8.0			





















#### #01 SHIRT 钓鱼服

网眼设计,干爽舒适透气,吸水速干。 采用优质纳米聚酯纤维材料,提升防晒能力。 立体剪裁,全方位贴合人体。 耐摩擦印刷,不褪色。

Mesh design, dry, comfortable, breathable and quick-drying. Made of high-quality Nano polyester fiber material, anti UV effectively. Three-dimensional cut, fit the human body well. Anti-friction printing, nonfading.

# #04 SHIRT 钓鱼服

网眼设计,干爽舒适透气,吸水速干。 采用优质纳米聚酯纤维材料,提升防晒能力。 立体剪裁,全方位贴合人体。 耐摩擦印刷,不褪色。

Mesh design, dry, comfortable, breathable and quick-drying.

Made of high-quality Nano polyester fiber material, anti UV effectively.

Three-dimensional cut, fit the human body well.

Anti-friction printing, nonfading.

#### #08 SHIRT 钓鱼服

网眼设计,干爽舒适透气,吸水速干。 采用优质纳米聚酯纤维材料,提升防晒能力。 立体剪裁,全方位贴合人体。 耐摩擦印刷,不褪色。

Mesh design, dry, comfortable, breathable and quick-drying. Made of high-quality Nano polyester fiber material, anti UV effectively. Three-dimensional cut, fit the human body well. Anti-friction printing, nonfading.

#### #05 LONG SLEEVE SHIRT 长袖防晒钓鱼服

这款防晒钓鱼服采用涤纶和氨纶的轻质混纺面料剪裁而成,具有最佳的舒适度,是钓鱼人、猎人以及户外运动爱好者的绝佳选择。 面料轻质、UPF 50+防晒,吸走水分并保持皮肤干爽,为炎热的夏季带来清爽感。 包缝和平缝针织结构相结合,高弹活动自如,舒适不拘束。

Cut from a lightweight blend of polyester and spandex for optimal comfort, the shirt is an excellent option for anglers, hunters, and outdoorsmen alike. Sun-protective UPF 50+,wick away moisture and keep you dry, brings a fresh approach to those sweltering summer fishing days. Combination of merrow seams & flat-seam construction for maximum comfort.

#### #03 JACKET 钓鱼服

防水涂层处理,防风保护结构,满足户外需求。 超细纤维加绒内衬,有效锁温。 底部抽拉绳设计,保暖性能好。 安全方便的内置口袋,储物量大。

Waterproof coating and windproof structure, special for outdoor sports. Velvet lining is comfortable and breathable.

Bottom pull rope keep warm effectively.

Safety and convenient built–in pocket, large capacity.

单位:cm

规格 Model	S	М	L	XL	2XL	3XL	4XL	5XL
后中长 Center Back Length	61	63	65	70	72	75	77	79
胸围 Chest	43	45	47	53	57	60	63	66
袖长 Sleeve Length	56	57	58	61	63	65	67	69
长袖袖口宽 Sleeve Opening (Long Sleeve)	11	11.5	11.5	12	12	13	13	14
短袖袖长 Sleeve Length (Short Sleeve)	18	18	18	20	20	20	20	20



# HEADQUARTERS FACTORY





#### **OUR SOLEMN COMMITMENT**

"From raw materials to finished products, we ensure that every stage of the entire production process is strictly controlled by us, guaranteeing compliance with high production standards and ensuring that every product received by our customers undergoes multiple rounds of rigorous quality inspections."


---- NOEBY CEO: Steven Sun W

- \* Quality is always the main priority in our factory.
- \* Complete QC system make sure all of productions with good quality.



















#### HIGH QUALITY. LOW PRICE. NICE SERVICE. GREAT CREDIT.

For 20 Years. Only Dedicated For Serving For The Fishing Tackle Business


# 20+ ENGINEERS & FIELD STAFFS DEDICATED

#### TO PRODUCT DEVELOPMENT AND TESTINGE

What makes NOEBY unique from other fishing tackle manufacturers is our practical design backed by a strong R&D department, engineering design team, and ten foreign designers.

With our own exclusive products developed continuously, we are offering more supports to our customers.













We invest more time and effort in product testing than our competitors, ensuring that every product undergoes multiple rounds of rigorous testing before being introduced to the market.









#### **OUR FACTORY**

Weihai Noeby Fishing Tackle Co., Ltd. is located in Weihai, China, a global fishing tackle manufacturing base. The NOEBY factory has been manufacturing fishing lures and fishing rods since 2005.

Our factory floor spans over 10,000 square meters and is equipped with more than 30 advanced fishing lure production lines, 16 advanced fishing rod production lines, and a production team of over 600 members.

#### - FISHING LURE PRODUCTION LINES




#### - FISHING ROD PRODUCTION LINES



#### "FUN OF FISHING FOR MORE PEOPLE AND MAKE FISHING EASIER"

We always reinvest in our factories.

Through 20 years of hard work and continuous investment in better machines and product lines, as well as staff training, we have developed the best OEM production capabilities and product development abilities to serve our customers.



# **Fishing Tackle Co. Ltd.**



Chris:082 784 2291 info@noeby.co.za



Matt: 082 334 7299 sales@noeby.co.za











Designed to Catch

www.noeby.co.za



Address: 1 Dana Street, Springbokpark, Brackenfell, 7560

